

Answer (penalty regime: 0 %)

```

1  #include<stdio.h>
2  int main()
3  {
4      int T,d,i=0,i1,i2,o;
5      char c;
6      scanf("%d",&T);
7      while(i<T)
8      {
9          scanf("%d",&d);
10         i1=0;
11         while(i1<d)
12         {
13             o=1;
14             i2=0;
15             if(i1%2==0)
16             {
17                 o=0;
18             }
19             while(i2<d)
20             {
21                 c='B';
22                 if(i2%2==o)
23                 {
24                     c='W';
25                 }
26                 printf("%c",c);
27                 i2++;
28             }
29             i1+=1;
30             printf("\n");
31         }
32         i=i+1;
33     }
34 }

```

Feedback

Input Expected Got

	WBW	WBW
	BWB	BWB
2	WBW	WBW
3	WBWBW	WBWBW
5	BWBWB	BWBWB
	WBWBW	WBWBW
	BWBWB	BWBWB
	WBWBW	WBWBW

Passed all tests!

< Week-05-01-Practice Session...

Answer:(penalty regime: 0 %)

```

1  #include<stdio.h>
2  int main()
3  {
4      int T,d,i,i1,i2,o,z;
5      char c,s;
6      scanf("%d",&T);
7      for(i=0;i<T;i++)
8      {
9          scanf("%d %c",&d,&s);
10         for(i1=0;i1<d;i1++)
11         {
12             z=(s=='W') ? 0:1;
13             o=(i1%2==z) ? 0:1;
14             for(i2=0;i2<d;i2++)
15             {
16                 c=(i2%2==o) ? 'W':'E';
17                 printf("%c",c);
18             }
19             printf("\n");
20         }
21     }
22 }
23

```

Feedback

Input Expected Got

	WB	WB
2	BW	BW
2 W	BWB	BWB
3 B	WBW	WBW
	BWB	BWB

Passed all tests!

Question 3

Correct

Marked out of 7.00

```

1 #include<stdio.h>
2 int main()
3 {
4     int n,v,p3,c,in,i,i1,i2,t,t1;
5     scanf("%d",&t);
6     for(t1=0;t1<t;t1++)
7     {
8         v=0;
9         scanf("%d",&n);
10        printf("Case #%d\n",t1+1);
11        for(i=0;i<n;i++)
12        {
13            c=0;
14            if(i>0){
15                for(i1=0;i1<i;i1++)
16                    printf("***");
17            }
18            for(i1=i;i1<n;i1++)
19            {
20                if(i>0)
21                    c++;
22                printf("%d0",++v);
23            }
24            if(i==0){
25                p3=v+(v*(v-1))+1;
26                in=p3;
27            }
28            in=in-c;
29            p3=in;
30            for(i2=i;i2<n;i2++){
31                printf("%d",p3++);
32                if(i2!=n-1)
33                    printf("0");
34            }printf("\n");
35        }
36    }
37 }

```

Feedback

Input

Expected

Got

Case #1
10203010011012
**4050809
****607
Case #2

Case #1
10203010011012
**4050809
****607
Case #2

Answer:(penalty regime: 0 %)

```
1 #include<stdio.h>
2 #include<math.h>
3 int main()
4 {
5     int n;
6     scanf("%d",&n);
7     int x=0,n2=n;
8     while(n2!=0)
9     {
10         x++;
11         n2=n2/10;
12     }
13     int sum=0;
14     int n3=n,n4;
15     while(n3!=0)
16     {
17         n4=n3%10;
18         sum=sum+pow(n4,x);
19         n3=n3/10;
20     }
21     if(n==sum)
22     {
23         printf("true");
24     }
25     else
26     {
27         printf("false");
28     }
29 }
```

Feedback

Input Expected Got

153 true true

123 false false

Take a number, reverse it and add it to the original number until the obtained number is a palindrome. Constraints $1 \leq \text{num} \leq 99999999$
Sample Input 1 32 Sample Output 1 55 Sample Input 2 789 Sample Output 2 66066
Answer:(penalty regime: 0 %)

```
1 #include<stdio.h>
2 int main()
3 {
4     int rn,n,nt=0,i=0;
5     scanf("%d",&n);
6     do
7     {
8         nt=n;
9         rn=0;
10        while(n!=0)
11        {
12            rn=rn*10 + n%10;
13            n=n/10;
14        }
15        n=nt+rn;
16        i++;
17    }
18    while(rn!=nt || i==1);
19    printf("%d",rn);
20    return 0;
21 }
```

Feedback

Input Expected Got

32	55	55
----	----	----

789	66066	66066
-----	-------	-------

Passed all tests!

Answer:(penalty regime: 0 %)

```
1  #include<stdio.h>
2  int main()
3  {
4      int n=1,i=0,nt,co=0,e;
5      scanf("%d",&e);
6      while(i<e)
7      {
8          nt=n;
9          while(nt!=0)
10         {
11             co=0;
12             if(nt%10!=3 && nt%10!=4
13             {
14                 co=1;
15                 break;
16             }
17             nt=nt/10;
18         }
19         if(co==0)
20         {
21             i++;
22         }
23         n++;
24     }
25     printf("%d",--n);
26     return 0;
27 }
```

Feedback

Input Expected Got

34 33344 33344

Passed all tests!

Finish review