

A
277 genomes × 44 families · families ordered by prevalence · filled = present
Aconitase
IPM isomerase LeuC
Glutamate synthase
Ferredoxin 4Fe4S
SUF biogenesis
WhiB
SDH FRD
Quinolinate synthase NadA
Radical SAM
Ferredoxin 2Fe2S
IspH LytB
Rieske
Nitrite sulfite reductase
NADH dehydrogenase
Molybdoenzyme
SufU assembly
Ferredoxin reductase FprB
IspG HMBPP synthase
Dihydroxyacid dehydratase IlvD
DNA glycosylase Nth
Radical SAM MoaA
Rieske steroid oxygenase
FeS reductase CCG
ThiC
Rieske nitrite reductase
DNA glycosylase MutY
CDGSH NEET
Radical SAM MiaB
Rieske QcrA
FhuF siderophore reductase
SerA dehydrogenase
Radical SAM PqqE
Radical SAM RlmN
NifU assembly
Radical SAM HemN
Radical SAM LipA
Serine dehydratase
Radical SAM BioB
FbiC FO synthase
PhnJ CP lyase
CobG precorrin
FadH dienoyl CoA
DUF779 FeS candidate
Aldehyde Fd oxidoreductase
B
−log10 p
Radical SAM HemN
Radical SAM BioB
Radical SAM MiaB
DUF779 FeS candidate
8 enriched · 0 depleted at BH q < 0.05
log2 odds ratio (clinically relevant species vs the rest)
C
Clade 5 n=27
Clade 7 n=7
unplaced n=14
Clade 1 n=99
Clade 2 n=60
Clade 4 n=27
minor clades n=5
Clade 3 n=29
Clade 6 n=9
Fe–S proteins per genome
D
PCo2 (11.5 %)
PCo1 (28.6 %)
Clade 1
Clade 2
Clade 3
Clade 4
Clade 5
unplaced
Clade 6
Clade 7
minor clades