
A
37 of 37 families: ligand Cys more conserved · 31 significant at BH q < 0.05
Radical SAM
WhiB
NifU assembly
Rieske
Rieske steroid oxygenase
Molybdoenzyme
Ferredoxin 2Fe2S
CDGSH NEET
Ferredoxin 4Fe4S
Serine dehydratase
Nitrite sulfite reductase
Rieske nitrite reductase
FeS reductase CCG
SDH FRD
FhuF siderophore reductase
NADH dehydrogenase
DNA glycosylase MutY
Glutamate synthase
Radical SAM MoaA
DNA glycosylase Nth
Ferredoxin reductase FprB
Radical SAM HemN
Rieske QcrA
IspH
IPM isomerase LeuC
Radical SAM MiaB
Radical SAM RlmN
SufU assembly
Quinolinate synthase NadA
Aconitase
Radical SAM LipA
Radical SAM PqqE
Radical SAM BioB
IspG HMBPP synthase
ThiC
FbiC FO synthase
Dihydroxyacid dehydratase IlvD
BH q < 0.05
not significant
0.0
0.1
0.2
0.3
0.4
0.5
Conservation difference (ligand Cys − other columns)
B
8
8
7
10
2
19
22
3
22
5
13
2
17
15
6
14
6
8
7
5
10
4
4
4
7
12
7
4
10
5
7
14
8
8
8
8
9
0
5
10
15
20
25
Predicted ligand cysteines