NumPy Exercises

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

Import NumPy as np
```
import numpy as np
```

Create an array of 10 zeros
```
arr=np.zeros(10)
arr
```
```
array([0., 0., 0., 0., 0., 0., 0., 0., 0., 0.])
```

Create an array of 10 ones
```
arr=np.ones(10)
arr
```
```
array([1., 1., 1., 1., 1., 1., 1., 1., 1., 1.])
```

Create an array of 10 fives
```
arr=np.ones(10)*5
arr
```
```
array([5., 5., 5., 5., 5., 5., 5., 5., 5., 5.])
```

Create an array of the integers from 10 to 50
```
arr=np.arange(10,51,1)
arr
```
```
array([10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,
       27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43,
       44, 45, 46, 47, 48, 49, 50])
```

Create an array of all the even integers from 10 to 50
```
arr=np.arange(10,51,2)
arr
```
```
array([10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42,
       44, 46, 48, 50])
```

Create a 3x3 matrix with values ranging from 0 to 8
```
arr=np.arange(0,9).reshape(3,3)
arr
```

```
array([[0, 1, 2],
       [3, 4, 5],
       [6, 7, 8]])
```

Create a 3x3 identity matrix
```
arr=np.identity(3)
arr
```

```
array([[1., 0., 0.],
       [0., 1., 0.],
       [0., 0., 1.]])
```

Use NumPy to generate a random number between 0 and 1
```
random_no=np.random.normal(0,1,1)
random_no
```

```
array([-0.33326122])
```

Use NumPy to generate an array of 25 random numbers sampled from a standard normal distribution
```
random_no=np.random.normal(0,1,25)
random_no
```

```
array([-0.4605342 , -0.21524312,  0.43319183, -3.28785695, -
1.34225083,
        2.49520311, -0.18160468,  0.21094221,  0.97753167,
0.51618002,
       -0.02180436,  0.29187493, -1.22055107, -1.40691831,
1.6252357 ,
       -2.3845015 , -0.39813571,  0.63721372, -0.03462788,
1.52984246,
        0.70685126, -0.23750747,  0.44526755, -0.74513634, -
0.79917828])
```

Create the following matrix:
```
arr=np.arange(0.01,1.01,0.01).reshape(10,10)
arr
```

```
array([[0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1 ],
       [0.11, 0.12, 0.13, 0.14, 0.15, 0.16, 0.17, 0.18, 0.19, 0.2 ],
       [0.21, 0.22, 0.23, 0.24, 0.25, 0.26, 0.27, 0.28, 0.29, 0.3 ],
       [0.31, 0.32, 0.33, 0.34, 0.35, 0.36, 0.37, 0.38, 0.39, 0.4 ],
       [0.41, 0.42, 0.43, 0.44, 0.45, 0.46, 0.47, 0.48, 0.49, 0.5 ],
       [0.51, 0.52, 0.53, 0.54, 0.55, 0.56, 0.57, 0.58, 0.59, 0.6 ],
       [0.61, 0.62, 0.63, 0.64, 0.65, 0.66, 0.67, 0.68, 0.69, 0.7 ],
       [0.71, 0.72, 0.73, 0.74, 0.75, 0.76, 0.77, 0.78, 0.79, 0.8 ],
```

```
       [0.81, 0.82, 0.83, 0.84, 0.85, 0.86, 0.87, 0.88, 0.89, 0.9 ],
       [0.91, 0.92, 0.93, 0.94, 0.95, 0.96, 0.97, 0.98, 0.99, 1.  ]])
```

Create an array of 20 linearly spaced points between 0 and 1:
```
arr=np.linspace(0,1,20)
arr
```

```
array([0.        , 0.05263158, 0.10526316, 0.15789474, 0.21052632,
       0.26315789, 0.31578947, 0.36842105, 0.42105263, 0.47368421,
       0.52631579, 0.57894737, 0.63157895, 0.68421053, 0.73684211,
       0.78947368, 0.84210526, 0.89473684, 0.94736842, 1.        ])
```

Numpy Indexing and Selection

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

```
mat = np.arange(1,26).reshape(5,5)
mat
```

```
array([[ 1,  2,  3,  4,  5],
       [ 6,  7,  8,  9, 10],
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE

mat[2:,1:]
```

```
array([[12, 13, 14, 15],
       [17, 18, 19, 20],
       [22, 23, 24, 25]])
```

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE

mat[3,4]
```

```
20
```

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE

mat[0:3,1:2]
```

```
array([[ 2],
       [ 7],
       [12]])
```

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE

mat[4:]

array([[21, 22, 23, 24, 25]])
```

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE

mat[3:]

array([[16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
```

Now do the following

Get the sum of all the values in mat
```
sum(sum(mat))

325
```

Get the standard deviation of the values in mat
```
np.std(mat)

7.211102550927978
```

Get the sum of all the columns in mat
```
sum(mat)

array([55, 60, 65, 70, 75])
```

Great Job!