




Capturing from Wi-Fi

FileEditViewGoCaptureAnalyzeStatisticsTelephonyWirelessToolsHelp

Apply a display filter ... <Ctrl>/>

No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000	fe80::6d41:d7c:728e...	ff02::1:2	DHCPv6	122	Information-request XID: 0xc0c4d5 CID: 00010001317c75b900e04c0f1e40
2	2.157920	2a03:2880:f335:120:...	2401:4900:e84b:d186...	TLSv1.2	206	Application Data
3	2.201390	2401:4900:e84b:d186...	2a03:2880:f335:120:...	TCP	74	7367 → 443 [ACK] Seq=1 Ack=133 Win=254 Len=0
4	2.209158	2401:4900:e84b:d186...	2a03:2880:f335:120:...	TLSv1.2	147	Application Data
5	2.466951	2a03:2880:f335:120:...	2401:4900:e84b:d186...	TCP	74	443 → 7367 [ACK] Seq=133 Ack=74 Win=2263 Len=0
6	14.855610	2a03:2880:f335:120:...	2401:4900:e84b:d186...	TLSv1.2	177	Application Data
7	14.869235	2401:4900:e84b:d186...	2a03:2880:f335:120:...	TLSv1.2	175	Application Data
8	15.061314	2a03:2880:f335:120:...	2401:4900:e84b:d186...	TCP	74	443 → 7367 [ACK] Seq=236 Ack=175 Win=2263 Len=0
9	16.178357	2401:4900:e84b:d186...	2a03:2880:f335:120:...	TLSv1.2	144	Application Data
10	16.393305	2a03:2880:f335:120:...	2401:4900:e84b:d186...	TCP	74	443 → 7367 [ACK] Seq=236 Ack=245 Win=2263 Len=0
11	16.803135	2a03:2880:f335:120:...	2401:4900:e84b:d186...	TLSv1.2	146	Application Data
12	16.850691	2401:4900:e84b:d186...	2a03:2880:f335:120:...	TCP	74	7367 → 443 [ACK] Seq=245 Ack=308 Win=254 Len=0

> Frame 1: 122 bytes on wire (976 bits), 122 bytes captured (976 bits) on interface \Device\NPF_{FE4BF866-3E17-4D09-85A9-975F30FADE6D}, id 0

> Ethernet II, Src: 14:b5:cd:d1:93:47 (14:b5:cd:d1:93:47), Dst: IPv6mcast_01:00:02 (33:33:00:01:00:02)

> Internet Protocol Version 6, Src: fe80::6d41:d7c:728e:9575, Dst: ff02::1:2

> User Datagram Protocol, Src Port: 546, Dst Port: 547

> DHCPv6

0000 33 33 00 01 00 02 14 b5 cd d1 93 47 86 dd 60 00 33.....G..

0010 ed 43 00 44 11 01 fa 80 00 00 00 00 00 6d 41 ..C.D.....mA

0020 0d 7c 72 8e 95 75 ff 02 00 00 00 00 00 00 00 ..|n...u.....

0030 00 00 00 01 00 02 02 22 02 23 00 44 a7 66 0b c0#D.f..

0040 c4 d5 00 08 00 02 0c 1c 00 01 00 0e 00 01 00 01 ..@.....@.....

0050 31 7c 75 b9 00 e0 4c 0f 1e 40 00 10 00 0e 00 00 1|u...L...@.....

0060 01 37 00 08 4d 53 40 54 20 35 2e 30 00 06 00 00 ..7..MSFT..5.

0070 00 11 00 17 00 18 00 20 00 67g

Wi-Fi: <live capture in progress>

Packets: 12 · Displayed: 12 (100.0%)

Profile: Default

30°C Mostly cloudy

Search

ENG IN

08:52 PM 06-08-2026

Username:

Password:

☒ Remember me

Login

August 2026						
Sun	Mon	Tue	Wed	Thu	Fri	Sat
26	27	28	29	30	31	1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31	1	2	3	4	5

[Get RSS feed](#)

Warning: This is not a blog. This is a test site for Acunetix. It is vulnerable to SQL Injections, Cross-site Scripting (XSS), and more. It was built using ASP.NET and it shows how bad programming leads to vulnerabilities. Do not visit the links in the comments. They are posted by malicious parties who are trying to exploit this site to their advantage. Comments are purged daily.

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http

No.	Time	Source	Destination	Protocol	Length	Info
1524	40.764976	2401:4900:e84b:d186...	2404:6800:4007:815...	HTTP	734	GET /generate_204 HTTP/1.1
1528	40.975527	2404:6800:4007:815...	2401:4900:e84b:d186...	HTTP	201	HTTP/1.1 204 No Content
17122	91.868907	2401:4900:e84b:d186...	2404:6800:4007:815...	HTTP	276	GET /r/gsr1.crl HTTP/1.1
17124	91.962678	2404:6800:4007:815...	2401:4900:e84b:d186...	HTTP	297	HTTP/1.1 304 Not Modified
17125	91.976506	2401:4900:e84b:d186...	2404:6800:4007:815...	HTTP	274	GET /r/r4.crl HTTP/1.1
17126	92.167701	2404:6800:4007:815...	2401:4900:e84b:d186...	HTTP	297	HTTP/1.1 304 Not Modified
17137	92.576582	2401:4900:e84b:d186...	2600:1417:78::6856...	HTTP	356	GET /msdownload/update/v3/static/trustedr/en/pinrulesst1.cab?9af45393aad6c2a4 HTTP/1.1
17139	92.683178	2600:1417:78::6856...	2401:4900:e84b:d186...	HTTP	342	HTTP/1.1 304 Not Modified
17230	95.035290	2401:4900:e84b:d186...	2600:1900:4110:86f::	HTTP	334	HEAD /edgedl/diffgen-puffin/lme1glejhemejginpboagddgdfbepgmp/bd543b17aaf899a1bd55a3581e02e5af7f0d407c2d7f963016eba7333db56917 H...
17232	95.239450	2600:1900:4110:86f::	2401:4900:e84b:d186...	HTTP	697	HTTP/1.1 200 OK
17233	95.260887	2401:4900:e84b:d186...	2600:1900:4110:86f::	HTTP	406	GET /edgedl/diffgen-puffin/lme1glejhemejginpboagddgdfbepgmp/bd543b17aaf899a1bd55a3581e02e5af7f0d407c2d7f963016eba7333db56917 H...
17236	95.510245	2600:1900:4110:86f::	2401:4900:e84b:d186...	HTTP	644	HTTP/1.1 206 Partial Content
17242	97.196634	2401:4900:e84b:d186...	2600:1900:4110:86f::	HTTP	409	GET /edgedl/diffgen-puffin/lme1glejhemejginpboagddgdfbepgmp/bd543b17aaf899a1bd55a3581e02e5af7f0d407c2d7f963016eba7333db56917 H...
17245	97.287598	2600:1900:4110:86f::	2401:4900:e84b:d186...	HTTP	1066	HTTP/1.1 206 Partial Content

> Frame 1524: 734 bytes on wire (5872 bits), 734 bytes captured (5872 bits) on interface \Device\NPF_{FE48F806-3E17-4D09-85A9-975F30FADE60}, id 0

> Ethernet II, Src: 14:b5:cd:d1:93:47 (14:b5:cd:d1:93:47), Dst: 86:a0:06:6c:5b:e4 (86:a0:06:6c:5b:e4)

> Internet Protocol Version 6, Src: 2401:4900:e84b:d186:1198:3be6:1ba5:ce30, Dst: 2404:6800:4007:815::2003

> Transmission Control Protocol, Src Port: 5148, Dst Port: 80, Seq: 1, Ack: 1, Len: 660

> Hypertext Transfer Protocol

0000 86 a0 06 6c 5b e4 14 b5 cd d1 93 47 86 dd 60 0d ...l[...G...
0010 ca cc 02 a8 06 3f 24 01 49 00 a8 4b d1 86 11 08?% I K...
0020 3b e6 1b a5 ce 30 24 04 68 00 40 07 08 15 00 00 ;...0% h@...
0030 00 00 00 00 20 03 14 1c 00 50 16 be 94 0c fc 4aP....J
0040 ef 9e 50 18 00 ff be b0 00 00 47 45 54 20 2f 67 --P... GET /g
0050 65 06 65 72 61 74 05 5f 32 30 34 20 48 54 54 50 enerate_204 HTTP
0060 2f 31 2e 31 0d 0a 48 0f 73 74 3a 20 03 0f 0e 0e /1.1 -Ho st: conn
0070 65 63 74 69 76 69 74 79 63 68 65 63 0b 2e 67 73 ctivity check.gs
0080 74 61 74 69 63 2e 63 6f 6d 0d 0a 43 6f 6e 6e 65 tatic.co m- Conne
0090 63 74 69 6f 6e 3a 20 5b 65 65 70 2d 61 6c 69 76 ction: k eep-aliv
00a0 65 0d 0a 55 70 67 72 61 64 65 2d 49 6e 73 65 63 e-Upgra de-Insec
00b0 75 72 65 2d 52 65 71 75 65 73 74 73 3a 20 31 0d ure-Requ ests: 1-
00c0 0a 55 73 65 72 2d 41 67 65 6e 74 3a 20 4d 6f 7a -User-Ag ent: Moz
00d0 69 6c 6c 61 2f 35 2e 30 20 28 57 69 6e 64 6f 77 illa/5.0 (Window
00e0 73 20 4e 54 20 31 30 2e 30 3b 20 57 69 6e 36 34 s NT 10. 0; win64
00f0 3b 20 78 36 34 29 20 41 70 70 6c 65 57 65 62 4b ; x64) A ppleWebK

Hypertext Transfer Protocol: Protocol

Packets: 58446 • Displayed: 144 (0.2%) • Dropped: 0 (0.0%)

Profile: Default

30°C Mostly cloudy

Search

ENG IN

08:55 PM 06-08-2026

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "POST"

No.	Time	Source	Destination	Protocol	Length	Info
48920	85.784866	10.1.5.243	172.16.103.254	HTTP	738	POST /httpclient.html HTTP/1.1 (application/x-www-form-urlencoded)

> Frame 48920: 738 bytes on wire (5904 bits), 738 bytes captured (5904 bits) on interface \Device\NPF_{FE48F866-3E17-4D09-85A9-975F30FADE6D}, id 0

> Ethernet II, Src: 14:b5:cd:d1:93:47 (14:b5:cd:d1:93:47), Dst: Sophos_fc:00:0f (c8:4f:86:fc:00:0f)

> Internet Protocol Version 4, Src: 10.1.5.243, Dst: 172.16.103.254

> Transmission Control Protocol, Src Port: 1958, Dst Port: 8090, Seq: 1, Ack: 1, Len: 684

> Hypertext Transfer Protocol

> HTML Form URL Encoded: application/x-www-form-urlencoded

0000 c8 4f 86 fc 00 0f 14 b5 cd d1 93 47 08 00 45 00 -O-----G-E-

0010 02 d4 0a 4f 40 00 06 c9 d2 0a 01 05 f3 ac 10 ---O@

0020 67 fe 07 a6 1f 9a 42 9d 45 d3 da dc 06 65 50 18 g-----B E---eP

0030 00 ff bb 36 00 00 50 4f 53 54 20 2f 68 74 74 70 --6-POST/http

0040 63 6c 69 65 6e 74 2e 68 74 6d 6c 20 48 54 54 50 client.html HTTP

0050 2f 31 2e 31 0d 0a 48 6f 73 74 3a 20 31 37 32 2e /1.1-Host: 172.

0060 31 36 2e 31 30 33 2e 32 35 34 3a 38 30 39 30 0d 16.103.254:8090-

0070 0a 43 6f 6e 6e 65 63 74 69 6f 6e 3a 20 6b 65 65 .Connection: keep-

0080 70 2d 61 6c 69 76 65 0d 0a 43 6f 6e 74 65 6e 74 p-alive: Content-

0090 2d 4c 65 6e 67 74 68 3a 20 31 32 0d 0a 43 61 63 -Length: 12-Cac

00a0 68 65 2d 43 6f 6e 74 72 6f 6c 3a 20 6d 61 78 2d he-Content: max-

00b0 61 67 65 3d 30 0d 0a 55 70 67 72 61 64 65 2d 49 age=0-U pgrade-I

00c0 6e 73 65 63 75 72 65 2d 52 65 71 75 65 73 74 73 nsecure-Requests

00d0 3a 20 31 0d 0a 43 6f 6e 74 65 6e 74 2d 54 79 70 : 1-Content-Typ

00e0 65 3a 20 61 70 70 6c 69 63 61 74 69 6f 6e 2f 78 e: application/x

00f0 2d 77 77 77 2d 66 6f 72 6d 2d 75 72 6c 65 6e 63 -www-form-urlencoded

Packets: 69228 • Displayed: 1 (0.0%)

Profile: Default

30°C Mostly cloudy

Search

ENG IN

09:06 PM 26-08-2026

Wi-Fi

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

http.request.method == "GET"

No.	Time	Source	Destination	Protocol	Length	Info
12222	17.522740	10.1.5.243	23.211.60.102	HTTP	165	GET /connecttest.txt HTTP/1.1
13908	20.112306	10.1.5.243	23.211.60.102	HTTP	208	GET /connecttest.txt HTTP/1.1
13909	20.112319	10.1.5.243	23.211.60.102	HTTP	208	GET /connecttest.txt HTTP/1.1
26066	47.755576	10.1.5.243	23.211.60.116	HTTP	165	GET /connecttest.txt HTTP/1.1
29975	55.638920	10.1.5.243	23.211.60.102	HTTP	208	GET /connecttest.txt HTTP/1.1
29976	55.638935	10.1.5.243	23.211.60.102	HTTP	208	GET /connecttest.txt HTTP/1.1
42416	78.093258	10.1.5.243	23.211.60.102	HTTP	165	GET /connecttest.txt HTTP/1.1
48734	85.661492	10.1.5.243	142.250.182.67	HTTP	411	/generate_204 HTTP/1.1
48765	85.707423	10.1.5.243	142.250.182.67	HTTP	714	/generate_204 HTTP/1.1
48919	85.784689	10.1.5.243	142.250.182.67	HTTP	672	/favicon.ico HTTP/1.1
48952	85.810450	10.1.5.243	172.16.103.254	HTTP	438	/javascript/cyberoamAjax.js HTTP/1.1
48987	85.835253	10.1.5.243	172.16.103.254	HTTP	456	/javascript/validation/httpclient.js?ver=4091 HTTP/1.1
49027	85.853605	10.1.5.243	172.16.103.254	HTTP	521	/images/customizeimages/uploadedwebclientlogo.jpg HTTP/1.1
49034	85.863895	10.1.5.243	172.16.103.254	HTTP	475	/themes/Inter-Variable.woff2 HTTP/1.1

> Frame 48919: 672 bytes on wire (5376 bits), 672 bytes captured (5376 bits) on interface \Device\NPF_{FE48F866-3E17-4D09-85A9-975F30FADE6D}, id 0

> Ethernet II, Src: 14:b5:cd:d1:93:47 (14:b5:cd:d1:93:47), Dst: Sophos_fc:00:0f (c8:4f:86:fc:00:0f)

> Internet Protocol Version 4, Src: 10.1.5.243, Dst: 142.250.182.67

> Transmission Control Protocol, Src Port: 9022, Dst Port: 80, Seq: 1, Ack: 1, Len: 618

> Hypertext Transfer Protocol

0000 c8 4f 86 fc 00 0f 14 b5 cd d1 93 47 08 00 45 00 -O-.....G..E-

0010 02 92 1b 05 40 00 06 88 2f 0a 01 05 f3 8e fa --@-- /...

0020 b6 43 23 3e 00 50 ce f5 e7 a5 03 27 77 bd 50 18 -C#>P... 'w.P-

0030 00 ff 34 cf 00 00 47 45 54 20 2f 06 61 76 69 63 --4...GE T /favic

0040 0f 6e 2e 69 63 6f 20 48 54 54 90 2f 31 2e 31 0d on.ico M TTP/1.1

0050 0a 48 6f 73 74 3a 20 03 6f 6e 6e 65 63 74 69 76 .Host: c onnectiv

0060 69 74 79 63 68 65 63 0b 2e 07 73 74 61 74 69 63 ltycheck .gstatic

0070 2e 63 6f 6d 0d 0a 43 6f 6e 6e 65 63 74 69 6f 6e .com .Co nnection

0080 3a 20 6b 65 65 70 2d 61 6c 69 76 65 0d 0a 55 73 : keep-a live .Us

0090 65 72 2d 41 67 65 6e 74 3a 20 4d 6f 7a 69 6c 6c er-Agent : Mozill

00a0 61 2f 35 2e 30 20 28 57 69 6e 64 6f 77 73 20 4e a/5.0 (W indows N

00b0 54 20 31 30 2e 30 3b 20 57 69 6e 36 34 3b 20 78 T 10.0; Win64; x

00c0 36 34 29 20 41 70 70 6c 65 57 65 62 4b 69 74 2f 64) Appl eWebKit/

00d0 35 33 37 2e 33 36 20 28 4b 48 54 4d 4c 2c 20 6c 537.36 (KHTML, l

00e0 69 6b 65 20 47 65 63 6b 6f 29 20 43 68 72 6f 6d ike Gecko o) Chrom

00f0 65 2f 31 35 31 2e 30 2e 30 2e 30 20 53 61 66 61 e/151.0. 0.0 Safa

Wireshark_Wi-Fi_20260626210324_a14708.pcapng

Packets: 69719 • Displayed: 26 (0.0%)

Profile: Default

30°C Mostly cloudy

Search

ENG IN

09:07 PM 26-08-2026