

AGILE DEVELOPMENT PROCESS AND DEVOPS LAB

ASSESSMENT- II

JENKINS

NAME: Sreenithi.K
Reg no:23MIS0382

1. Learning Goal

Understand **what Jenkins is** and run a job successfully.

Stepwise Tasks

1. What is CI/CD? (Real-world example)
2. Install Jenkins (Windows / Linux)
3. Jenkins UI overview
4. Create **Freestyle Job**
5. Add simple build step:
 - Windows: `echo Hello Jenkins`
6. Run job manually
7. View:
 - Console Output
 - Build History

VIT Vellore - VTOP x VL2025260502387_AST02.pdf x About Jenkins - Manage Jenkins x +

localhost:8080/manage/about/

Jenkins / Manage Jenkins / About Jenkins

Jenkins

Version 2.541.1

Get involved



The leading open source automation server which enables developers around the world to reliably build, test, and deploy their software.

Mavenized dependencies Static resources License and dependency information for plugins

Name	Maven ID	License
"Java Concurrency in Practice" book annotations	net.jpjcip:jcip-annotations:1.0	Creative Commons Attribution License
Annotation Indexer	org.jenkins-ci:annotation-indexer:1.18	MIT License
ANTLR 4 Runtime	org.antlr:antlr4-runtime:4.13.2	BSD-3-Clause

VIT Vellore - VTOP x VL2025260502387_AST02.pdf x Console - #1 - Jenkins x +

localhost:8080/job/Hello-Jenkins/1/console

Jenkins / Hello-Jenkins / #1

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Timings

Console

Download Copy View as plain text

```
Started by user Drishita Paul
Running as SYSTEM
Building in workspace C:\ProgramData\Jenkins\jenkins\workspace\Hello-Jenkins
[Hello-Jenkins] $ cmd /c call C:\WINDOWS\TEMP\jenkins13495447709998417000.bat

C:\ProgramData\Jenkins\jenkins\workspace\Hello-Jenkins>echo Hello Jenkins
Hello Jenkins

C:\ProgramData\Jenkins\jenkins\workspace\Hello-Jenkins>exit 0
Finished: SUCCESS
```

Task 3

Jenkins

Hello-Jenkins

Workspace of Hello-Jenkins...

Status

Changes

Workspace

Wipe Out Current Workspace

Build Now

Configure

Delete Project

Rename

Builds >

Filter

Today

#2

11:34 PM

#1

11:31 PM

Workspace of Hello-Jenkins on Built-In Node

Hello-Jenkins /

file.txt

Feb 4, 2026, 11:34:13 PM

18 B

(all files in zip)

Jenkins 2.541.1

Task 4

Jenkins

Hello-Jenkins

Workspace of Hello-Jenkins...

Status

Changes

Workspace

Build Now

Configure

Delete Project

Rename

Builds >

Filter

Today

#3

11:41 PM

#2

11:34 PM

#1

11:31 PM

Workspace of Hello-Jenkins on Built-In Node

Hello-Jenkins / .git /

hooks

info

logs/refs/remotes/origin

objects

refs

config

description

FETCH_HEAD

HEAD

Feb 4, 2026, 11:41:52 PM

275 B

Feb 4, 2026, 11:41:50 PM

73 B

Feb 4, 2026, 11:41:51 PM

112 B

Feb 4, 2026, 11:41:50 PM

23 B

(all files in zip)

Jenkins 2.541.1

Task 5

The screenshot shows the Jenkins web interface for a job named 'Hello-Jenkins'. The left sidebar contains navigation links: Status (selected), Changes, Workspace, Build Now, Configure, Delete Project, Git Polling Log, and Rename. The main content area displays the job's status as 'Hello-Jenkins' with a green checkmark icon and the description 'My first Jenkins project'. Below this, there is a 'Permalinks' section listing various build links, such as 'Last build (#6), 3 min 21 sec ago'. On the left, a 'Builds' panel shows a list of recent builds, including build #6 at 12:16 AM, build #5 at 11:57 PM, build #4 at 11:56 PM, build #2 at 11:34 PM, and build #1 at 11:21 AM. The browser's address bar shows the URL 'localhost:8080/job/Hello-Jenkins/'.

Task 6

The screenshot shows the Jenkins web interface for the 'Hello-Jenkins' job, specifically the console output for build #7. The console displays the following commands and their outputs:

```
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision 39b8bb59a8844b4bc789b712485e0b8c05dd083f (refs/remotes/origin/main)
> git.exe config core.sparsecheckout # timeout=10
> git.exe checkout -f 39b8bb59a8844b4bc789b712485e0b8c05dd083f # timeout=10
Commit message: "Add trigger test note after restart"
> git.exe rev-list --no-walk 39b8bb59a8844b4bc789b712485e0b8c05dd083f # timeout=10
[Hello-Jenkins] $ cmd /c call C:\WINDOWS\TEMP\jenkins16823768824874702101.bat

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>echo Hello Drishitaa
Hello Drishitaa

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>exit 0
[Hello-Jenkins] $ cmd /c call C:\WINDOWS\TEMP\jenkins10726205979576580209.bat

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>echo This is Jenkins 1>file.txt

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>type file.txt
This is Jenkins

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>exit 0
Finished: SUCCESS
```

The Jenkins version is 2.541.1, as indicated in the bottom right corner of the console output.

Outcome

A learner can install Jenkins and run a basic job.

2. Learning Goal

Work with **source code and build automation**

Stepwise Tasks

1. Install Git
2. Create GitHub repository
3. Configure **Git in Jenkins**
4. Create Freestyle Job:
 - Source Code Management → Git
5. Add build step:
 - Windows batch / Shell
6. Poll SCM / Webhook trigger
7. Build automatically on code change

Task 5

The screenshot shows the Jenkins web interface for a job named "Hello-Jenkins". The left sidebar contains navigation links: Status (selected), Changes, Workspace, Build Now, Configure, Delete Project, Git Polling Log, and Rename. The main content area displays the job name "Hello-Jenkins" with a green checkmark icon, the description "My first Jenkins project", and an "Edit description" button. Below this, the "Permalinks" section lists several build links, including "Last build (#6)", "Last stable build (#6)", "Last successful build (#6)", "Last failed build (#4)", "Last unsuccessful build (#4)", and "Last completed build (#6)". On the left, a "Builds" panel shows a list of builds with their status (green checkmark for success, red X for failure) and timestamps. The builds listed are #6 (12:16 AM), #5 (11:57 PM), #4 (11:56 PM), #2 (11:34 PM), and #1 (11:21 AM).

Task 6

The screenshot shows the Jenkins web interface for the "Hello-Jenkins" job, specifically the console output for build #7. The console output displays the following commands and their results:

```
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision 39b8bb59a8844b4bc789b712485e0b8c05dd083f (refs/remotes/origin/main)
> git.exe config core.sparsecheckout # timeout=10
> git.exe checkout -f 39b8bb59a8844b4bc789b712485e0b8c05dd083f # timeout=10
Commit message: "Add trigger test note after restart"
> git.exe rev-list --no-walk 39b8bb59a8844b4bc789b712485e0b8c05dd083f # timeout=10
[Hello-Jenkins] $ cmd /c call C:\WINDOWS\TEMP\jenkins16823768824874702101.bat

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>echo Hello Drishitaa
Hello Drishitaa

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>exit 0
[Hello-Jenkins] $ cmd /c call C:\WINDOWS\TEMP\jenkins10726205979576580209.bat

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>echo This is Jenkins 1>file.txt

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>type file.txt
This is Jenkins

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>exit 0
Finished: SUCCESS
```

The Jenkins version is 2.541.1, as indicated in the bottom right corner of the console output area.

Task 7

The screenshot shows the Jenkins console output for job 'Hello-Jenkins' at build #8. The browser address bar shows 'localhost:8080/job/Hello-Jenkins/8/console'. The Jenkins interface includes a search bar and a user profile icon. The console output shows the following commands and results:

```
C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>exit 0
[Hello-Jenkins] $ cmd /c call C:\WINDOWS\TEMP\jenkins5131090277179205603.bat

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>echo This is Jenkins 1>file.txt

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>type file.txt
This is Jenkins

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>exit 0
[Hello-Jenkins] $ cmd /c call C:\WINDOWS\TEMP\jenkins16721466484515559948.bat

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>echo public class Hello { public static void
main(String[] args) { System.out.println("Hello from Jenkins Java"); } } 1>Hello.java

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>javac Hello.java

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>java Hello
Hello from Jenkins Java

C:\ProgramData\Jenkins\.jenkins\workspace\Hello-Jenkins>exit 0
Finished: SUCCESS
```

Jenkins 2.541.1

The screenshot shows the Jenkins workspace view for job 'Hello-Jenkins' at build #8. The browser address bar shows 'localhost:8080/job/Hello-Jenkins/ws/'. The Jenkins interface includes a search bar and a user profile icon. The workspace view shows the following files and folders:

- [.git](#)
- [file.txt](#) (Feb 5, 2026, 12:55:26 AM, 18 B)
- [Hello.class](#) (Feb 5, 2026, 12:55:28 AM, 423 B)
- [Hello.java](#) (Feb 5, 2026, 12:55:26 AM, 115 B)
- [README.md](#) (Feb 5, 2026, 12:16:12 AM, 89 B)

(all files in zip)

Builds

Filter

Today

- [#8](#) 12:55 AM
- [#7](#) 12:45 AM
- [#6](#) 12:16 AM

February 4, 2026

Task 8

Jenkins

Hello-Jenkins

#9

Status

Changes

Console Output

Edit Build Information

Delete build '#9'

Parameters

Timings

Git Build Data

Previous Build

#9 (Feb 5, 2026, 12:58:26 AM)

Add description

Keep this build forever

Build Artifacts

Hello.class 423 B view

Started by user Drishita Paul

This run spent:

27 ms waiting;

4.1 sec build duration;

4.2 sec total from scheduled to completion.

git

Revision: 39b8bb59a8844b4bc789b712485e0b8c05dd083f

Repository: https://github.com/drishitapaul2023-alt/jenkins-demo.git

refs/remotes/origin/main

No changes.

REST API

Jenkins 2.541.1

Task 9

Jenkins

Build History

Build Queue

No builds in the queue.

Build Executor Status

0/2

User One

ThemeLight

My Views

Account

Appearance

Preferences

Security

Experiments

Credentials

Sign out

localhost:8080/user2

REST API

Jenkins 2.541.1

Outcome

Learner connects Jenkins with GitHub.


3. Learning Goal

Understand **job flow visually**

Stepwise Tasks

1. Create multiple Freestyle jobs:
 - Job-A (Build)
 - Job-B (Test)
 - Job-C (Deploy)
2. Use:
 - Post-build action → Trigger other projects
3. View job chaining visually
4. Install **Pipeline Stage View**
5. Observe stage-wise execution


Task 12



The screenshot shows the Jenkins web interface for the 'Pipeline-from-Git' job, build #2. The console output is displayed in a large text area on the right. The output shows the pipeline stages: Checkout, Build, and Test, all running successfully. The pipeline ends with 'Finished: SUCCESS'.

```
Checkout from Git successful
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] echo
Build stage running
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] echo
Test stage running
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
Build SUCCESS!
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Task 13



The screenshot shows the Jenkins web interface for the 'Job-A' job, build #2. The console output is displayed in a large text area on the right. The output shows the job starting, running, and finishing successfully. The pipeline ends with 'Finished: SUCCESS'.

Started by user [Drishita Paul](#)
Running as SYSTEM
Building in workspace C:\ProgramData\Jenkins\jenkins\workspace\Job-A
[Job-A] \$ cmd /c call C:\WINDOWS\TEMP\jenkins8605603813031314935.bat

C:\ProgramData\Jenkins\jenkins\workspace\Job-A>echo Running Job A
Running Job A

C:\ProgramData\Jenkins\jenkins\workspace\Job-A>exit 0
Triggering a new build of [Job-B](#)
Finished: SUCCESS

Jenkins 2.541.1

VIT Vellore - VTOP VL2025260502387_AST02.pdf jenkins-demo/Jenkinsfile at m Job-B - Jenkins

localhost:8080/job/Job-B/

Jenkins / Job-B

Status

Changes

Workspace

Build Now

Configure

Delete Project

Rename

Job-B

Add description

Upstream Projects

Job-A

Permalinks

- Last build (#2), 1 min 1 sec ago
- Last stable build (#2), 1 min 1 sec ago
- Last successful build (#2), 1 min 1 sec ago
- Last completed build (#2), 1 min 1 sec ago

Builds >

Filter

Today

- #2 12:22 PM
- #1 12:21 PM

REST API Jenkins 2.541.1

Task 14

VIT Vellore - VTOP VL2025260502387_AST0 jenkins-demo/Jenkinsfile Jenkins New Tab

localhost:8080/job/Hello-Jenkins/ws/

Jenkins / Hello-Jenkins / Error

Status

Changes

Workspace

Wipe Out Current Workspace

Build with Parameters

Configure

Delete Project

Git Polling Log

Rename

Error: no workspace

There's no workspace for this project. Possible reasons are:

1. The project was renamed recently and no build was done under the new name.
2. The agent this project has run on for the last time was removed.
3. The workspace directory (C:\ProgramData\Jenkins\jenkins\workspace\Hello-Jenkins) is removed outside Jenkins.
4. The workspace was wiped out and no build has been done since then.

Run a build to have Jenkins create a workspace.

Builds >

Filter

Today

- #11 1:38 AM
- #10 1:33 AM
- #9 12:58 AM
- #8 12:55 AM

Outcome

Learner understands pipeline flow visually.

4. Learning Goal

Use **Jenkins Pipeline** & **Jenkinsfile**

Stepwise Tasks

1. What is Jenkins Pipeline?
2. Scripted vs Declarative Pipeline
3. Create **Pipeline Job**
4. Write pipeline in Jenkins UI
5. Add stages:
 - o Build
 - o Test
 - o Deploy
6. Introduce:
 - o agent
 - o stages
 - o steps

▲ Sample Task

```
pipeline {  
  agent any  
  stages {  
    stage('Build') { steps { echo 'Build' } }  
    stage('Test') { steps { echo 'Test' } }  
    stage('Deploy') { steps { echo 'Deploy' } }  
  }  
}
```


Task 10

Jenkins

Pipeline-Demo

#1

Restart from Stage

Status

Changes

Console Output

Edit Build Information

Delete build '#1'

Timings

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

Restart #1 from Stage

Stage Name

Build

Checkout

Build

Test

REST API

Jenkins 2.541.1

Task 11

Jenkins

Pipeline-from-Git

Stages

Build

February 5, 2026

#1

01:34 - 7s

○

✓

✓


✓

✓

○

Jenkins 2.541.1


Task 12



The screenshot shows the Jenkins web interface for the 'Pipeline-from-Git' job, build #2. The console output is displayed in a monospace font, showing the execution of a declarative pipeline. The pipeline consists of three stages: 'Checkout from Git successful', 'Build stage running', and 'Test stage running'. The 'Build stage' includes an 'echo' step. The 'Test stage' also includes an 'echo' step. The pipeline concludes with 'Build SUCCESS!' and 'Finished: SUCCESS'.

```
Checkout from Git successful
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] echo
Build stage running
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] echo
Test stage running
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] echo
Build SUCCESS!
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Task 13



The screenshot shows the Jenkins web interface for the 'Job-A' job, build #2. The console output is displayed in a monospace font, showing the execution of a script. The script starts by running as 'SYSTEM' and building in the workspace 'C:\ProgramData\Jenkins\jenkins\workspace\Job-A'. It then executes a command to call a batch file 'C:\WINDOWS\TEMP\jenkins8605603813031314935.bat'. The output shows 'Running Job A' and 'Finished: SUCCESS'.

Started by user [Drishita Paul](#)
Running as SYSTEM
Building in workspace C:\ProgramData\Jenkins\jenkins\workspace\Job-A
[Job-A] \$ cmd /c call C:\WINDOWS\TEMP\jenkins8605603813031314935.bat

C:\ProgramData\Jenkins\jenkins\workspace\Job-A>echo Running Job A
Running Job A

C:\ProgramData\Jenkins\jenkins\workspace\Job-A>exit 0
Triggering a new build of [Job-B](#)
Finished: SUCCESS

Jenkins 2.541.1

Outcome

Learner writes basic pipelines confidently.

Learning Goal 5

Pipeline as code from repository

Stepwise Tasks (Questions)

- Create Jenkinsfile• Commit Jenkinsfile to GitHub
- **Configure Pipeline job:**
 - SCM → Git
 - Trigger build automatically
 - Modify Jenkinsfile and rebuild
 - View Stage View

After rebuilding

Jenkins

Workspace of Hello-Jenkins...

Status

Changes

Workspace

Wipe Out Current Workspace

Build with Parameters

Configure

Delete Project

Git Polling Log

Rename

Workspace of Hello-Jenkins on Built-In Node

Hello-Jenkins /

→

.git

Jenkinsfile

README.md

Feb 5, 2026, 12:37:25 PM

570 B

Feb 5, 2026, 12:37:25 PM

89 B

(all files in zip)

Builds >

Filter

/

Today

#12 12:37 PM

#11 1:38 AM

#10 1:33 AM

#9 12:58 AM

Task 15

Jenkins

Mini-Cl

#2

Stages

< #2

Rerun

Started by Drishita Paul

Started 1 min 42 sec ago

Queued 4 ms

Took 5.3 sec

Artifacts

Graph

Start

Checkout

Compile

Run

Archive

End

Search

Archive 0.15s Started 1m 39s ago Jenkins

Checkout 2s

Compile 1s

Run 0.63s


Archive 0.15s

Archive the artifacts *.class

Archiving artifacts

Jenkins 2.541.1

Mini CI Success




The screenshot shows the Jenkins web interface for job 'Mini-CI' build #2. The console output is displayed in a text area, showing the execution of a pipeline. The pipeline consists of three stages: 'Compile', 'Run', and 'Archive'. The 'Compile' stage runs 'javac Hello.java'. The 'Run' stage runs 'java Hello'. The 'Archive' stage runs 'archiveArtifacts'. The output shows the successful execution of each stage and the final message 'Finished: SUCCESS'.

```
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Compile)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\Mini-CI>javac Hello.java
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Run)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\Mini-CI>java Hello
Mini CI success
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Archive)
[Pipeline] archiveArtifacts
Archiving artifacts
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Artifacts



The screenshot shows the Jenkins 'Artifacts' page for job 'Mini-CI' build #2. The page displays the build status as 'SUCCESS' and the build time as 'Feb 5, 2026, 12:42:21PM'. The left sidebar contains a list of navigation links: Status, Changes, Console Output, Edit Build Information, Delete build '#2', Timings, Git Build Data, Pipeline Overview, Restart from Stage, Replay, Pipeline Steps, Workspaces, and Previous Build. The main content area shows the build artifacts, including a file named 'Hello.class' (419 B) with a 'view' link. Below the artifacts, the page shows the build's start time, duration, and total time. The 'git' section shows the revision and repository information. The 'No changes' section indicates that there were no changes in the build.

Status ✔ **#2 (Feb 5, 2026, 12:42:21PM)** [Add description](#) [Keep this build forever](#)

Build Artifacts
[Hello.class](#) 419 B [view](#)

Started by user [Drishita Paul](#)

This run spent:

- 13 ms waiting;
- 5.3 sec build duration;
- 5.3 sec total from scheduled to completion.

git
Revision: 88521ec9db87e84b15f2eaa46d592f52bfd7af3
Repository: <https://github.com/drishitapaul2023-alt/jenkins-demo.git>

- refs/remotes/origin/main

No changes.

REST API Jenkins 2.541.1

Outcome: Learner practices Infrastructure as Code concept.


Learning Goal 6

Build real CI/CD pipelines

Stepwise Tasks (Questions)

- **Integrate build tools:**
 - Maven / Gradle / Node
- **Add:**
 - Unit tests
 - Code quality (SonarQube)
 - Use environment variables
 - Credentials management
- **Deploy to:**
 - Tomcat / Docker / Cloud
 - Error handling & post actions
 - Notifications (Email / Slack)

Mini CI Success




The screenshot shows the Jenkins web interface for job 'Mini-CI' build #2. The console output is displayed in a text area, showing the execution of a pipeline. The pipeline consists of three stages: 'Compile', 'Run', and 'Archive'. The 'Compile' stage runs 'javac Hello.java'. The 'Run' stage runs 'java Hello'. The 'Archive' stage runs 'archiveArtifacts'. The output shows the successful execution of each stage and the final message 'Finished: SUCCESS'.

```
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Compile)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\Mini-CI>javac Hello.java
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Run)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\Mini-CI>java Hello
Mini CI success
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Archive)
[Pipeline] archiveArtifacts
Archiving artifacts
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Artifacts



The screenshot shows the Jenkins 'Artifacts' page for job 'Mini-CI' build #2. The page displays the build status as 'SUCCESS' and provides details about the build, including the user 'Drishita Paul' and the duration '3 min 22 sec ago' and 'Took 5.3 sec'. The 'Build Artifacts' section shows a file 'Hello.class' (419 B) with a 'view' link. The 'This run spent:' section lists the following metrics: 13 ms waiting, 5.3 sec build duration, and 5.3 sec total from scheduled to completion. The 'git' section shows the revision '88521ec9db87e84b15f2eaa46d592f52bfd7af3' and the repository 'https://github.com/drishitapaul2023-alt/jenkins-demo.git'. The 'No changes' section indicates that there were no changes in the build.

Status ✓ #2 (Feb 5, 2026, 12:42:21PM) Add description Keep this build forever

Build Artifacts
Hello.class 419 B [view](#)

Started by user Drishita Paul

This run spent:

- 13 ms waiting;
- 5.3 sec build duration;
- 5.3 sec total from scheduled to completion.

git
Revision: 88521ec9db87e84b15f2eaa46d592f52bfd7af3
Repository: <https://github.com/drishitapaul2023-alt/jenkins-demo.git>
• refs/remotes/origin/main

No changes.

REST API Jenkins 2.541.1

Outcome: Learner builds production-grade pipelines.

Learning Goal 7

Manage Jenkins infrastructure

Stepwise Tasks (Questions)


- User & Role management
- Node (Agent) configuration
- Backup & Restore
- Plugin management
- Security best practices
- Jenkins upgrade process
- ✓ Outcome
- Learner becomes Jenkins administrator.



 **Credentials**
Manage credentials.

 **Managed Files**
Manage files like Maven settings, tool wrap scripts.

Plugin Management



The screenshot shows the Jenkins 'Manage Jenkins > Plugins' page. The left sidebar contains links to Dashboard, Manage Jenkins (active), Build History, and Credentials. The main content area is titled 'Plugins' and includes a sub-header 'Manage Jenkins plugins to add new features or replace existing ones.' Below this are tabs for Updates, Available, Installed (selected), and Advanced, along with a search bar. A filter section shows 'Filtered by: Installed' and 'Sorted by: Name'. A table lists installed plugins with columns for Name, Installed Version, Enabled status, and Update Info. The table includes entries for Git plugin, Pipeline: Shared Groovy Libraries, SSH Build Agents, Git client plugin, and Pipeline. At the bottom, there is a note about previously configured agents.

Name	Installed Version	Enabled	Update Info
Git plugin	5.2.1	✓	Check now
Pipeline: Shared Groovy Libraries	612.v54da,9a...	✓	Learn more
SSH Build Agents	2.3.1	✓	Learn more
Git client plugin	4.7.1	✓	Learn more
Pipeline	618.vb7c5...	✓	Learn more

Previously configured agents are allowed to reconnect if required.

Node (Agent) Management



The screenshot shows the Jenkins 'Manage Jenkins > Nodes' page. The top navigation bar includes the Jenkins logo, 'Manage Jenkins > Nodes', a search bar, and user profile icons. The main content area is currently blank.