

Cucumber PDF Report



| Feature Name Duration | | | Scenario | | | | Step | | | |
|--|--------------|----------|----------|---|---|----------|------|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| End to End International payment flow with Multiple Recipients - GBP | 1 m 47.261 s | 1 | 1 | 0 | 0 | 50 | 50 | 0 | 0 | |


| TAG | | Scer | nario | | | Feat | | |
|-----------------------|---|------|-------|---|---|------|---|---|
| Name | T | P | F | S | T | P | F | S |
| @intlmultiplepayments | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @aud | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @corp | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | End to End International payment flow with Multiple Recipients - GBP | 1 | 1 | 0 | 0 | 1 m 47.261 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------------------|---|----|----|---|---|--------------|
| 1 | End to End International payment flow | Verify the end to end flow of International payments with | 50 | 50 | 0 | 0 | 1 m 47.261 s |
| | with Multiple Recipients - GBP | Multiple recipients for GBP corridor | | | | | |

DETAILED SECTION -- 6 --

End to End International payment flow with Multiple Recipients - GBP

| PASSED | DURATION - 1 m 47.261 s | Scenarios | | Steps | |
|---------------------|-------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 50 | |
| / 9:57:58.764 PM // | / 9:59:46.025 PM / | Pass - 1 | 1 | Pass - 50 | 50 |
| | | Fail - 0 | | Fail - 0 | |
| @intlmultiplepayme | ents @aud | Skip - 0 | | Skip - 0 | |
| | | | | | |

Verify the end to end flow of International payments with Multiple recipients for GBP corridor



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - anhtester.com.hooks.Hooks.beforeScenario() | PASSED | 2.972 s |
| 1 | Given I setup test data file name for "InternationalPayments_Multiple" "GBP" "60" | PASSED | 0.013 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 2 | Given I'm Logged in to the Corp portal | PASSED | 6.712 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 3 | Then I verify Dashboard page is displayed | PASSED | 4.053 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 4 | Then I Note the wallet balance of the "AED" and "GBP" on Dashboard page | PASSED | 1.331 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 5 | Then I navigate to International Payments page | PASSED | 1.903 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 6 | Then I verify default details on International payments page | PASSED | 10.462 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 7 | When I select "GBP" corridor on International Payments page | PASSED | 0.184 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| 8 | When I select "2 business days" tenor on Exchange page | PASSED | 4.516 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 9 | Then I verify Live rate is displayed for "GBP" corridor | PASSED | 0.253 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 10 | Then I verify "Within 1 business day" for the "GBP" Payments | PASSED | 0.633 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 11 | When I click "Next" button on "Payments" page | PASSED | 3.467 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 12 | When I click "Add individual or business" button on "Payments" page | PASSED | 0.126 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 13 | Then I verify Add a new recipient form is displayed | PASSED | 0.078 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 14 | When I choose "BUSINESS" on Add a new recipient form | PASSED | 0.168 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 15 | When I enter "BUSINESS" details for "BUSINESS" recipient on Add a new recipient form | PASSED | 2.232 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 16 | When I save recipient details entered on Add a new recipient form | PASSED | 0.137 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 17 | Then I verify "Recipient added" toast message is displayed | PASSED | 1.177 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 18 | Then I verify "BUSINESS" details in row "1" in Recipients grid on Payments & Recipients step | PASSED | 5.120 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 19 | When I click "Add individual or business" button on "Payments" page | PASSED | 0.187 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 20 | When I choose "INDIVIDUAL" on Add a new recipient form | PASSED | 0.236 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 21 | When I enter "INDIVIDUAL" details for "INDIVIDUAL" recipient on Add a new recipient form | PASSED | 1.778 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 22 | When I save recipient details entered on Add a new recipient form | PASSED | 0.116 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 23 | Then I verify "Recipient added" toast message is displayed | PASSED | 1.279 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 24 | Then I verify "INDIVIDUAL" details in row "2" in Recipients grid on Payments & Recipients step | PASSED | 5.198 s |

DETAILED SECTION -- 8 --

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 25 | Then I calculate the payment details for the recipients added for "International payments" | PASSED | 1.171 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 26 | Then I verify payment details under checkout section in Payments & Recipients step on "International Payments" page | PASSED | 1.067 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 27 | When I click "Checkout" button on "Payments" page | PASSED | 0.121 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 28 | Then I refresh rate and verify payment details in Review & confirm step for "International payments" | PASSED | 16.725 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 29 | When I "check" consent checkbox on "International payments" page | PASSED | 0.054 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 30 | When I click "Confirm Payment" button on "International Payments" page | PASSED | 0.095 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 31 | Then I verify details on the "International Payments" submitted page | PASSED | 7.267 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 32 | When I navigate to Dashboard page | PASSED | 1.915 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 33 | Then I navigate to Transactions tab page | PASSED | 0.080 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 34 | Then I verify and open Exchange details view of International payment from the Transactions grid | PASSED | 4.261 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 35 | Then I verify exchange transaction status is "Ordered" on transaction details view | PASSED | 0.141 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 36 | Then I verify details of exchange transaction on transaction details view | PASSED | 0.936 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 37 | When I close the transaction details view | PASSED | 0.064 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 38 | Then I search and verify payment for "BUSINESS" in the Transactions grid | PASSED | 2.580 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 39 | Then I open transaction details view of payment for "BUSINESS" | PASSED | 2.705 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 40 | Then I verify payment status is "Scheduled" on transaction details view | PASSED | 0.163 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |

DETAILED SECTION -- 9 --

| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| 41 | Then I verify details of payment for "BUSINESS" on transaction details view | PASSED | 1.217 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 42 | When I close the transaction details view | PASSED | 0.050 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 43 | Then I search and verify payment for "INDIVIDUAL" in the Transactions grid | PASSED | 2.612 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 44 | Then I open transaction details view of payment for "INDIVIDUAL" | PASSED | 1.906 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 45 | Then I verify payment status is "Scheduled" on transaction details view | PASSED | 0.136 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 46 | Then I verify details of payment for "INDIVIDUAL" on transaction details view | PASSED | 1.162 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 47 | When I close the transaction details view | PASSED | 0.048 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 48 | Then I navigate to Wallets tab page | PASSED | 0.103 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 49 | Then I verify available funds for the "AED" corridor | PASSED | 0.103 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| 50 | When I'm Sign out from the Corp portal | PASSED | 4.892 s |
| | AFTER_STEP - anhtester.com.hooks.Hooks.afterStep(io.cucumber.java.Scenario) | PASSED | 0.000 s |
| | AFTER - anhtester.com.hooks.Hooks.afterScenario(io.cucumber.java.Scenario) | PASSED | 1.319 s |