Informatica Powercenter

Hands on Exercise

Name:Sree Ram S R

Emp ID:2474959

Source Data:

Retail_Source_DATA_1

1	CUSTOMER_ID	CUSTOMER_F_NAME	CUSTOMER_L_NAME	CUSTOMER_CITY	CUSTOMER_ZIP	COUNTRY	STORE_NUMBER	CUST_CONTACT	CUST_ACTIVE
2	4802257171	Desmund	Cristofor	Birmingham	35263	United States	4677	205-221-7575	FALSE
3	2045306119	Buffy	Whiteland	Erie	16534	United States	9548	814-663-5590	FALSE
4	944172962	Cristiano	Checci	Elmira	14905	United States	1481	607-944-6939	TRUE
5	7128459774	Didi	Bartak	Phoenix	85072	United States	6576	602-255-1328	FALSE
6	5619090736	Laurena	Whelpton	East End	BH21	United Kingdom	8641	606-459-1734	TRUE
7	4021043667	Darell	Karby	Columbus	43210	United States	1072	614-771-1215	TRUE
8	8051048121	Tani	Coughlin	Fargo	58122	United States	8395	701-298-1083	TRUE
9	9915896026	Rudolfo	Cook	Erie	16534	United States	9418	814-486-0704	TRUE
10	4458467824	Umberto	Cool	Greensboro	27415	United States	3579	336-147-0705	TRUE
11	7730552965	Pat	Glassford	Decatur	30089	United States	3439	229-259-4715	FALSE
12	6685293993	Lorena	Cunah	Washington	20036	United States	5615	202-519-2844	FALSE
13	3256309690	Ardyce	Rainbow	Midland	79710	United States	1618	432-173-5477	TRUE
14	3837657124	Matteo	Carnson	Baton Rouge	70894	United States	4524	225-966-9527	TRUE
15	4143618230	Thorpe	McSporon	Madison	53716	United States	6181	608-999-6448	FALSE
16	1490915540	Ripley	Tomaino	Whitchurch	BS14	United Kingdom	9707	881-474-2104	FALSE
17	2105130488	Van	Wesson	Washington	20310	United States	3082	202-397-2348	FALSE
18	4190504149	Benedicto	Hebblewaite	Laurel	20709	United States	2454	202-538-2826	TRUE
19	8943340486	Debby	Davidou	Pentre	SY4	United Kingdom	9276	482-122-9476	FALSE
20	3402509199	Ario	Pinare	Hartford	6152	United States	6720	860-178-9371	TRUE
21	6133704160	Shannon	Reary	West Palm Beach	33405	United States	3389	561-440-9904	TRUE
22	2549609557	Rabi	Truman	Fort Smith	72905	United States	8182	479-884-4972	TRUE
23	711470286	Chauncey	Deeming	New Hyde Park	11044	United States	4996	516-762-0635	FALSE
24	8054843615	Genevra	Bladesmith	Alhambra	91841	United States	9015	626-669-2438	FALSE

Retail_Source_DATA_2

1	STORE_NUMBER	STORE_NAME	STORE_LOCATION	STORE_PHONE
2	4677	Skyvu	Kinsealy-Drinan	157-861-3520
3	9548	Latz	Kalapagenep	320-602-4305
4	1481	Gigashots	Zlatni Pyasatsi	118-145-3909
5	6576	Cogibox	Baume-les-Dames	968-140-8927
6	8641	Photobean	VitÃ³ria do Mearim	777-184-2882
7	1072	Zoomzone	Pamarayan	712-944-3328
8	8395	Bluejam	Kanazawa-shi	340-962-9836
9	9418	Innotype	Ãguas Belas	376-499-5488
10	3579	Fadeo	Askim	542-260-8509
11	3439	Innojam	Ciparakan	900-499-6662
12	5615	Kayveo	Cagmanaba	409-327-8879
13	1618	Teklist	Stockholm	391-829-3182
14	4524	Browsezoom	Volochysâ€™k	496-417-1061
15	6181	Voolith	Baiju	101-751-6289
16	9707	Tagchat	KÃ¶ln	264-326-7596
17	3082	Oozz	Sigou	579-210-7520
18	2454	Aimbu	Batusangkar	279-376-8675
19	9276	Ozu	Datarkadu	399-307-5760
20	6720	Wordify	San Antonio	831-315-7744
21	3389	Eire	ÅžalÄkhid	881-323-5255
22	8182	Brightdog	Chengguan	939-937-8811
23	4996	Topiclounge	Duyun	522-266-9802
24	9015	Yodoo	Beaumont	936-509-7909

Retail_Source_DATA_3

1	COUNTRY	COUNTRY_CODE
2	United States	USA
3	United States	USA
4	United States	USA
5	United States	USA
6	United Kingdom	UK
7	United States	USA
8	United States	USA
9	United States	USA
10	United States	USA
11	United States	USA
12	United States	USA
13	United States	USA
14	United States	USA
15	United States	USA
16	United Kingdom	UK
17	United States	USA
18	United States	USA
19	United Kingdom	UK
20	United States	USA
21	United States	USA
22	United States	USA
23	United States	USA
24	United States	USA

Exercise 1:

Create a workflow to extract data from *Retail_Source_DATA_1* and load into a Flat file target. The target should be a ~ delimited file.

Mapping:



Workflow Manger:

Workflow Monitor:

Workflow Run	Start Time	Completion Time	Status
wf_m_hoe_1			
wf_m_hoe_1	11-03-2026 12:41:30	11-03-2026 12:41:32	Succeeded
s_m_hoe_1	11-03-2026 12:41:30	11-03-2026 12:41:32	Succeeded

Output:

retail_source_data_11 - Notepad

File Edit Format View Help

```
4802257171~"Desmund"~"Cristofor"~"Birmingham"~35263~"United States"~4677~"205-221-7575"~"FALSE"
2045306119~"Buffy"~"Whiteland"~"Erie"~16534~"United States"~9548~"814-663-5590"~"FALSE"
944172962~"Cristiano"~"Checci"~"Elmira"~14905~"United States"~1481~"607-944-6939"~"TRUE"
7128459774~"Didi"~"Bartak"~"Phoenix"~85072~"United States"~6576~"602-255-1328"~"FALSE"
4021043667~"Darell"~"Karby"~"Columbus"~43210~"United States"~1072~"614-771-1215"~"TRUE"
8051048121~"Tani"~"Coughlin"~"Fargo"~58122~"United States"~8395~"701-298-1083"~"TRUE"
9915896026~"Rudolfo"~"Cook"~"Erie"~16534~"United States"~9418~"814-486-0704"~"TRUE"
4458467824~"Umberto"~"Cool"~"Greensboro"~27415~"United States"~3579~"336-147-0705"~"TRUE"
7730552965~"Pat"~"Glassford"~"Decatur"~30089~"United States"~3439~"229-259-4715"~"FALSE"
6685293993~"Lorena"~"Cunah"~"Washington"~20036~"United States"~5615~"202-519-2844"~"FALSE"
3256309690~"Ardyce"~"Rainbow"~"Midland"~79710~"United States"~1618~"432-173-5477"~"TRUE"
3837657124~"Matteo"~"Carnson"~"Baton Rouge"~70894~"United States"~4524~"225-966-9527"~"TRUE"
4143618230~"Thorpe"~"McSporon"~"Madison"~53716~"United States"~6181~"608-999-6448"~"FALSE"
2105130488~"Van"~"Wesson"~"Washington"~20310~"United States"~3082~"202-397-2348"~"FALSE"
4190504149~"Benedicto"~"Hebblewaite"~"Laurel"~20709~"United States"~2454~"202-538-2826"~"TRUE"
```

Exercise 2:

Create a workflow to extract data from *Retail_Source_DATA_1* and load into the RETAIL table. Use the below DDL to create the RETAIL table.

```
CREATE TABLE RETAIL
(
CUSTOMER_ID INTEGER,
CUSTOMER_F_NAME VARCHAR2(100),
CUSTOMER_L_NAME VARCHAR2(100),
CUSTOMER_CITY VARCHAR2(100),
CUSTOMER_ZIP VARCHAR2 (100),
COUNTRY VARCHAR2(100),
STORE_NUMBER VARCHAR2(100),
CUST_CONTACT_PHONE VARCHAR2(50),
CUST_ACTIVE VARCHAR2(100)
)
```

Mapping:



Workflow Manger:



Workflow Monitor:



Output:

```
select * from retail;
```

Query Result

SQL | Fetched 50 rows in 0.031 seconds

	CUSTOMER_ID	CUSTOMER_F_NAME	CUSTOMER_L_NAME	CUSTOMER_CITY	CUSTOMER_ZIP	COUNTRY	STORE_NUMBER	
1	4802257171	Desmund	Cristofor	Birmingham	35263.000000000000000	United States	4677.000000000000000	20
2	2045306119	Buffy	Whiteland	Erie	16534.000000000000000	United States	9548.000000000000000	81
3	944172962	Cristiano	Checci	Elmira	14905.000000000000000	United States	1481.000000000000000	60
4	7128459774	Didi	Bartak	Phoenix	85072.000000000000000	United States	6576.000000000000000	60
5	4021043667	Darell	Karby	Columbus	43210.000000000000000	United States	1072.000000000000000	61
6	8051048121	Tani	Coughlin	Fargo	58122.000000000000000	United States	8395.000000000000000	70
7	9915896026	Rudolfo	Cook	Erie	16534.000000000000000	United States	9418.000000000000000	81
8	4458467824	Umberto	Cool	Greensboro	27415.000000000000000	United States	3579.000000000000000	33
9	7730552965	Pat	Glassford	Decatur	30089.000000000000000	United States	3439.000000000000000	22
10	6685293993	Lorena	Cunah	Washington	20036.000000000000000	United States	5615.000000000000000	20
11	3256309690	Ardyce	Rainbow	Midland	79710.000000000000000	United States	1618.000000000000000	43
12	3837657124	Matteo	Carnson	Baton Rouge	70894.000000000000000	United States	4524.000000000000000	22
13	4143618230	Thorpe	McSporon	Madison	53716.000000000000000	United States	6181.000000000000000	60
14	2105130488	Van	Wesson	Washington	20310.000000000000000	United States	3082.000000000000000	20
15	4190504149	Benedicto	Hebblewaite	Laurel	20709.000000000000000	United States	2454.000000000000000	20

Exercise 3:

Create a workflow to extract data from *RETAIL_SOURCE_DATA_1* and transform the data using the below logics:

a. First Name and Last Name should be concatenated using a ‘ ‘(SPACE)
b. In case of NULL value in First Name and Last Name hardcode it as ‘FNL’ for First Name and ‘LNU’ for Last Name

The target shall be a comma separated Flat file in the below structure

CUSTOMER_ID, NAME, CUSTOMER_CITY, CUSTOMER_ZIP, COUNTRY, STORE_NUMBER, CUST_CONTACT_PHONE, CUST_ACTIVE

Mapping:



Transformation:

Workflow Manger:



Workflow Monitor:

wf_m_hoe_3			
wf_m_hoe_3	10-03-2026 16:43:13	10-03-2026 16:43:18	Succeeded
s_m_hoe_3	10-03-2026 16:43:13	10-03-2026 16:43:15	Succeeded

Output:

retail_data_3 - Notepad

File Edit Format View Help

```
4802257171,Desmund Cristofor,Birmingham,35263,United States,4677,205-221-7575,FALSE
2045306119,Buffy Whiteland,Erie,16534,United States,9548,814-663-5590,FALSE
944172962,Cristiano Checci,Elmira,14905,United States,1481,607-944-6939,TRUE
7128459774,Didi Bartak,Phoenix,85072,United States,6576,602-255-1328,FALSE
4021043667,Darell Karby,Columbus,43210,United States,1072,614-771-1215,TRUE
8051048121,Tani Coughlin,Fargo,58122,United States,8395,701-298-1083,TRUE
9915896026,Rudolfo Cook,Erie,16534,United States,9418,814-486-0704,TRUE
4458467824,Umberto Cool,Greensboro,27415,United States,3579,336-147-0705,TRUE
7730552965,Pat Glassford,Decatur,30089,United States,3439,229-259-4715,FALSE
6685293993,Lorena Cunah,Washington,20036,United States,5615,202-519-2844,FALSE
3256309690,Ardyce Rainbow,Midland,79710,United States,1618,432-173-5477,TRUE
3837657124,Matteo Carnson,Baton Rouge,70894,United States,4524,225-966-9527,TRUE
4143618230,Thorpe McSporon,Madison,53716,United States,6181,608-999-6448,FALSE
2105130488,Van Wesson,Washington,20310,United States,3082,202-397-2348,FALSE
4190504149,Benedicto Hebblewaite,Laurel,20709,United States,2454,202-538-2826,TRUE
```

Exercise 4:

Create a workflow to extract data from *RETAIL_SOURCE_DATA_1* and load the flat file target with the list of Customers doesn't have a phone number.

The target shall be a | separated Flat file in the below structure

CUSTOMER_ID, CUSTOMER_F_NAME, CUSTOMER_L_NAME, CUSTOMER_CITY, CUSTOMER_ZIP, COUNTRY, STORE_NUMBER, CUST_CONTACT_PHONE, CUST_ACTIVE

Mapping:



Filter Transformation:

Workflow Manger:

Workflow Monitor:

Output:

retail_source_data_4 - Notepad

File Edit Format View Help

```
6651490141|"Ryan"|"Paybody"|"Pittsburgh"|15266|"United States"|1221|"-5342"|"FALSE"
```

Exercise 5:

Create a workflow to extract data from *RETAIL_SOURCE_DATA_1* and load the 2 flat file targets. One for Active and One for Non-Active Customer.

Flat file name 1: RETAIL_CUST_ACTIVE

Flat file name 2: RETAIL_CUST_INACTIVE

The targets shall be a tab separated Flat file in the below structure

CUSTOMER_ID, CUSTOMER_F_NAME, CUSTOMER_L_NAME, CUSTOMER_CITY, CUSTOMER_ZIP, COUNTRY, CUST_CONTACT_PHONE, CUST_ACTIVE

Mapping:



Router Transformation:



Workflow Manger:



Workflow Monitor:



Output:

RETAIL_CUST_ACTIVE



944172962	"Cristiano"	"Checci"	"Elmira"	14905	"United States"	1481	"607-944-6939"	"TRUE"
4021043667	"Darell"	"Karby"	"Columbus"	43210	"United States"	1072	"614-771-1215"	"TRUE"
8051048121	"Tani"	"Coughlin"	"Fargo"	58122	"United States"	8395	"701-298-1083"	"TRUE"
9915896026	"Rudolfo"	"Cook"	"Erie"	16534	"United States"	9418	"814-486-0704"	"TRUE"
4458467824	"Umberto"	"Cool"	"Greensboro"	27415	"United States"	3579	"336-147-0705"	"TRUE"
3256309690	"Ardyce"	"Rainbow"	"Midland"	79710	"United States"	1618	"432-173-5477"	"TRUE"
3837657124	"Matteo"	"Carnson"	"Baton Rouge"	70894	"United States"	4524	"225-966-9527"	"TRUE"
4190504149	"Benedicto"	"Hebblewaite"	"Laurel"	20709	"United States"	2454	"202-538-2826"	"TRUE"
3402509199	"Ario"	"Pinare"	"Hartford"	6152	"United States"	6720	"860-178-9371"	"TRUE"
6133704160	"Shannon"	"Reary"	"West Palm Beach"	33405	"United States"	3389	"561-440-9904"	"TRUE"
2549609557	"Rabi"	"Truman"	"Fort Smith"	72905	"United States"	8182	"479-884-4972"	"TRUE"
2331134200	"Bernetta"	"Da Costa"	"Dibba Al-Hisn"		"United Arab Emirates"	7411	"690-328-9829"	"TR
7805635838	"Hillary"	"Josilowski"	"Kansas City"	64187	"United States"	5346	"816-192-6995"	"TRUE"
4717593367	"Audra"	"Debling"	"Tucson"	85743	"United States"	5818	"520-215-0219"	"TRUE"
9904866708	"Charlton"	"Coie"	"Yonkers"	10705	"United States"	2023	"914-889-4628"	"TRUE"

RETAIL_CUST_INACTIVE



4802257171	"Desmund"	"Cristofor"	"Birmingham"	35263	"United States"	4677	"205-221-7575"	"FALSE"
2045306119	"Buffy"	"Whiteland"	"Erie"	16534	"United States"	9548	"814-663-5590"	"FALSE"
7128459774	"Didi"	"Bartak"	"Phoenix"	85072	"United States"	6576	"602-255-1328"	"FALSE"
7730552965	"Pat"	"Glassford"	"Decatur"	30089	"United States"	3439	"229-259-4715"	"FALSE"
6685293993	"Lorena"	"Cunah"	"Washington"	20036	"United States"	5615	"202-519-2844"	"FALSE"
4143618230	"Thorpe"	"McSporon"	"Madison"	53716	"United States"	6181	"608-999-6448"	"FALSE"
2105130488	"Van"	"Wesson"	"Washington"	20310	"United States"	3082	"202-397-2348"	"FALSE"
711470286	"Chauncey"	"Deeming"	"New Hyde Park"	11044	"United States"	4996	"516-762-0635"	"FALSE"
8054843615	"Genevra"	"Bladesmith"	"Alhambra"	91841	"United States"	9015	"626-669-2438"	"FALSE"
238153835	"Cortney"	"Cuncarr"	"Flushing"	11355	"United States"	1821	"917-598-7964"	"FALSE"
3094274862	"Natty"	"Reye"	"Boynton Beach"	33436	"United States"	6778	"561-135-4138"	"FALSE"
8319719402	"Leeland"	"Plevey"	"Chicago"	60614	"United States"	3241	"312-905-4204"	"FALSE"
4804303537	"Adrian"	"Lillistone"	"Huntsville"	35895	"United States"	4803	"256-300-8316"	"FALSE"
3899718232	"Vaclav"	"Fryer"	"Seattle"	98115	"United States"	3829	"425-699-3270"	"FALSE"
1981746358	"Raffaello"	"Sanger"	"Stamford"	6905	"United States"	2051	"203-460-3460"	"FALSE"

Exercise 6:

Create a workflow to extract data from *RETAIL_SOURCE_DATA_1* and load the flat file target.

Populate the target record Descending order based on STORE_NUMBER.

The targets shall be a comma separated Flat file in the below structure

CUSTOMER_ID,CUSTOMER_F_NAME,CUSTOMER_L_NAME,CUSTOMER_CITY,CUSTOMER_ZIP,COUNTRY,STORE_NUMBER,CUST_CONTACT_PHONE,CUST_ACTIVE

Mapping:



Sorted Transformation:



Workflow Manger:

Workflow Monitor:

wf_m_hoe_6			
wf_m_hoe_6	10-03-2026 16:47:14	10-03-2026 16:47:16	Succeeded
s_m_hoe_6	10-03-2026 16:47:14	10-03-2026 16:47:16	Succeeded

Output:

retail_source_data_6 - Notepad

File Edit Format View Help

```
8542092678,"Dan","Yelland","Lansing",48912,"United States",9982,"517-746-2183","TRUE"
7411358126,"Gearalt","Aire","Atlanta",31106,"United States",9977,"404-383-4447","FALSE"
4649368960,"Loise","Goodspeed","Long Beach",90805,"United States",9975,"323-898-0806","FALSE"
9842213021,"Giuseppe","Redit","Charlotte",28230,"United States",9959,"704-549-4528","FALSE"
1102958107,"Regan","McCloch","Fort Worth",76110,"United States",9951,"817-535-2393","TRUE"
4156457044,"Bradley","Jarley","Fort Worth",76192,"United States",9950,"682-955-1933","FALSE"
5795829544,"Frazier","Thom","Hartford",6183,"United States",9949,"860-581-4578","FALSE"
4427716423,"Odetta","Aindrais","Baltimore",21275,"United States",9949,"410-580-2805","TRUE"
6371554468,"Michelina","Maker","Abu Dhabi",,"United Arab Emirates",9945,"837-150-4617","TRUE"
4943193536,"Denna","Newberry","Odessa",79764,"United States",9945,"432-370-8986","FALSE"
3999776463,"Sibella","Howe","Virginia Beach",23454,"United States",9934,"757-590-5547","TRUE"
2013419848,"Consuelo","Ivanenkov","New Brunswick",8922,"United States",9924,"732-105-7682","FALSE"
6101787613,"Cara","McGettrick","Saint Louis",63121,"United States",9907,"314-589-3100","FALSE"
9251594732,"Lindsey","Rankmore","Dallas",75287,"United States",9905,"972-272-0431","FALSE"
6608231008,"Alma","Levington","Tallahassee",32309,"United States",9897,"850-506-0625","TRUE"
```

Exercise 7:

Create a workflow to extract data from *RETAIL_SOURCE_DATA_1* and load the Top 10 Active customers in United States in a ‘,’separated flat file. The target structure shall be

CUSTOMER_ID, CUSTOMER_F_NAME, CUSTOMER_L_NAME, CUSTOMER_CITY, CUSTOMER_ZIP, COUNTRY, STORE_NUMBER, CUST_CONTACT_PHONE, CUST_ACTIVE

Mappings:



Filter Transformation:

Rank Transformation:



Workflow Manger:

Workflow Monitor:

Output:



Exercise 8:

Create a workflow to extract data from *RETAIL_SOURCE_DATA_1 and* load only the valid records to flat file(i.e) phone number should not contain null value .Generate a column surrogate key(CUST_SOR_KEY) should be loaded with a continuous number. The target structure shall be

CUST_SOR_KEY,CUSTOMER_ID,CUSTOMER_F_NAME,CUSTOMER_L_NAME,CUSTOMER_CITY,CUSTOMER_ZIP,COUNTRY,STORE_NUMBER,CUST_CONTACT_PHONE,CUST_ACTIVE

Mapping:



Filter Transformation:



Sequence Transformation:



Workflow Manger:



Workflow Monitor:



Output:

retail_source_8 - Notepad

File Edit Format View Help

```
1,4802257171,"Desmund","Cristofor","Birmingham",35263,"United States",4677,"205-221-7575","FALSE"
2,2045306119,"Buffy","Whiteland","Erie",16534,"United States",9548,"814-663-5590","FALSE"
3,944172962,"Cristiano","Checci","Elmira",14905,"United States",1481,"607-944-6939","TRUE"
4,7128459774,"Didi","Bartak","Phoenix",85072,"United States",6576,"602-255-1328","FALSE"
5,4021043667,"Darell","Karby","Columbus",43210,"United States",1072,"614-771-1215","TRUE"
6,8051048121,"Tani","Coughlin","Fargo",58122,"United States",8395,"701-298-1083","TRUE"
7,9915896026,"Rudolfo","Cook","Erie",16534,"United States",9418,"814-486-0704","TRUE"
8,4458467824,"Umberto","Cool","Greensboro",27415,"United States",3579,"336-147-0705","TRUE"
9,7730552965,"Pat","Glassford","Decatur",30089,"United States",3439,"229-259-4715","FALSE"
10,6685293993,"Lorena","Cunah","Washington",20036,"United States",5615,"202-519-2844","FALSE"
11,3256309690,"Ardyce","Rainbow","Midland",79710,"United States",1618,"432-173-5477","TRUE"
12,3837657124,"Matteo","Carnson","Baton Rouge",70894,"United States",4524,"225-966-9527","TRUE"
13,4143618230,"Thorpe","McSporon","Madison",53716,"United States",6181,"608-999-6448","FALSE"
14,2105130488,"Van","Wesson","Washington",20310,"United States",3082,"202-397-2348","FALSE"
15,4190504149,"Benedicto","Hebblewaite","Laurel",20709,"United States",2454,"202-538-2826","TRUE"
```

Exercise 9:

Create a workflow to extract data from *RETAIL_SOURCE_DATA_1* & lookup *RETAIL_SOURCE_DATA_3* table and load the target data in the below CSV format

CUSTOMER_ID,CUSTOMER_F_NAME,CUSTOMER_L_NAME,CUSTOMER_CITY,CUSTOMER_ZIP,COUNTRY,STORE_NUMBER,CUST_CONTACT_PHONE,CUST_ACTIVE, COUNTRY_CODE

Mapping:



Lookup Transformation:





Workflow Manger:

Workflow Monitor:



wf_m_hoe_9			
wf_m_hoe_9	10-03-2026 16:51:43	10-03-2026 16:51:47	Succeeded
s_m_hoe_9	10-03-2026 16:51:43	10-03-2026 16:51:44	Succeeded

Output:




```
4802257171,"Desmund","Cristofor","Birmingham",35263,"United States",4677,"205-221-7575","FALSE","USA"
2045306119,"Buffy","Whiteland","Erie",16534,"United States",9548,"814-663-5590","FALSE","USA"
944172962,"Cristiano","Checci","Elmira",14905,"United States",1481,"607-944-6939","TRUE","USA"
7128459774,"Didi","Bartak","Phoenix",85072,"United States",6576,"602-255-1328","FALSE","USA"
4021043667,"Darell","Karby","Columbus",43210,"United States",1072,"614-771-1215","TRUE","USA"
8051048121,"Tani","Coughlin","Fargo",58122,"United States",8395,"701-298-1083","TRUE","USA"
9915896026,"Rudolfo","Cook","Erie",16534,"United States",9418,"814-486-0704","TRUE","USA"
4458467824,"Umberto","Cool","Greensboro",27415,"United States",3579,"336-147-0705","TRUE","USA"
7730552965,"Pat","Glassford","Decatur",30089,"United States",3439,"229-259-4715","FALSE","USA"
6685293993,"Lorena","Cunah","Washington",20036,"United States",5615,"202-519-2844","FALSE","USA"
3256309690,"Ardyce","Rainbow","Midland",79710,"United States",1618,"432-173-5477","TRUE","USA"
3837657124,"Matteo","Carnson","Baton Rouge",70894,"United States",4524,"225-966-9527","TRUE","USA"
4143618230,"Thorpe","McSporon","Madison",53716,"United States",6181,"608-999-6448","FALSE","USA"
2105130488,"Van","Wesson","Washington",20310,"United States",3082,"202-397-2348","FALSE","USA"
4190504149,"Benedicto","Hebblewaite","Laurel",20709,"United States",2454,"202-538-2826","TRUE","USA"
```

Exercise 10:

Create a workflow to extract data from *RETAIL_SOURCE_DATA_1* & *RETAIL_SOURCE_DATA_2* and load the target in the '~ delimited format. The target structure shall be

CUSTOMER_ID, CUSTOMER_F_NAME, CUSTOMER_L_NAME, CUSTOMER_CITY, CUSTOMER_ZIP, COUNTRY, STORE_NUMBER, CUST_CONTACT_PHONE, CUST_ACTIVE, COUNTRY_CODE, STORE_NAME, STORE_LOCATION, STORE_PHONE

***Note**: Implement Inner join in mapping*

Mapping:



Joiner Transformation:



Lookup Transformation:



Workflow Manger:

Workflow Monitor:



wf_m_hoe_10			
wf_m_hoe_10	10-03-2026 16:52:55	10-03-2026 16:52:57	Succeeded
s_m_hoe_10	10-03-2026 16:52:55	10-03-2026 16:52:57	Succeeded

Output:

```
4802257171,"Desmund","Cristofor","Birmingham",35263,"United States",4677,"205-221-7575","FALSE","USA","Zoomzone","Aveiras de Cima","630-673-7285"
4802257171,"Desmund","Cristofor","Birmingham",35263,"United States",4677,"205-221-7575","FALSE","USA","Skyvu","Kinsealy-Drinan","157-861-3520"
2045306119,"Buffy","Whiteland","Erie",16534,"United States",9548,"814-663-5590","FALSE","USA","Latz","Kalapagenep","320-602-4305"
944172962,"Cristiano","Checci","Elmira",14905,"United States",1481,"607-944-6939","TRUE","USA","Realbridge","Pangkalan","261-927-3461"
944172962,"Cristiano","Checci","Elmira",14905,"United States",1481,"607-944-6939","TRUE","USA","Gigashots","Zlatni Pyasatsi","118-145-3909"
7128459774,"Didi","Bartak","Phoenix",85072,"United States",6576,"602-255-1328","FALSE","USA","Cogibox","Baume-les-Dames","968-140-8927"
4021043667,"Darell","Karby","Columbus",43210,"United States",1072,"614-771-1215","TRUE","USA","Zoomzone","Pamarayan","712-944-3328"
8051048121,"Tani","Coughlin","Fargo",58122,"United States",8395,"701-298-1083","TRUE","USA","Bluejam","Kanazawa-shi","340-962-9836"
9915896026,"Rudolfo","Cook","Erie",16534,"United States",9418,"814-486-0704","TRUE","USA","Innotype","Águas Belas","376-499-5488"
4458467824,"Umberto","Cool","Greensboro",27415,"United States",3579,"336-147-0705","TRUE","USA","Fadeo","Askim","542-260-8509"
7730552965,"Pat","Glassford","Decatur",30089,"United States",3439,"229-259-4715","FALSE","USA","Innojam","Ciparakan","900-499-6662"
6685293993,"Lorena","Cunah","Washington",20036,"United States",5615,"202-519-2844","FALSE","USA","Kayveo","Cagmanaba","409-327-8879"
3256309690,"Ardyce","Rainbow","Midland",79710,"United States",1618,"432-173-5477","TRUE","USA","Teklist","Stockholm","391-829-3182"
3837657124,"Matteo","Carnson","Baton Rouge",70894,"United States",4524,"225-966-9527","TRUE","USA","Browsezoom","Volochys'k","496-417-1061"
4143618230,"Thorpe","McSporon","Madison",53716,"United States",6181,"608-999-6448","FALSE","USA","Voolith","Baiju","101-751-6289"
2105130488,"Van","Wesson","Washington",20310,"United States",3082,"202-397-2348","FALSE","USA","Oozz","Sigou","579-210-7520"
```

Exercise 11:

Create a workflow to extract data from *RETAIL_SOURCE_DATA_1* and load the Count of Active customer for each country. The target shall be in the below TAB delimited format

COUNTRY, NO_OF_CUST_ACTIVE

Mapping:



Filter Transformation:

Aggregator Transformation:



Workflow Manger:

Workflow Monitor:



Output: