

Task 2 : JavaScript Mini Project - Smart Task Manager

Name: Desa Sree Varshini

Course: B.E. Computer Science Engineering

Objective

Create a Smart Task Manager using JavaScript DOM Manipulation to help users efficiently manage daily tasks. The application allows users to add, search, complete, and delete tasks while storing data using Local Storage.

Technologies Used


- HTML5
- CSS3
- JavaScript
- Local Storage API
- GitHub Pages

Features Implemented

- Add New Tasks
- Delete Tasks
- Mark Tasks as Completed
- Search Tasks
- Priority Levels (Low, Medium, High)
- Due Date Selection
- Dark Mode Toggle
- Task Counter
- Local Storage Support
- Responsive Design

Screenshots

Project Structure



Code Snippets

Add task

```
1  function addTask() {
2      let task = document.getElementById("taskInput").value;
3      let priority = document.getElementById("priority").value;
4      let date = document.getElementById("date").value;
5
6      if (task.trim() === "") {
7          alert("Enter a task!");
8          return;
9      }
10
11     let li = document.createElement("li");
12     li.classList.add(priority);
13
14     li.innerHTML = `
15         <div>
16             <input type="checkbox" onclick="toggleTask(this)">
17             <span>${task}</span>
18             ${date ? `<small> (Due: ${date})</small>` : ""}
19         </div>
20         <button onclick="deleteTask(this)">✖</button>
21     `;
22
23     document.getElementById("taskList").appendChild(li);
24
25     // Clear inputs
26     document.getElementById("taskInput").value = "";
27     document.getElementById("date").value = "";
28
29     updateCounter();
30     saveTasks();
31 }
```

Delete task



```
33 function deleteTask(btn) {
34     btn.parentElement.remove();
35
36     updateCounter();
37     saveTasks();
38 }
39
```

Local Storage


```
86 /* SAVE TASKS */
87 function saveTasks() {
88     localStorage.setItem(
89         "tasks",
90         document.getElementById("taskList").innerHTML
91     );
92 }
93
94 /* LOAD TASKS */
95 function loadTasks() {
96     document.getElementById("taskList").innerHTML =
97         localStorage.getItem("tasks") || "";
98
99     if (localStorage.getItem("theme") === "dark") {
100         document.body.classList.add("dark");
101     }
102
103     updateCounter();
104 }
```

MINI-PROJECT-OUTPUT


Home Page




Adding Tasks




Task Completion



Deleting Tasks



Search Functionality



Git Commands Used

git init

git add .

git commit -m "Added Smart Task Manager Project"

git branch -M main

git remote add origin <repository-url>

git push -u origin main

GitHub Repository Link

<https://github.com/sreevarshinidesa/smart-task-manager.git>

My site is live at <https://sreevarshinidesa.github.io/smart-task-manager/>

The image shows two screenshots from a GitHub repository named 'smart-task-manager' by user 'sreevarshinidesa'.

The top screenshot displays the 'GitHub Pages' settings. The 'General' tab is active, showing the site is live at <https://sreevarshinidesa.github.io/smart-task-manager/>. The 'Build and deployment' section shows the source is 'Deploy from a branch' and the branch is 'main'. The 'Custom domain' section is also visible.

The bottom screenshot shows the repository's file view. The 'Code' tab is selected. The repository is public. The file list shows 'index.html', 'script.js', and 'style.css', all committed 8 minutes ago. A 'README' section is visible at the bottom, prompting the user to 'Add a README'.

Outcome

Successfully developed and deployed a Smart Task Manager using JavaScript. The application allows users to add, search, complete, and delete tasks efficiently. Features such as priority levels, due dates, dark mode, task counters, and Local Storage enhance usability and provide a better user experience.