

Message ID	Description	Bytes Used								Max Refresh Rate	Notes
		0	1	2	3	4	5	6	7		
600	Calculated VSS speed in MPH									8hz	Divide by 10 when decoding
600	VSS pulse count									8hz	
600	Reverse bit									8hz	1 when vehicle is in reverse, 0 otherwise
601	Hour									10hz	24 hour format
601	Minute									10hz	
601	Second									10hz	
601	Month									10hz	
601	Day									10hz	
601	Year									10hz	4 digit
602	GPS Latitude sign bit									10hz	0 is postive, 1 is negative
602	GPS Latitude									10hz	degrees * 10 ⁻⁷
603	GPS Longitude sign bit									10hz	0 is positive, 1 is negative
603	GPS Longitude									10hz	degrees * 10 ⁻⁷
604	GPS Altitude sign bit									10hz	0 is positive, 1 is negative
604	GPS Altitude									10hz	mm
604	GPS satellites in view									10hz	
605	Fuel Pressure									50hz	0-100 psi
605	Fuel Pressure analog value									50hz	0-1023
605	Oil Pressure									50hz	0-100 psi
605	Oil Pressure analog value									50hz	0-1023
606	Accelerometer X axis									20hz	Divide by 10 when decoding, result is in m/s ²
606	Accelerometer Y axis									20hz	Divide by 10 when decoding, result is in m/s ²
606	Accelerometer Z axis									20hz	Divide by 10 when decoding, result is in m/s ²
607	Compass heading									5hz	0-360 degrees
607	Compass direction									5hz	array index, points to text: N, NW, W, etc...
608	Ambient Temperature sign bit									1hz	0 is positive, 1 is negative
608	Ambient Temperature (F)									1hz	Divide by 10 when decoding, result in fahrenheit