Model Optimization and Tuning Phase Report

Date	21 July 2024
Team ID	740037
Project Title	Estimating Presence or Absence of smoking through bio signals
Maximum Marks	10 Marks

Model Optimization and Tuning Phase

The Model Optimization and Tuning Phase involves refining machine learning models for peak performance. It includes optimized model code, fine-tuning hyperparameters, comparing performance metrics, and justifying the final model selection for enhanced predictive accuracy and efficiency.

Linear Regression

```
from sklearn.model_selection import GridSearchCV

param_grid = [
    {'penalty' : ['l1', 'l2', 'elasticnet', 'none'],
    'C' : np.logspace(-4, 4, 20),
    'solver' : ['lbfgs','newton-cg','liblinear','sag','saga'],
    'max_iter' : [100, 1000,2500, 5000]
    }
]

gs = GridSearchCV(clf, param_grid = param_grid, cv = 3, verbose=True
```

```
gs = GridSearchCV(clf, param_grid = param_grid, cv = 3, verbose=True

best_clf=clf.fit(x,y)

print("Accuracy - :",{best_clf.score(x,y)})

Accuracy - : {0.7519033254327372}
```

Hyperparameter Tuning Documentation (6 Marks):

<table>
<tr>
<td>KNN</td>
<td>

```
knn_classifier = KNeighborsClassifier()

# Define the hyperparameters and their possible values for tuning
param_grid = {
    'n_neighbors': [3, 5, 7, 9],
    'weights': ['uniform', 'distance'],
    'p': [1, 2]
}
```

</td>
<td>

```
# Evaluate the performance of the tuned model
accuracy = accuracy_score(y_test, y_pred)
print(f'Optimal Hyperparameters: {best_params}')
print(f'Accuracy on Test Set: {accuracy}')
```

```
Optimal Hyperparameters: {'n_neighbors': 9, 'p': 1, 'weights': 'distance'}
Accuracy on Test Set: 0.7218934911242604
```

</td>
</tr>
<tr>
<td>Gradient Boosting</td>
<td>

```
# Define the Gradient Boosting classifier
gb_classifier = GradientBoostingClassifier()

# Define the hyperparameters and their possible values for tuning
param_grid = {
    'n_estimators': [50, 100, 200],
    'learning_rate': [0.01, 0.1, 0.2],
    'max_depth': [3, 4, 5],
    'min_samples_split': [2, 5, 10],
    'min_samples_leaf': [1, 2, 4],
    'subsample': [0.8, 1.0]
}
```

</td>
<td>

```
# Evaluate the performance of the tuned model
accuracy = accuracy_score(y_test, y_pred)
print(f'Optimal Hyperparameters: {best_params}')
print(f'Accuracy on Test Set: {accuracy}')
```

```
Optimal Hyperparameters: {'learning_rate': 0.1, 'max_depth': 5, 'min_samples_leaf': 4, 'min_samples_split': 5, 'n_estimators': 200, 'subsample': 0.8}
Accuracy on Test Set: 0.7218934911242604
```

</td>
</tr>
</table>

Performance Metrics Comparison Report (2 Marks):

<table>
<tr><th>Model</th><th>Optimized Metric</th></tr>
<tr>
<td>Decision Tree</td>
<td>

```
print(classification_report(y_test,y_pred))
```

```
                           precision    recall  f1-score   support

    Loan will be Approved       0.67      0.68      0.68        75
Loan will not be Approved       0.74      0.73      0.74        94

                 accuracy                           0.71       169
                macro avg       0.71      0.71      0.71       169
             weighted avg       0.71      0.71      0.71       169
```

```
confusion_matrix(y_test,y_pred)
```

```
array([[51, 24],
       [25, 69]])
```

</td>
</tr>
</table>

Random Forest	`print(classification_report(y_test,y_pred))`
	
	precision recall f1-score support
	
	Loan will be Approved 0.71 0.83 0.77 75
	Loan will not be Approved 0.84 0.73 0.78 94
	
	accuracy 0.78 169
	macro avg 0.78 0.78 0.77 169
	weighted avg 0.78 0.78 0.78 169
	
	`confusion_matrix(y_test,y_pred)`
	
	array([[62, 13],
	[25, 69]])

KNN	`print(classification_report(y_test,y_pred))`
	
	precision recall f1-score support
	
	Loan will be Approved 0.73 0.59 0.65 75
	Loan will not be Approved 0.72 0.83 0.77 94
	
	accuracy 0.72 169
	macro avg 0.72 0.71 0.71 169
	weighted avg 0.72 0.72 0.72 169
	
	`confusion_matrix(y_test,y_pred)`
	
	array([[44, 31],
	[16, 78]])

Gradient Boosting	`print(classification_report(y_test,y_pred))`
	
	precision recall f1-score support
	
	Loan will be Approved 0.73 0.85 0.79 75
	Loan will not be Approved 0.86 0.74 0.80 94
	
	accuracy 0.79 169
	macro avg 0.80 0.80 0.79 169
	weighted avg 0.80 0.79 0.79 169
	
	`confusion_matrix(y_test,y_pred)`
	
	array([[64, 11],
	[24, 70]])

Final Model Selection Justification (2 Marks):

Final Model	Reasoning
Gradient Boosting	The Gradient Boosting model was selected for its superior performance, exhibiting high accuracy during hyperparameter tuning. Its ability to handle complex relationships, minimize overfitting, and optimize predictive accuracy aligns with project objectives, justifying its selection as the final model.