



explicharr

Kuan Yu • Maya Angelova • Philipp Schoneville • Sonu Rauniyar

team 3 - explicharr

- train (translation) model for text simplification task
- Wikipedia dataset & character-level Transformer

dataset

- Wikipedia dataset
 - version “3.0”
 - 285.000 aligned sentence pairs
 - normal to simplified text

-
- | | |
|--|--|
| 1 It has been depicted with brownish-grey plumage , yellow feet , a tuft of tail feathers , a gray , naked head , and a black , yellow , and green beak . | They had gray feathers and yellow feet . |
| 2 Paramedics provide advanced levels of care for medical emergencies and trauma . | They provide care for medical emergencies and trauma . |
| 3 By the 1750s , the suite had come to be seen as old-fashioned , superseded by the symphony and concerto , and few composers were still writing suites during that time . | By the 1750s composers had stopped writing suites . |

normal

simple

1 The losing team gets zero points .

A team gets 3 points for a win .


2 The tower is the tallest mid-block building in New York City .

Before it was built , the tallest building in the world was the Woolworth Building .

3 The second season of Bad Girls Club premiered on December 4 , 2007 , on Oxygen .

The Bad Girls Club season 2 is the second season of The Bad Girls Club .

- many of the sentences in the dataset are unchanged



- 25% shorter, mostly shorter sentences, partly shorter words
- many words occur only once and have to be treated as UNKNOWN


character-level modelling

	normal	simple
#char-type	2,880	2,359
%top 255 chars	99.97	99.97

- more robust
 - UNKNOWN chars only make up 0.03% of text
 - no special treatment for numbers
 - may learn morphology
- no tokenizer required
- easier applicable to other languages


model choice

- ByteNet
 - Convolutional architecture
 - as a baseline
 - already character-level



model choice

- Transformer
 - state of the art word-level translation model
 - faster training than RNN architectures
 - no information bottleneck
- compared to CNNs: no limited receptive field
- shorter path length for long range dependencies



input

output

- 1 Some of the largest reservoirs in the world can be found along the Volga .
- 2 Furthermore , spectroscopic studies have shown evidence of hydrated minerals and silicates , which indicate rather a stony surface composition .

Some of the largest that is found in the world , including the United States , Australia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Italy , Italy , Italy , Italy , Italy , Italy , Italy , Italy , Italy , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia , Russia ,

Some scientists think that that when they are moving around the surface of the Earth , they can also be seen when they are moving around the surface of the Earth , or that is seen is a star that is about a person who finds that is .

Transformer

Bleu score: 0.1530

#	input	output
1	Jeddah is the principal gateway to Mecca , Islam 's holiest city , which able-bodied Muslims are required to visit at least once in their lifetime .	1825 is the main gateway to mecca , islam 's holiest city .
2	Convinced that the grounds were haunted , they decided to publish their findings in a book An Adventure (1911) , under the pseudonyms of Elizabeth Morison and Frances Lamont .	1825 decided to publish their findings in a book an adventure (1911) .

Transformer (Pytorch)
Bleu score: 0.2544

1825 was born in london .

1825 was put on christmas eve
in 1890 .

1825 is a band from the united
states .

1825 was a law enforcement
agency in new york city .

1825 's clouds are made of ice .

1825 are very rare .


1825 left the newly conquered
region .

exploration(1)

- data
 - find more (and better) data (e.g. newsela)
 - make adjustments to existing data set (e.g. unchanged sentences)
- evaluation
 - alternatives to BLEU score
 - other team's solution
 - character level evaluation: e.g. chrF, characTER

exploration(2)

- attention mechanisms
 - look at different forms of attention mechanisms
- visualization
 - visualize the model's attention
 - use for error analysis and introspection



exploration(3)

- pre-training
 - different architectures (e.g. autoencoders, generative models)
 - different data (e.g. encoder: normal wikipedia – decoder: simple)
 - different parts (e.g. embeddings)

exploration(4)

- word-level and subword-level modelling
- beam search
- (conditional random field)

time plan

1

end of May

- get baseline on ByteNet and Transformer

2

June

- diverge and explore:
 - attention mechanism / visualization - Maya
 - data / evaluation - Sonu
 - pre-training - Philipp
 - word-level or subword-level modelling / beam search - Kuan

time plan

3

July

- combine design choices
- train and evaluate final model(s)

4

end of July

- presentation and writing paper

THANK YOU FOR YOUR
ATTENTION