

Customer Support Ticket Priority Prediction and Automated Assignment System

Built with Salesforce Flow and Agentforce

Platform: Salesforce Developer Edition

Custom Object: Support_Ticket_Intelligence__c

Automation: Auto-Launched Flow (Support_Ticket_Intelligenc)

AI Layer: Agentforce subagent - Support Ticket Priority Analysis

Date: October 2026

Summary. Support teams lose valuable time when someone has to read every ticket and decide by hand how urgent it is. This project removes that step. A support user simply tells Agentforce the account name; behind the scenes a Salesforce Flow finds that account's latest ticket, reads the description, decides whether it is High, Medium or Low priority, creates an urgent task when needed, and replies with the result in plain language.

1. Introduction

1.1 Project Overview

A busy support desk can receive hundreds of tickets in a single day. Reading each one, judging how serious it is and handing it to the right person is slow, and it is easy to miss a ticket that really needed attention first. This project tackles that problem inside Salesforce. The system looks at the ticket description, works out the priority, decides who should handle it, and starts the follow-up work automatically.

Three pieces make it work together: a custom object that stores the tickets, an Auto-Launched Flow that holds the decision logic, and an Agentforce subagent that lets people trigger everything just by chatting.

1.2 Purpose

- Sort support tickets into High, Medium or Low priority without manual effort.
- Pick up the most recent ticket that belongs to a given customer account.
- Create an urgent handling task automatically whenever a ticket is High priority.
- Hand urgent tickets to a senior support agent straight away.
- Let support users run the whole process through a simple Agentforce conversation.
- Cut down response time and make ticket handling more consistent.

2. Ideation Phase

2.1 Problem Statements

We looked at the problem from the point of view of the people who actually deal with tickets every day.

#	I am	I want to	But	Because	So I feel
PS-1	A support agent	Work on the most critical tickets first	Priority is not always set automatically	Someone has to judge it by hand	Frustrated
PS-2	A customer	Get my urgent issue fixed quickly	My ticket may sit behind less important ones	The team handles a very large volume	Worried
PS-3	A support manager	Give each ticket to the right support level	Assignment needs manual decisions	Urgency is not judged the same way every time	Overwhelmed
PS-4	A support agent	Spot urgent problems from the description	Key words can be overlooked	Customers describe urgency in different ways	Uncertain
PS-5	A support manager	Lower the risk of missing SLAs	Old unresolved tickets go unnoticed	SLA risk needs a separate check	Concerned

2.2 Empathy Map (Support Agent)

Think & Feel	Hear	See
Wants critical problems spotted fast so customers in trouble are helped first.	Customer complaints, support requests and managers asking for better response times.	Ticket status, issue type, description, priority, who it is assigned to, and SLA risk.
Say & Do	Pain	Gain
Reviews tickets, works on assigned cases and pushes urgent ones forward.	Manual prioritisation, missed urgency signals and delays on critical tickets.	Automatic priority, clear assignment, urgent tasks created for them and less manual work.

2.3 Ideas Considered and Final Choice

We compared four ways of solving the problem: a manual ticket register, spreadsheet tracking, a standalone support portal, and Salesforce CRM with Agentforce. The first three still depend on people to read and sort tickets. Salesforce with Agentforce was chosen because it brings everything into one place:

- Flow handles the automation and decision-making.
- Agentforce gives a conversational way to run the analysis.
- Priority is set automatically and urgent tasks are created without anyone clicking through screens.
- Support staff spend less time on routine sorting.

3. Requirement Analysis

3.1 Customer Journey

A ticket travels through these stages from the moment it is raised until it is closed:

Ticket raised > Account identified > Latest ticket retrieved > Description analysed > Priority decided > Agent assigned > Urgent task created > Support handles it > Resolved

3.2 Functional Requirements

ID	Requirement
FR-1	Create and manage support tickets
FR-2	Link each ticket to an Account and a Contact
FR-3	Read and analyse the ticket description
FR-4	Classify priority automatically (High / Medium / Low)
FR-5	Create a task for High-priority tickets
FR-6	Assign the ticket to the right support level
FR-7	Check older tickets for SLA breach risk (optional)
FR-8	Allow analysis through an Agentforce conversation

3.3 Non-Functional Requirements

Area	What it means here
Usability	Agentforce asks for one input and replies in clear, easy-to-read messages.
Reliability	The same description always gives the same priority because the rules are fixed in the Flow.
Performance	The latest ticket is fetched and analysed within a second or two (the trace shows well under a second per step).
Security	Access to customer and ticket data stays under normal Salesforce permissions.
Maintainability	Keywords, messages and assignments can be edited in the Flow without code.
Scalability	Flow automation handles growing ticket volumes without extra manual work.

3.4 Data Flow

Backend: Support request > Account > Latest Support Ticket > Ticket Description > Analyse > Priority > High/Medium/Low decision > Agent assignment > Task (High only) > Final message.

Through Agentforce: User gives the Account Name > Support Ticket Priority Analysis subagent > Auto-Launched Flow > Ticket analysis > Priority and assignment output > Reply to the user.

3.5 Technology Stack

Layer	Technology
Platform	Salesforce (Developer Edition)
Data	Support_Ticket_Intelligence__c, with Account, Contact, User and Task records
Logic	Auto-Launched Flow
AI	Agentforce (Default employee agent)
Subagent	Support Ticket Priority Analysis
Automation	Flow Decision, Assignment and Create Records elements
Output	Agentforce conversation reply

4. Project Design

4.1 Problem and Solution Fit

Problem	What we built	Benefit
Priority is set by hand	Flow reads the description and sets priority	Urgent cases are found faster
Urgent issues get missed	A decision element checks for urgency keywords	Critical tickets get noticed
Tasks are created manually	Flow creates a Task for High priority	Less repetitive work
Assignment is inconsistent	Flow sets the support level for urgent tickets	More consistent handling
SLA risk is easy to overlook	Optional SLA-risk decision	Better awareness of risk
Staff need an easy way to use it	Agentforce subagent with a chat interface	Anyone can run it by typing an account name

4.2 Proposed Solution

Item	Description
Problem	Manual prioritisation and assignment slow down the handling of critical support issues.
Solution	A Salesforce system that predicts ticket priority and assigns it automatically.
What is new	Agentforce triggers an Auto-Launched Flow that analyses the description, classifies priority, assigns a support level and creates an urgent task.
Impact	Quicker spotting of critical tickets, less manual effort, better response time and a more productive team.
Users	Customers, support agents, support managers and AI-assisted ticket handling.
Scalability	Can grow with more assignment rules, SLA monitoring and priority indicators.

4.3 Solution Architecture

Support user > Agentforce > Support Ticket Priority Analysis subagent > Auto-Launched Flow > Account and ticket data > Description analysis > Priority decision > Task and assignment > Final message > Reply in Agentforce

5. Project Planning and Scheduling

5.1 Approach

The work followed an Agile approach: big goals were split into epics, then user stories, and each story was given story points. Work was delivered sprint by sprint, and the points finished in each sprint (velocity) were used to judge how much to plan next.


5.2 Product Backlog

Sprint	Epic	Story	User story	Pts	Priority	Owner
1	Developer setup	USN-1	As an administrator, I want to set up the Salesforce environment so the support solution can be built.	3	High	Member 1
2	Data modelling	USN-2	As an admin, I want a Support Ticket Intelligence object with the right fields so tickets are stored in an organised way.	5	High	Member 2
2	Data modelling	USN-3	As a support user, I want tickets linked to Accounts and Contacts so the latest ticket of a customer can be found.	3	High	Member 3
3	Automation	USN-4	As a support agent, I want a Flow that fetches the latest ticket and reads its description.	5	High	Member 4
3	Automation	USN-5	As a support agent, I want tickets classified as High, Medium or Low from set urgency conditions.	5	High	Member 4
4	Agentforce	USN-6	As the AI agent, I want to analyse ticket details and trigger the Flow so manual prioritising is reduced.	8	High	Member 1
4	Task and assignment	USN-7	As a manager, I want High-priority tickets to create an urgent task and go to a senior agent.	5	High	Member 2
5	SLA	USN-8	As a manager, I want older unresolved tickets checked for SLA risk.	5	Medium	Member 3
6	Conversational support	USN-9	As a support user, I want to give an account name and get the ticket ID, priority, assigned agent and message back in chat.	5	Medium	Member 4

5.3 Sprint Tracker and Velocity

Sprint	Points planned	Duration	Start	Planned end	Points done	Released
Sprint-1	3	6 days	24 Aug 2026	29 Aug 2026	3	29 Aug 2026
Sprint-2	8	6 days	31 Aug 2026	05 Sep 2026	8	05 Sep 2026
Sprint-3	10	6 days	07 Sep 2026	12 Sep 2026	10	12 Sep 2026
Sprint-4	13	6 days	14 Sep 2026	19 Sep 2026	13	19 Sep 2026
Sprint-5	5	6 days	21 Sep 2026	26 Sep 2026	5	26 Sep 2026
Sprint-6	5	6 days	28 Sep 2026	03 Oct 2026	5	03 Oct 2026

Total work: 44 story points over 6 sprints, so the average velocity is about 7.3 points per sprint.



6. Project Development

This section walks through how the solution was actually built in the Salesforce org, with screenshots taken from the working setup.

6.1 Salesforce Developer Org

Everything was built in a free Salesforce Developer Edition org. After signing up and verifying the email address, we landed on the Setup home page, which is where all the configuration below was done.

6.2 Custom Object: Support Ticket Intelligence

The first building block is a custom object that stores each support ticket. It was created on 3 October 2026 and shows up in Object Manager alongside the standard objects. Its API name is **Support_Ticket_Intelligence__c**, activity tracking is switched on, and the deployment status is **Deployed**, so it is ready to use.




Figure 1: Support Ticket Intelligence listed as a custom object in Object Manager.




Figure 2: Object details - API name, plural label and Deployed status.

Fields on the object

Field label	API name	Type	Purpose
Ticket Number	Ticket_Number__c	Auto Number (TKT-{0000})	Unique ticket ID
Customer	Customer__c	Lookup (Account)	Account that raised the ticket
Contact	Contact__c	Lookup (Contact)	Person at the customer
Issue Type	Issue_Type__c	Picklist	Technical, Billing, General
Description	Description__c	Long Text Area	Details of the issue
Priority Level	Priority_Level__c	Picklist	Low, Medium, High
Status	Status__c	Picklist	New, In Progress, Resolved
Created Date	Created_Date__c	Date	Date of the ticket
Assigned To	Assigned_To__c	Lookup (User)	Support agent handling it
SLA Breach Risk	SLA_Breach_Risk__c	Checkbox	Flags tickets at risk
Resolution Time (hrs)	Resolution_Time__c	Number	Hours taken to resolve

6.3 Auto-Launched Flow

The Flow is the brain of the project. It is an **Autolaunched Flow (No Trigger)**, which means it does not start on its own when a record changes; instead it is called on demand - in our case by Agentforce. The flow is named **Support_Ticket_Intelligenc**, is currently Activated, and the screenshot below shows its details page. The version in use is V6, saved on 3 October 2026.




Figure 3: Flow details - type Autolaunched No Trigger Flow, status Activated.

Flow variables

Variable	API name	Direction	Use
Account Name	varAccountName	Input	Account name typed by the user
Account Id	varAccountId	Output	Id of the account that was found
Ticket Id	varTicketId	Output	Id of the latest ticket
Priority Level	varPriorityLevel	Output	High, Medium or Low
Assigned Agent	varAssignedTo	Output	Who the ticket goes to
Action Message	varActionMessage	Output	Message shown back to the user

How the flow works, step by step

- 1 **Get Account** - looks up the Account whose name matches the input.
- 2 **Store Account Id** - saves that Account's Id in a variable.
- 3 **Get Ticket** - finds the newest Support Ticket Intelligence record linked to that Account.
- 4 **Store Ticket Id** - saves the ticket's Id.
- 5 **Analyze Description** - a Decision element that checks the description text. Words like *urgent*, *not working* or *failure* send it down the High path; *issue*, *slow* or *delay* send it down the Medium path; everything else falls to the default Low path.
- 6 **Set priority** - an Assignment element sets the priority to High, Medium or Low.
- 7 **Is High Priority** - a second check that only lets High tickets continue to the urgent actions.
- 8 **Create Task** - creates a Task named *Urgent Ticket Handling* linked to the ticket, with High priority and status Not Started.
- 9 **Set Assigned Agent** - sets the assignee to *Senior Support Agent*.
- 10 **Set Final Message** - writes the reply text for each path (for High: *High priority ticket detected. Assigned to senior agent.*), then the flow ends.




Figure 4: The finished flow in Flow Builder - one branch each for High, Medium and Low priority.

6.4 Agentforce Setup

With the flow ready, the next job was to let people use it through Agentforce. Agentforce was switched on in the org, and the built-in **Agentforce (Default)** employee agent was used. It is active and the Agentforce toggle is On.




Figure 5: Agentforce Agents page - the Default agent is active and Agentforce is turned on.

Subagent configuration

Setting	Value
Name	Support Ticket Priority Analysis
API name	Support_Ticket_Priority_Analysis
Classification	Analyses customer support tickets to decide priority from the issue description and urgency, and handles requests about ticket status, severity and prioritisation.
Scope	Only analyse ticket descriptions, decide High / Medium / Low, and trigger the backend automation. Billing, subscriptions and account updates are out of scope.

Instructions given to the subagent

- Ask for the Account Name if the user has not given it.
- Fetch the latest ticket for that account and read the description.
- Decide priority using the keyword rules (High, Medium or Low).
- For High priority, run the Auto-Launched Flow so that an urgent task is created.
- Assign the ticket to the right level - a senior agent for High.
- Reply clearly: urgent handling started (High), will be handled shortly (Medium), or queued (Low).
- Never edit records directly or send emails - let the Flow do every action.

Agent action

A Flow-type action was created on the subagent and pointed at the Auto-Launched Flow. **varAccountName** is the required input and Agentforce collects it from the user. The outputs - account Id, ticket Id, priority level, assigned agent and action message - are all set to show in the conversation as plain text.

6.5 Final Output

To test everything end to end, we typed *"Analyze my support ticket"* in the Conversation Preview of Agentforce Builder. The agent picked the right subagent (**Support Ticket Priority Analysis**) and asked for the account name. We entered **ABC Technologies**.




Figure 6: Agentforce Builder - the subagent is selected and asks for the Account Name; the reply appears on the right.

The reasoning trace on the next screenshot confirms that the Flow action was launched with `varAccountName = "ABC Technologies"` as input and returned the assigned agent, ticket Id and action message as output.




Figure 7: Action launched - input and output of the Support Ticket Intelligence action.

What came back in chat

Output	Value returned
Account Id	001gK00001aJH4jQAG
Message	High priority ticket detected. Assigned to senior agent.
Assigned to	Senior Support Agent
Priority	High
Ticket Id	a02gK00000S22IXQAZ

7. Functional and Performance Testing

The solution was tested directly in the Salesforce org using the Agentforce Conversation Preview and the Flow debugger. The checks below were carried out:

Test	What we did	Result
Object setup	Opened Object Manager and checked the custom object and its status	Object is Deployed and visible
Flow activation	Opened the Flow details page	Status shows Activated (V6)
Subagent selection	Asked Agentforce to analyse a support ticket	Right subagent chosen automatically
Input collection	Agent asked for the missing account name	Prompt shown; input accepted
High priority path	Used account ABC Technologies	Priority High, senior agent assigned, ticket Id returned
Urgent task	Checked Flow's Create Task branch	Task 'Urgent Ticket Handling' created for High tickets
Response time	Read step timings in the reasoning trace	Each reasoning and action step took under one second

8. Advantages and Disadvantages

Advantages

- Tickets are prioritised automatically from their description.
- Support agents can focus on urgent tickets first.
- Manual analysis, task creation and assignment are cut down.
- High-priority tickets automatically get an 'Urgent Ticket Handling' task.
- Urgent tickets go straight to a senior support agent.
- Anyone can use it by chatting with Agentforce - no need to open the Flow.
- Faster response to critical customer issues.
- Built on Salesforce automation, so it can grow with ticket volume.

Disadvantages

- Priority depends on a fixed set of keywords, so unusual wording of urgency can be missed.

- The logic does not understand full context or tone of the message.
- It needs correct Account, Contact and ticket data to work well.
- Changes in handling rules mean editing the Flow and the Agentforce setup.
- The subagent is limited to ticket analysis; billing or subscription requests are not supported.
- SLA checking is only a basic optional check, not full escalation.
- Assignment is currently one level (Senior Support Agent) and needs more rules for bigger teams.

9. Conclusion

This project shows how Salesforce Flow and Agentforce can take over the repetitive part of support work. By giving Agentforce just an account name, the system finds the latest ticket, reads the description, sets the priority, creates an urgent task for serious cases, picks the right support level and explains the outcome in a short message. The result is faster handling of critical tickets, less manual effort and a more productive support team.

10. Future Scope

- Add more keywords and business rules, or use AI-based classification instead of fixed keywords.
- Show more ticket details in the Agentforce reply.
- Build full SLA monitoring with escalation.
- Support more teams and smarter assignment (by skill and workload).
- Add dashboards for priority trends and resolution performance.

11. Appendix

- A. Custom object: Support Ticket Intelligence (Support_Ticket_Intelligence__c)
- B. Key records used: Account, Contact, User, Task
- C. Flow: Support_Ticket_Intelligenc (Autolaunched, No Trigger), version 6
- D. Agentforce subagent: Support Ticket Priority Analysis
- E. Agentforce action: Flow-based Support Ticket Intelligence action