

## Lecture 5

### POSIX Thread:

In Linux platforms, the C language contains **pthread** standard API for all kinds of thread related functions. It is also known as a POSIX thread that allows users to create many threads for simultaneous processes to flow. It is best used in multi-core systems or processors to implement threads on the kernel to achieve the system.

### Implementation:

(Library: `#include <pthread.h>`)

It is necessary to include this pthread.h header file in the script initially. This will help in using the functions of the pthread library. To compile and execute the c file consisting of pthread library following commands should be used. (Assume the name of the c file is th.c)

```
gcc -o th th.c -lpthread
```

```
./th
```

### Functions of pthread:

1. **int pthread\_create(pthread\_t \* thread\_id, const pthread\_attributes\_t \* attr, void \* (\*thread\_function), void \*argument);**  
**Purpose:** It is used to create a new thread.  
**Parameters:**
  - **thread\_id:** This acts as a pointer to an unsigned integer value. It returns the thread id of the thread that is formed.
  - **attributes:** This parameter acts as a pointer to a structure. It is used to define attributes of a thread that can be the policy of scheduling, and stack address, etc.
  - **thread\_function:** This parameter is a pointer to the thread function of a thread.
  - **argument:** This parameter is a pointer to void with different arguments to the function pre-defined at the start of the argument.
2. **void pthread\_exit(void \*return\_value);**  
**Purpose:** It is used to terminate or end a thread.  
**Parameters:**
  - **return\_value:** It stores the status of the thread such that the thread terminates. It must be a global variable. This will allow the next thread in line to join the thread if it is available.
3. **int pthread\_join(pthread\_t thread\_id, void \*thread\_return);**  
**Purpose:** This is a function used at the time of wait for the termination of the thread.  
**Parameters:**
  - **thread\_id:** It is the ID of the thread for which the thread in line waits.
  - **thread\_return:** It is the parameter that acts as a pointer to the particular location where we have defined the exit status.