



1. COPY DATA

step1: create storage account



step 2:



step 3:create container source and destination

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

sreyageorge03@gmail.c...
DEFAULT DIRECTORY (MAAALVIK...)

Home

sreystorageaccount
Storage account

Improve storage account data protection Create a cost-saving LCM rule for this storage account How can I make my storage account more resilient?

Search

Upload Open in Explorer Delete Move Refresh Open in mobile CLI / PS Feedback

Overview

- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions
- Resource visualizer
- Data storage**
- Containers
- Classic file shares

Add or remove favorites by pressing Ctrl+Shift+F

Essentials

Resource group (...): data

Location: eastus

Subscription (move): Azure subscription 1

Subscription ID: c48ff7b5-67c0-4b49-98b1-26aec7994ee0

Disk state: Available

Tags (edit): Add tags

Performance: Standard

Replication: Locally redundant storage (LRS)

Account kind: StorageV2 (general purpose v2)

Provisioning state: Succeeded

Created: 9/10/2026, 11:32:40 AM

Properties Monitoring Capabilities (7) Recommendations (0) Tutorials Tools + SDKs

Blob service

- Hierarchical namespace: Disabled
- Default access tier: Hot
- Blob anonymous access: Disabled
- Blob soft delete: Enabled (7 days)
- Container soft delete: Enabled (7 days)

Security

- Require secure transfer for REST API operations: Enabled
- Storage account key access: Enabled
- Minimum TLS version: Version 1.2
- Infrastructure encryption: Disabled

step 4:

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

sreyageorge03@gmail.c...
DEFAULT DIRECTORY (MAAALVIK...)

Home > sreystorageaccount

sreystorageaccount | Containers

Search

+ Add container Upload Refresh Delete Change access level Restore container

Search containers by prefix

Showing all 3 items

☐	Name	Last modified	Anonymous access level
☐	Slogs	9/10/2026, 11:32:59 AM	Private
☐	destination	9/10/2026, 11:35:43 AM	Private
☐	source	9/10/2026, 11:35:26 AM	Private

New container

Name *

source

The name 'source' is already in use.

Anonymous access level ⓘ

Private (no anonymous access)

The access level is set to private because anonymous access is disabled on this storage account.

Advanced

Create

Give feedback

step 5:upload file to source

Microsoft Azure

Home > sreystorageaccount

sreystorageaccount | Containers

Storage account

Search

+ Add container Upload Refresh Delete Change access

Search containers by prefix

Showing all 3 items

	Name	Last modified
☐	Slogs	9/10/2026, 11:32:59 AM
☐	destination	9/10/2026, 11:35:43 AM
☐	source	9/10/2026, 11:35:26 AM

Overview
Activity log
Tags
Diagnose and solve problems
Access Control (IAM)
Data migration
Events
Storage browser
Storage Mover
Partner solutions
Resource visualizer
Data storage
Containers
Classic file shares

Upload blob

Drag and drop files here or Browse for files

Select an existing container

Create new

☐ Overwrite if files already exist

Advanced

Upload Give feedback

step 6:create ADF as resource

Microsoft Azure

Home > Create a resource

Marketplace

Get Started

Explore solutions

Management

Private Marketplace

Private Offer Management

My Marketplace

Favorites

My solutions

Recently created

Private plans

Categories

azure data factory

Pricing : All Operating System : All Publisher Type : All Product Type : All Publisher name : All

☐ Azure benefit eligible only ☐ Azure services only ☐ Free trial

Showing 1 to 20 of 113 results for 'azure data factory'. Clear search

Tile view

Data Factory Monitoring Dashboard

In2Intel

Azure Application

A lightweight web-based dashboard for realtime monitoring and analytics of your Azure Data Factories

Starts at ₹426.788/month

Create

Data Factory

Microsoft

Azure Service

Hybrid data integration service that simplifies ETL at scale

Create

Data#3 Azure Optimiser

Data#3 Limited

Managed Services

Azure Optimiser is an all-in-one solution to optimise usage and prevent unnecessary overspending.

Create

Modern Data Mart

Ceteris AG

Azure Application

Small Data-Warehouse Architecture Integrating a single source using Azure Data Factory

Create

Polysync: Data and AI Orchestration for Azure and POLYSYNC DATA SOLUTIONS PT...

SaaS

Unify Azure and multi-cloud ETL and AI orchestration with a metadata-driven control plane.

Price varies

Subscribe

step 7:

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

sreyageorge03@gmail.c...
DEFAULT DIRECTORY (MAAALVIK...)

Home > Create a resource > Marketplace > Data Factory

Create Data Factory

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ Azure subscription 1

Resource group * ⓘ data
[Create new](#)

Instance details

Name * ⓘ sreyaadf

Region * ⓘ (US) East US

Version * ⓘ V2

i We recommend you **upgrade to Fabric Data Factory** for a modern, unified data integration experience. [Try Fabric instead!](#)

[Previous](#) [Next](#) [Review + create](#)

[Give feedback](#)

step 8:

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

sreyageorge03@gmail.c...
DEFAULT DIRECTORY (MAAALVIK...)

Home

sreeeadf
Data factory (V2)

How do I troubleshoot pipeline failures in this Data factory (V2)? Show me integration runtime metrics for this Data factory (V2). +1

Search

Delete

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Getting started

Monitoring

Automation

Help

Status : Succeeded Getting started : [Quick start](#)

Location : East US

Subscription (move) : [Azure subscription 1](#)

Subscription ID : c48ff7b5-67c0-4b49-98b1-26aec7994ee0

Azure Data Factory Studio

Launch studio


Quick Starts

Tutorials


Template Gallery

Training Modules


step 9:ADF interface




step 10:create a pipeline




step 11:add copy data activity






step 12: select source,create new dataset for uploaded storage





step 13:create new linked device





step 14:clink on sink and create dataset for destination

Microsoft Azure | Data Factory | sreeeadf

Search

Factory Resources

- Pipelines 1
- Change Data Capture (preview) 0
- Datasets 2
 - ds_blob
 - ls_blob
- Data flows 0
- Power Query 0

Activities

- Copy data
- Data flow
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

Set properties

Name: ls_blobb

Linked service *: Select... Filter... + New

Is_blob + New

AzureBlobStorage1

OK Back Cancel

Microsoft Azure | Data Factory | sreeeadf

Search

Factory Resources

- Pipelines 1
- Change Data Capture (preview) 0
- Datasets 2
 - ds_blob
 - ls_blob
- Data flows 0
- Power Query 0

pipeline1

ds_blob

ls_blob

DelimitedText ds_blob

CSV

Connection Schema Parameters

Linked service *: Is_blob Test connection Edit + New Learn more

File path *: source / Directory / heart.csv Browse

Compression type: No compression

Column delimiter: Comma (,)

Row delimiter: Default (\r\n, or \n)

Encoding: Default(UTF-8)

Quote character: Double quote (")

Escape character: Backslash (\)

step 15: validate the pipeline and debug it, later publish all

Microsoft Azure

Data Factory > sreeeadf

Search

1

5

?

sreyageorge03@gmail.com

DEFAULT DIRECTORY

>>

Data Factory

Validate all

Publish all 1

Upgrade to Fabric (preview)

Factory validation output

Validate all resources

Filter resources by name

Pipelines 1

Change Data Capture (preview) 0

Datasets 2

ds_blob

Is_blob

Data flows 0

Power Query 0

pipeline1

ds_blob

Is_blob

DelimitedText ds_blob

Connection Schema Parameters

Linked service * Is_blob

Test connection Edit + New Learn more

File path * source / Directory

Compression type No compression

Column delimiter ① Comma (,)

Row delimiter ① Default (\r,\n, or \r\n)

Encoding ① Default(UTF-8)

Quote character ① Double quote (")

Close



Your factory has been validated.

No errors were found.