



4.LIST OF FILES

step 1:create resource group, storage account,2 containers-souce and destination




add a file that contains the names of file that we need to move to destination


list_of_files contains- flowers1.txt and sample2.json



create adf,launch studio,create new pipeline



create copy data,open souce,create blob storage



Microsoft Azure | Data Factory | sreyaadf

Search

Factory Resources

- Pipelines (2)
 - pipeline1
 - pipeline2
- Change Data Capture (preview) (0)
- Datasets (2)
 - ds_1
 - ds_2
- Data flows (0)
- Power Query (0)

Activities

- Move and transform
 - Copy data
 - Data flow
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

pipeline1

ds_1

Copy data

General

Source

Source dataset *

File path type

Path to file list

Enable partitions discovery

Max concurrent connections

New dataset

In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. [Learn more](#)

Select a data store

azure blob storage

All Azure Database File Generic protocol

Azure Blob Storage

Continue Cancel

Microsoft Azure | Data Factory | sreyaadf

Search

Factory Resources

- Pipelines (2)
 - pipeline1
 - pipeline2
- Change Data Capture (preview) (0)
- Datasets (2)
 - ds_1
 - ds_2
- Data flows (0)
- Power Query (0)

Activities

- Move and transform
 - Copy data
 - Data flow
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

pipeline1

ds_1

Copy data

General

Source

Source dataset *

File path type

Path to file list

Enable partitions discovery

Max concurrent connections

Select format

Choose the format type of your data

Avro Binary DelimitedText

Excel JSON ORC

XML

Continue Back Cancel

Microsoft Azure | Data Factory | sreyaadf

Search

Factory Resources

- Pipelines (2)
 - pipeline1
 - pipeline2
- Change Data Capture (preview) (0)
- Datasets (0)
- Data flows (0)
- Power Query (0)

Activities

- Move and transform
 - Copy data
 - Data flow
- Synapse
- Azure Data Explorer
- Azure Function
- Batch Service
- Databricks
- General
- HDInsight
- Iteration & conditionals
- Machine Learning
- Power Query

pipeline1

pipeline2

Copy data

General

Source

Source dataset *

Set properties

Name

Ds_1


Linked service *

Select...


First row as header


OK Back Cancel

create linked service





open source and put it in source dataset, here ds_1






select list of files and browse the file from source





in sink,create blob storage,link the destination



Microsoft Azure | Data Factory | sreyaadf

Search

Factory Resources

- Pipelines (2)
 - pipeline1
 - pipeline2
- Change Data Capture (preview) (0)
- Datasets (1)
 - Ds_1
- Data flows (0)
- Power Query (0)

Activities

- Move and transform
 - Copy data
 - Data flow
- Synapse
 - Azure Data Explorer
 - Azure Function
 - Batch Service
 - Databricks
 - General
 - HDInsight
 - Iteration & conditionals
 - Machine Learning
 - Power Query

pipeline1

pipeline2

Copy data

General

Source

Sink dataset *

New dataset

In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. [Learn more](#)

Select a data store

Search

All Azure Database File Generic protocol

- Azure AI Search
- Azure Blob Storage
- Azure Cosmos DB for MongoDB
- Azure Cosmos DB for NoSQL
- Azure Data Explorer
- Azure Data Lake Storage

Continue Cancel

Microsoft Azure | Data Factory | sreyaadf

Search

Factory Resources

- Pipelines (2)
 - pipeline1
 - pipeline2
- Change Data Capture (preview) (0)
- Datasets (1)
 - Ds_1
- Data flows (0)
- Power Query (0)

Activities

- Move and transform
 - Copy data
 - Data flow
- Synapse
 - Azure Data Explorer
 - Azure Function
 - Batch Service
 - Databricks
 - General
 - HDInsight
 - Iteration & conditionals
 - Machine Learning
 - Power Query

pipeline1

pipeline2

Copy data

General

Source

Sink dataset *

Select format

Choose the format type of your data

- Avro
- Binary
- DelimitedText
- JSON
- ORC
- Parquet

Continue Back Cancel

Microsoft Azure | Data Factory | sreyaadf

Search

Factory Resources

- Pipelines (2)
 - pipeline1
 - pipeline2
- Change Data Capture (preview) (0)
- Datasets (1)
 - Ds_1
- Data flows (0)
- Power Query (0)

Activities

- Move and transform
 - Copy data
 - Data flow
- Synapse
 - Azure Data Explorer
 - Azure Function
 - Batch Service
 - Databricks
 - General
 - HDInsight
 - Iteration & conditionals
 - Machine Learning
 - Power Query

pipeline1

pipeline2

Copy data

General

Source

Sink dataset *

Set properties

Name

ds_2

Linked service *

Select...

Filter...

+ New

- AzureBlobStorage1
- AzureBlobStorage2
- Is_1

OK Back Cancel

Microsoft Azure | Data Factory | sreyaadf

Factory Resources

- Pipelines
 - pipeline1
 - pipeline2
- Datasets
 - Ds_1

Activities

- Copy data
- Data flow

New linked service

Azure Blob Storage

Is_2

Description

Connect via integration runtime *

AutoResolveIntegrationRuntime

Authentication type

Account key

Connection string Azure Key Vault

Account selection method

From Azure subscription Enter manually

Azure subscription

Select all

Storage account name *

sreeevastorageaccount

Create Cancel Test connection

Microsoft Azure | Data Factory | sreyaadf

Factory Resources

- Pipelines
 - pipeline1
 - pipeline2
- Datasets
 - ds_2
 - Ds_1

Activities

- Copy data
- Data flow

Copy data

Copy data1

Sink dataset *

ds_2

Copy behavior

Select...

Max concurrent connections

Block size (MB)

Metadata

+ New

Quote all text

General Source Sink Mapping Settings User properties

Microsoft Azure | Data Factory | sreyaadf

Factory Resources

- Pipelines
 - pipeline1
 - pipeline2
- Datasets
 - ds_2
 - Ds_1

DelimitedText

Connection Schema Parameters

Linked service *

Is_2

File path *

Container / Directory / File name

Compression type

No compression

Column delimiter

Comma (,)

Row delimiter

Default (\r\n, or \n)

Encoding

Default(UTF-8)

Quote character

Double quote (")

Escape character

Backslash (\)

First row as header

Browse

Microsoft Azure | Data Factory | sreyaadf

Search

Factory Resources

- Pipelines (2)
 - pipeline1
 - pipeline2
- Change Data Capture (preview) (0)
- Datasets (2)
 - ds_2
 - Ds_1
- Data flows (0)
- Power Query (0)

DelimitedText ds_2

Connection Schema Parameters

Linked service * ls_2

File path * Container

Compression type No compression

Column delimiter Comma (,)

Row delimiter Default (\r,\n, or \n)

Encoding Default(UTF-8)

Quote character Double quote (")

Escape character Backslash (\)

First row as header ☒

Browse

Select a file or folder.

Root folder

- destination
- source

Showing 1 - 2 of 2 items

OK Cancel

validate and debug and check the destination

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

Home > sreyyastorageaccount | Containers

destination

Container

Search

+ Add Directory Upload Change access level Refresh Delete Copy Paste Rename Acquire lease Break lease

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

destination

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 2 items

Name	Last modified	Access tier	Blob type	Size	Lease state
flowers1.txt	9/14/2026, 3:37:36 PM	Hot (Inferred)	Block blob	82 B	Available
sample2.json	9/14/2026, 3:37:36 PM	Hot (Inferred)	Block blob	65 B	Available

Add or remove favorites by pressing Ctrl+L+Shift+F