

Chhnang Khmer

Culinary Delivery & Traditional Recipe Kit Platform

A structured, design-system-first progression
from **UX/UI Strategy** and refined **Frontend**
Implementation.

Mentor Name: Sophannary Vin




Table of Contents



01 Overview

- Layout Pattern
- Responsive Grid

02 UX/UI Concepts

- UX Concepts
- UI Concepts

03 Frontend Development

- Flow of Work
- Detailed of Each
- Technology Usage

PHASE 01


Overview of the Concept

Establishing Information Architecture & Spatial Layout Guidelines
without Asset Distraction

Structural Layout Mechanics

LAYOUT PATTERNS

- 🕒 **Z-Pattern Homepage:** Eye naturally glides across Logo Top-Left → Cart Top-Right → Hero Headline → Primary Button.
- 📖 **F-Pattern Recipe Details:** Scannable hierarchy starting from Top Hero Banner → Left Ingredients List → Step Cards below.
- 📱 **12-Column Responsive Grid:** Strict alignment structure utilizing a standard 12-column grid for desktop and 4-column for mobile.



PHASE 02

UX Concept Strategy

Designing Kitchen-Friendly Ergonomics, Accessibility & Real-World
Context Interactions

| Kitchen Ergonomics & Feedback



Touch Target Ergonomics

Buttons, portion count toggles, and filter chips adhere to satisfy mobile thumb accessibility guidelines for cooking environments.



Hands-Free Scannability

Large body fonts and high contrast ratios allow users to effortlessly read ingredient quantities and cooking steps off a device propped on a kitchen counter.



Immediate Feedback

Non-blocking **Toast Notifications** slide in dynamically from the bottom-right upon "**Add to Cart**", confirming action without breaking user flow.

PHASE 03

Refined UI Design System

Breathe Life into Framework via Cultural Typography, Brand Palette,
Spatial Grids & Micro-Interactions

| Strategic Typography Pair

DISPLAY & HEADINGS

Kameron Serif

Structured serifs evoke traditional Cambodian stone carving craftsmanship and culinary heritage. Gives headlines a distinguished, artisanal authority.

Aa Bb Cc — Authentic Heritage

BODY & CONTROLS

Plus Jakarta Sans


High x-height and open apertures ensure ingredient specs, cooking times, and prices remain crisp under low kitchen lighting or small screens.

Aa Bb Cc — High Scannability

| Type Scale & Hierarchy

Hierarchy Level	Font Family	Size (px / rem)	Weight	CSS Class
Hero Title	Kameron	56px / 3.5rem	Bold (700)	.display-3
Section Heading	Kameron	32px / 2.0rem	Bold (700)	h2, --font-3xl
Card Title	Kameron	24px / 1.5rem	Semi-Bold (600)	h4, --font-2xl
Primary Body	Plus Jakarta Sans	16px / 1.0rem	Regular (400)	body, --font-base
Subtext / Muted	Plus Jakarta Sans	14px / 0.875rem	Medium (500)	.text-muted

| Cultural Color Palette



Warm

#FBFAEE

Natural rice paper & bamboo
canvas.



Cambodian

#FED65B

Turmeric & silk appetite accent.



Vibrant

#E67E22

Kroeung paste CTA & primary
action.



Clay

#5D4037

Earthenware pot structural
frames.



Herb

#2E7D32

Fresh basil & dietary
badges.

| The 8-Pixel Spatial Rule

8px

BASE SPATIAL UNIT

CONSISTENT LAYOUT RHYTHM

- ↔ **8px Base Multiple:** All margins, paddings, line-heights, and offsets align strictly to multiples of 8 (8, 16, 24, 32, 48, 80px).
- ▤ **Card Gutters:** Set gaps to 16px on mobile viewports and expand to 24px on desktop grid layouts ().
- ▢ **Generous Section Whitespace:** Maintain 48px to 80px padding between homepage sections to eliminate heavy line dividers.

| Tactility & Micro-Interactions

MOTION & ELEVATION

 **Meal Card Lift:** Smooth CSS hover effect shifts card with soft

```
translateY(-6px)
```



PHASE 04

Frontend Engineering Architecture

Building from CSS Design Tokens to Directory Control, Standard HTML
Skeletons & Modular JS Components

| Development Workflow Flowchart



Step 1: CSS Tokens

Define global `:root` variables in for `global.css` colors & typography.



Step 2: Directory Control

Separate assets, pages, mock JSON, and modular HTML components.



Step 3: HTML Skeleton

Import Bootstrap 5, fonts & establish navbar/footer mount points.



Step 4: JS Fetch Loader

Dynamically load shared `nav.html` & `footer.html` partials.

Directory & File Structure



Structure `assets/`

Contains centralized static assets:

-  (Tokens) `css/global.css`
-  (Page UI) `css/styles.css`
-  (Recipe media) `images/`



Catalog `pages/`

Houses all application views:

-  `p1_homepage.html`
-  `p2_viewall.html`
-  `p4_add2cardpage.html`
-  `p6_trackorder.html`



Directory `components/`

Contains modular HTML partials:

-  (Standard Nav) `nav.html`
-  `nav_no_search.html`
-  (Global Footer) `footer.html`

Complete Technical Stack Overview

Architecture Layer	Technology / Library	Implementation Purpose
Design Tokens	CSS3 Native Custom Properties	Centralized brand colors, typography fonts (Kameron & Plus Jakarta Sans), and type scale in global.css .
Layout Framework	Bootstrap 5 CSS	Responsive 12-column grid, flexbox utilities, container spacing, and media breakpoints.
UI Modularization	HTML5 Partials & Dynamic JS Fetch	Reusable component blocks (nav.html , footer.html) loaded asynchronously into DOM mount points.
Data Simulation	JSON Data Storage	Mock database in recippKits.json powering dynamic recipe detail views and cart summaries.

Technology Usage



Deepwiki

Thank You!
