# Securing TANGO Control System: A brain storming

Sergi Blanch i Torné

Cryptography & Graphs
Math Department
Universitat de Lleida

September 24th, 2013

#### Outline

- Introduction
- 2 Identify scenarios
- 3 Cryptography engineering
- Proposed solutions
- Seference Papers
- 6 Journals & Conferences

#### Wikipedia's definition (en)

#### Wikipedia's definition (en)

#### Wikipedia's definition (en)

#### Wikipedia's definition (en)

#### What is a Programmable Logic Controllers



Figure: Part of a PLC controlled system

#### What is an SCADA?

#### Wikipedia's definition (es

"Supervisory Control And Data Acquisition it is a computer software to control and supervise industrial process remotely."

#### Examples of an SCADAs



Figure: Labview as SCADA example

#### What is an Distributed Control System?

a *Distributed Control System* is the computer software for a manufacturing system, process or any kind of dynamic system, in which the controller elements are not central in location (like the brain) but are distributed throughout the system with each component sub-system controlled by one or more controllers.

#### What is a distributed system?

Tanenbaum say [1]: A distributed system is a collection of independent computers that appears to its users as a single coherent system.

# What is a TANGO? (I)

Tango is an object oriented *Distributed Control System* with active collaborative development from:



Figure: Logos of the Tango Consortium Members



# What is a TANGO? (II)

#### It's an Distributed Control System

using  $\rm CORBA$  as a Middleware (OMNIORB), with  $\varnothing \rm MQ$  in the event broadcasting.

#### What means middleware?

Tanenbaum say [1]: It is what supports heterogeneous computers and networks while offering a single system view.

# What is a TANGO? (illl)

#### Tango parts

- TANGO core  $\Rightarrow$  the Middleware
- TANGO Device Servers ⇒ the agents in the DCS

#### Device servers, device classes, and devices

TODO: "Draw a nice picture about what those three things are..."

#### What has an Agent (a device)

TODO: "commands, attributes and properties"






Figure: Tango schematic layout

### Optics Lab: Long Term Profiler






#### A beamline



#### A beamline



# Control a synchrotron accelerator

- TODO: "Draws of the synchrotron layout and data from the ccdb about the service area numbers"
- TODO: "List subsystems in the accelerator"
  - Timming (132 agents)
  - Vaccum (1085 agents)
  - Power supplies (491 agents)
  - Radio frequency (124 agents)
  - Diagnostics (744 agents)
  - +2500 agents
- TODO: "Astor"

# Against the transparencies

Access	Hide differences in data representation and how a resource is accessed
Location	Hide where a resource is located
Migration	Hide that a resource may move to another location
Relocation	Hide that a resource may be moved to another location while in use
Replication	Hide that a resource is replicated
Concurrency	Hide that a resource may be shared by several competitive users
Failure	Hide a faulure and recovery of a resource
Persistence	Hide whether a (software) resource is in memory or on disk

# Against the transparencies

Access	Hide differences in data representation and how a resource is accessed
Location	Hide where a resource is located
Migration	Hide that a resource may move to another location
Relocation	Hide that a resource may be moved to another location while in use
Replication	Hide that a resource is replicated
Concurrency	Hide that a resource may be shared by several competitive users
Failure	Hide a faulure and recovery of a resource
Persistence	Hide whether a (software) resource is in memory or on disk

#### Security threads

All those transparencies shows at least on security issue

- Confidentiality
- Integrity
- Availability
- 4 Authenticity
- Non-repudiation

- Confidentiality
  - Information must be disclosed only to the authorized.
- Integrity
- Availability
- 4 Authenticity
- Non-repudiation

- Confidentiality
  - Information must be disclosed only to the authorized.
- Integrity
  - Only authorized can set in the system.
- Availability
- 4 Authenticity
- Non-repudiation

- Confidentiality
  - Information must be disclosed only to the authorized.
- Integrity
  - Only authorized can set in the system.
- Availability
  - Information must be accessible for those who are authorized.
- 4 Authenticity
- Non-repudiation

- Confidentiality
  - Information must be disclosed only to the authorized.
- Integrity
  - Only authorized can set in the system.
- Availability
  - Information must be accessible for those who are authorized.
- 4 Authenticity
  - Information must only be emitted by the authorized.
- Non-repudiation

- Confidentiality
  - Information must be disclosed only to the authorized.
- Integrity
  - Only authorized can set in the system.
- Availability
  - Information must be accessible for those who are authorized.
- 4 Authenticity
  - Information must only be emitted by the authorized.
- Non-repudiation
  - Forbid validity changes on the information emitters.

- Confidentiality
  - Information must be disclosed only to the authorized.
- Integrity
  - Only authorized can set in the system.
- Availability
  - Information must be accessible for those who are authorized.
- 4 Authenticity
  - Information must only be emitted by the authorized.
- Non-repudiation
  - Forbid validity changes on the information emitters.

- Confidentiality
  - Information must be disclosed only to the authorized.
- Integrity
  - Only authorized can set in the system.
- Availability
  - Information must be accessible for those who are authorized.
- 4 Authenticity
  - Information must only be emitted by the authorized.
- Non-repudiation
  - Forbid validity changes on the information emitters.
- Auditory
  - trace who access where (extremely useful for a security breach analysis).



Thread model:
 From "Security engineering" [2],
 based on where the thread usually comes from

- Thread model:
  - From "Security engineering" [2], based on where the thread usually comes from
    - Hospital
    - Bank
    - Military base

- Thread model:
  - From "Security engineering" [2], based on where the thread usually comes from
    - Hospital
    - Bank
    - Military base
- References also in "Cryptography Engineering" [3].

- Thread model:
  - From "Security engineering" [2], based on where the thread usually comes from
    - Hospital
    - Bank
    - Military base
- References also in "Cryptography Engineering" [3].
- 'Practical paranoia' from "Practical cryptography" [4]:
  - Identify threads
  - Evaluate attack capabilities

# Security levels

European commission fiche 17 "Exchange of EU classified information" [5]

- Open or Unclassified
- Confidential
- Secret
- Top-Secret

# Security levels

European commission *fiche 17* "Exchange of EU classified information" [5]

- Open or Unclassified
- Confidential
- Secret
- Top-Secret

#### Sub-classifications

Elements in a group can have internal subsets. Agents with "Top-secret" access only under one subsystem, but "Confidential" under another.

#### Authentication

- Agent authentication
- User authentication

#### Authentication

- Agent authentication
- User authentication

#### Rights

Who have rights to do any read/write action Access Control Levels (ACL): would be similar than linux permissions

#### Authentication

- Agent authentication
- User authentication

#### Rights

Who have rights to do any read/write action Access Control Levels (ACL): would be similar than linux permissions

#### Tools

Elliptic curve cryptosystem

## Encryption

- Encrypt what has send to an agent
- Encrypt what has been answered by an agent
- Encrypt events emitted

## Encryption

- Encrypt what has send to an agent
- Encrypt what has been answered by an agent
- Encrypt events emitted

#### Tools

- Elliptic curves cryptosystem for key exchange
- (generalized) Rijndael and/or Stream cyphers for data transmission and event broadcasting

#### Database access

- TANGO-db is the "phone guide" of the system also stores persistent data, like the properties
- It is necessary to record over the properties:
  - Who and when modifies
  - Who and when reads (read should be also protectable)
- Should be possible to restrict areas of the "phone book"
  - It doesn't have much sense to say where an agent runs if you don't have right to talk with it
  - this must not replace agent request for authentication of the requester.

#### Database access

- TANGO-db is the "phone guide" of the system also stores persistent data, like the properties
- It is necessary to record over the properties:
  - Who and when modifies
  - Who and when reads (read should be also protectable)
- Should be possible to restrict areas of the "phone book"
  - It doesn't have much sense to say where an agent runs if you don't have right to talk with it
  - this must not replace agent request for authentication of the requester.

#### Tools

Homomorphic encryption/Ordered cryptography



- 6 Reference Papers
  - Zero-knowledge proof
  - Session key exchange
  - Symmetric and stream cyphers
  - Homomorphic encryption

# (free) Paper sources

- International Association for Cryptologic Research (e-print & archiver)
- arxiv (open access e-print archiver)
- vixra (alternative open e-print archiver)
- citeseer (scientific search engine)
- scholar (Google's indexer)
- dblp (bib reference)

# Zero-knowledge proof for authentication

- S.Martínez, "Protocolos de seguridad para sistemas de identificación por radiofrecuencia". PhD Thesis UdL, march 2011. Directed by: Concepció Roig and Magda Valls. [6]
- BSI TR-03110: "Advanced security mechanisms for machine readable travel documents." .[7]

# key exchange

- R. Tomàs, "Volcans d'isogenies de corbes el·líptiques: Aplicacions criptogràfiques en targetes intel·ligents". PhD Thesis UdL, march 2011. Directed by: Josep M. Miret and Daniel Sadornil.[8]
- BSI TR-03111: "Elliptic curve cryptography, version 2.0".[9]
- S. Blake-Wilson, N. Bolyard, V. Gupta, C. Hawk, and B. Moeller, "Elliptic curve cryptography (ecc) cipher suites for transport layer security (tls)" May 2006. RFC4492

# Symmetric cyphers

- "Specification for the advanced encryption standard (aes)."
   Federal Information Processing Standards Publication 197, 2001.[10]
- J. Daemen and V. Rijmen, "The Design of Rijndael".
   Secaucus, NJ, USA: Springer-Verlag New York, Inc., 2002.
   [11]

# Stream cyphers

• TODO: "More information required!"

## Private database query system

 D. B. nad Craig Bentry, S. Halevi, F. Wang, and D. J. Wu, "Private database queries using somewhat homomorphic encryption," International Association for Cryptologic Research, June 2013.

# Reference journals

• TODO: "More information required!"

# Reference conferences & workshops

- Icalepcs
- No-bugs
- CHES

### References I



A. S. Tanenbaum and M. van Steen, *Distributed systems*, *Principles and Paradigms*.

Prentice Hall, 2002.

International Edition.



R. J. Anderson, Security engineering - a guide to building dependable distributed systems (2. ed.). Wiley, 2008.



N. Ferguson, B. Schneier, and T. Kohno, *Cryptography Engineering: Design, principles and practical applications*. Wiley, 2010.



N. Ferguson and B. Schneier, *Practical Cryptography*. New York, NY, USA: John Wiley & Sons, Inc., 2003.



"Exchange of eu classified information," 2003.



## References II



Directed by: Concepció Roig and Magda Valls.

- "Bsi tr-03110: Advanced security mechanisms for machine readable travel documents."
- R. Tomàs, Volcans d'isogenies de corbes el·lítiques: Aplicacions criptogràfiques en targetes intel·ligents. PhD thesis, Universitat de Lleida, march 2011. Directed by: Josep M. Miret and Daniel Sadornil.
- "Bsi tr-03111: Elliptic curve cryptography, version 2.0."

## References III

- "Specification for the advanced encryption standard (aes)." Federal Information Processin Standards Publication 197, 2001.
- J. Daemen and V. Rijmen, *The Design of Rijndael*. Secaucus, NJ, USA: Springer-Verlag New York, Inc., 2002.