

## ABD INSTRUMENTATION AND CONTROLS

Head office:- at 4<sup>th</sup> Floor, Flat No.403, Green Space, Maruti Mandir Road,  
Near Savatamali, Udeyan, Wakad, Pune, Maharastra, 411057  
Factory Add:-G-01, Mangalmurti complex, T-80,MIDC, Bhosari,  
Pune-411026, Maharashtra, India.



The water meter and flow meter manufacturer with 6+ years rich experience since the company established in 2021. The company has advanced production facilities and high technology and has got many patent certificates.

### Prepaid Water Meter (Model: ABD-PM-DN-00) FEATURES:

1. Non-contact IC card technology, wireless data transmission is used which make the water meter easy to operate.
2. The body of the prepaid water meter is IP68 waterproof which can be completely immersed in the water.
3. The water meter open and close the valve periodically to prevent the water meter from blocking.
4. It will make alarm or close the valve when the water volume in the water meter is insufficient to remind the user to purchase.
5. The water meter will close the valve automatically when the remaining water volume is 0, And the water meter will open the valve after swiping the card in which the user had already purchased water volume.
6. When the water meter come accoss the magnetic attack, the water meter will automatically close the valve.
7. Detailed LCD display, the data will not lost even without power and can be stored for more than 10 years.
8. High temperature resistance, low power and low pressure loss;
9. The battery life of the water meter is more than 6 years and can be replaced. When the battery power is insufficient, the display of the water meter have alarm indication.




**ABD INSTRUMENTATION AND CONTROLS**  
**GST-27ACFFA1632H1ZP**  
**Contact No- 9503449505,9793161322**

## ABD INSTRUMENTATION AND CONTROLS


Head office:- at 4<sup>th</sup> Floor, Flat No.403, Green Space, Maruti Mandir Road,  
Near Savatamali, Udeyan, Wakad, Pune, Maharastra, 411057  
Factory Add:-G-01, Mangalmurti complex, T-80,MIDC, Bhosari,  
Pune-411026, Maharashtra, India.



### Working Principle:



Management software



### Technical Parameters:

| Size | Flow range |       | Q4                | Q3  | Q2    | Q1      | Min. reading   | Max. reading |
|------|------------|-------|-------------------|-----|-------|---------|----------------|--------------|
|      | Q3/Q1      | Q2/Q1 | m <sup>3</sup> /h |     |       |         | m <sup>3</sup> |              |
| DN15 | 80         | 1.6   | 3.125             | 2.5 | 0.05  | 0.03125 | 0.0001         | 999999       |
| DN20 | 80         | 1.6   | 5.0               | 4.0 | 0.08  | 0.05    | 0.0001         | 999999       |
| DN25 | 80         | 1.6   | 7.875             | 6.3 | 0.126 | 0.07875 | 0.0001         | 999999       |

**ABD INSTRUMENTATION AND CONTROLS**  
**GST-27ACFFA1632H1ZP**  
**Contact No- 9503449505,9793161322**

## ABD INSTRUMENTATION AND CONTROLS

Head office:- at 4<sup>th</sup> Floor, Flat No.403, Green Space, Maruti Mandir Road,  
Near Savatamali, Udeyan, Wakad, Pune, Maharastra, 411057  
Factory Add:-G-01, Mangalmurti complex, T-80,MIDC, Bhosari,  
Pune-411026, Maharashtra, India.



|      |    |     |       |    |     |        |        |        |
|------|----|-----|-------|----|-----|--------|--------|--------|
| DN32 | 80 | 1.6 | 12.5  | 10 | 0.2 | 0.125  | 0.0001 | 999999 |
| DN50 | 80 | 1.6 | 31.25 | 25 | 0.5 | 0.3125 | 0.0001 | 999999 |



### Working Condition

- ▶ Working pressure: 1.0MPa(10bar)
- ▶ Pressure loss:  $\Delta P = 0.063\text{MPa}$
- ▶ Accurate Class: ISO4064 Class B
- ▶ Cold water temperature: T30(0.1-30°C)
- ▶ Hot water meter temperature: T90(0.1-90°C)
- ▶ Battery life: =6 years

### Product advantages:

- ▶ Prepaid function, it can prevent the end-user from not paying the water consumption charge.
- ▶ Brass body, stable performance.
- ▶ Prevent attack design, automatically close the valve when a strong electromagnetic attack is encountered.

### Product drawing:



**ABD INSTRUMENTATION AND CONTROLS**  
**GST-27ACFFA1632H1ZP**  
**Contact No- 9503449505,9793161322**

## ABD INSTRUMENTATION AND CONTROLS

Head office:- at 4<sup>th</sup> Floor, Flat No.403, Green Space, Maruti Mandir Road,  
Near Savatamali, Udeyan, Wakad, Pune, Maharastra, 411057  
Factory Add:-G-01, Mangalmurti complex, T-80,MIDC, Bhosari,  
Pune-411026, Maharashtra, India.




### Instructions for use:

1. End-users can pre-purchase water volume with the IC card from the water management department.
2. The water management department personnel create a new user account for management and write the purchased water volume into the IC card.
3. The end-user swipes the IC card to the card-swiping area of the water meter. At this time, the LCD of the water meter will display the water volume left and open the valve. The user can use the water.
4. The end-user begins to use water and the remaining water volume decreases. When the water volume left is reaching a setting amount (such as  $3\text{m}^3$ ), an alarm signal will be generated to remind the end-user to purchase water volume.

### Installation:

1. The straight pipe length before inlet should be 10 times of the water meter diameter, straight pipe length behind outlet should be 5 times of the water meter diameter.
2. Water flow direction should be the same as the arrow on the water meter body indicates.
3. Climate and mechanical environment should be grade B.
4. Electromagnetic environment class should be E1 level.

### Water meter installation scheme



**ABD INSTRUMENTATION AND CONTROLS**  
**GST-27ACFFA1632H1ZP**  
**Contact No- 9503449505,9793161322**



ABD INSTRUMENTATION AND CONTROLS

Head office:- at 4<sup>th</sup> Floor, Flat No.403, Green Space, Maruti Mandir Road,  
Near Savatamali, Udeyan, Wakad, Pune, Maharastra, 411057  
Factory Add:-G-01, Mangalmurti complex, T-80,MIDC, Bhosari,  
Pune-411026, Maharashtra, India.

Packing:

For size DN15 to DN32, the water meter is packing in carton, each carton will pack 10 PCS of water meter.  
For size DN40 to DN50, the water meter is packing in wooden case, each wooden case will pack 1 PCS of water meter.

| Size       | Reference Weight | Packing | Reference Box volume | Reference Gross Weight |
|------------|------------------|---------|----------------------|------------------------|
| DN15(15mm) | 1.34KG           | Carton  | 59*40*16.5CM         | 14.5KG                 |
| DN20(20mm) | 1.62KG           | Carton  | 61*45*17.5CM         | 17.5KG                 |
| DN25(25mm) | 1.58KG           | Carton  | 61*45*17.5CM         | 20.5KG                 |
| DN32(32mm) | 1.7KG            | Carton  | 60*45*16CM           | 22KG                   |
| DN40(40mm) | 9.5KG            | Wooden  | 45*17*24CM           | 9.5KG                  |
| DN50(50mm) | 13.4KG           | Wooden  | 50*18.5*27CM         | 13.4KG                 |

ABD INSTRUMENTATION AND CONTROLS  
GST-27ACFFA1632H1ZP  
Contact No- 9503449505,9793161322