



AQUASENSE

SENSING | CONNECTING | PROTECTING

DIGITAL WATER LEVEL RECORDER (DWLR)

NON-VENTED PRESSURE SENSOR
WITH BAROMETRIC PRESSURE CORRECTION

**ACCURATE**

High precision level measurement

**RELIABLE**

Rugged, stable & long-term performance

**SMART**

Real-time data with cloud dashboards

**EASY**

Easy to install, low maintenance



ABOUT DWLR

The Digital Water Level Recorder (DWLR) is a non-vented pressure sensor with barometric pressure correction.

It uses a highly stable piezo-resistive pressure element with advanced electronics and a stainless steel housing for continuous, reliable level measurement in liquids.

Compact, lightweight and submersible, it is ideal for measuring water & liquid levels and control applications across municipal, industrial, environmental and hydrology sectors.



FAB (FEATURE - ADVANTAGE - BENEFIT)

FEATURE	ADVANTAGE	BENEFIT
Advanced MEMS Technology	High precision silicon chip with non-ventilated cable design	Accurate and stable measurements even in harsh conditions
High Accuracy & Reliability	Excellent long-term stability with precise water level measurement	Dependable data for critical operations & compliance
Rugged & Submersible	Fully sealed, compact stainless steel design	Withstands harsh environments and continuous submersion
Easy Installation	Lightweight construction with durable cable	Quick installation, saves time & labour
Low Maintenance	Minimal moving parts, high quality components	Low maintenance cost & long service life
Seamless Integration	Universal compatibility with built-in barometric compensation	Easy integration with existing systems and dashboards

APPLICATIONS

Water Tanks & Reservoirs	Industrial Process Tanks
Rivers, Lakes & Dams	Hydrology & Flood Monitoring
Borewells & Tube Wells	Irrigation & Canal Systems
Wastewater & Sewage Systems	Smart City & Utility Monitoring

KEY HIGHLIGHTS



Non-vented pressure sensor with barometric correction



Real-time data transmission via GSM/GPRS/4G



Long battery life with continuous monitoring



IP65 protection for harsh environments



Cloud dashboard & mobile access anytime anywhere

ACCURATE MEASUREMENT | RELIABLE PERFORMANCE | SMART MONITORING
Empowering Water Management with Smart Technology

SPECIFICATIONS

Parameter	Specifications
Atmospheric Pressure Correction	Automatic atmospheric pressure correction
Data Logger Input	Level sensor, Temperature sensor, Periodic compensated water level transfer to database
Measuring Interval	4 readings per day
Settling Up Time	<30 minutes
Recording Capacity	Minimum 1 year of data storage
Memory Type	Non-Volatile flash memory
Power Supply	1) Solar Based 2) 220V AC Supply
Battery Voltage Monitoring	Continuous monitoring and transmission of battery voltage
Built in clock	Accuracy: ± 1 minute per year
RTC Time Resolution	1 second
Data Logger Protection	IP65
Transmission System	GSM / GPRS/ Edge-based data transmission system
Frequency range	900 MHz: B2,4 - 960 MHz / 1800 MHz: 1710-1880 MHz / 4G and above
Communication Direction	Two-way GPRS communication with TCP/IP (Internet) and MQTT support
Dashboard Link	dwlr.aquasense.tech
Warranty	1-year limited warranty (service center)

USE CASES



Overhead Tank Level Monitoring
Monitor tank levels in real-time and automate pump operations.



River & Dam Level Monitoring
Continuous water level tracking for flood forecasting and safety.



Borewell Monitoring
Track groundwater levels and prevent dry-run pumps.



STP / ETP Level Monitoring
Monitor tanks and sumps for efficient wastewater treatment.



Industrial Tank Monitoring
Ensure safe operations with accurate level measurement.



Irrigation Canal Monitoring
Optimize water distribution and reduce water losses.

CONTACT US



info@aquasense.tech

+91-7000687377

+91-7428576968

Aquasense Private Limited,
G-120, 3rd floor,
Sector 63, Noida, UP, 201301,
India.



www.aquasense.tech



SMART SENSING
Precise & Reliable
Data Collection



SEAMLESS CONNECTIVITY
Secure Data Transmission
Anytime, Anywhere



POWERFUL ANALYTICS
Actionable Insights for
Better Decisions



SCALABLE SOLUTIONS
For Every Water
Management Need

AQ-UWM-DN25-300

ULTRASONIC WATER METER

Smart | Battery Operated | 4G Inbuilt Telemetry

Accurate. Reliable. Compliant.

Next Generation Water Meter for a Water Secure India.

**CGWA
COMPLIANT
FLOW METER**

Supports CGWA
Groundwater Monitoring
& Reporting

**4G Inbuilt
Telemetry**
Real-time data
anywhere, anytime

**Battery
Operated**
Up to 10 years



High
Accuracy



Long
Battery Life



4G
Inbuilt Telemetry



No Moving
Parts



Maintenance
Free



**IDEAL FOR GROUNDWATER MONITORING
& REGULATORY COMPLIANCE**

KEY APPLICATIONS



Groundwater
Monitoring



Water Supply
& Distribution



Agricultural
Irrigation



Industrial
Process



Residential &
Commercial Billing

KEY FEATURES



Bubble
Detection



Fault
Diagnostics



Tamper
Alerts



Easy
Replacement



IP68
Rugged Design



Data Transfer
& Field Testing



AMR/AMI
Ready



Reverse Flow
Detection

DISPLAY



- ✓ 9-digit cumulative flow
- ✓ 6-digit instantaneous flow
- ✓ Multiple flow units
- ✓ Multi-state prompt
- ✓ Touch button

TECHNICAL SPECIFICATIONS

Measuring Fluid	Water, seawater (other liquids need to be customized)
Temperature	0 – 60°C
Accuracy Class	ISO 4064 Class II
Certification	NPL
Pressure Resistance	1.6 MPa (Optional 2.5 MPa)
Communication	4G LTE (SIM based), GSM/GPRS (Inbuilt)
Power Supply	3.6V LiSOCl ₂ Battery (Up to 10 years)
Protection Class	IP68
Local Display	Two-line display (9-digit totalizer, 6-digit flow)
Data Storage	Stores 31 days data for 12 months
Current Cycle	Measurement: 1 time/s (settable)
Power Consumption	< 30 μ A (standard)

KEY BENEFITS



No moving parts
(Maintenance-free)



Battery operated
(No external power required)



Real-time monitoring
(4G telemetry)



Tamper detection
(Cloud alerts)



Compliance with CGWA
& regulatory reporting



Helps in water conservation
and sustainable usage



Smart city compatible



Plug & Play device
Easy installation

**MEASURE TODAY
PRESERVE TOMORROW**



Every Drop Counts
For a Water Secure Future

AQUASENSE PRIVATE LIMITED



Operations Office: Ground Floor, Silver Springs Building,
Opp. Amity University, Noida Sector 126, Uttar Pradesh – 201313, India



www.aquasense.tech



sales@aquasense.tech

DOMESTIC METERING FOR EQUITABLE BILLING

Accurate • Transparent • Fair • Sustainable



PAY FOR WHAT YOU USE

Fair and transparent billing



ELIMINATE DISPUTES

Accurate consumption data



AUTOMATED METER READING

No manual effort



CONSERVE WATER

Encourage responsible usage



SMART ULTRASONIC WATER METER



No moving parts
Maintenance free



Battery operated
(Up to 10 years)



Inbuilt 4G/GSM/LoRa
Telemetry



Tamper-proof
& Accurate ($\pm 2\%$)



REAL-TIME MONITORING & BILLING



Remote
Meter Reading



Automated
Billing & Payments



Leak Detection
& Alerts



Consumption
Analytics



Equitable Cost
Sharing



Supports
Smart Cities

IDEAL FOR



Residential
Societies



Apartments
& Gated Communities



Commercial
Buildings



Hotels &
Resorts



Hostels &
Universities



Municipalities &
Urban Local Bodies

SMART METERING TODAY. A FAIRER TOMORROW.

AQUASENSE PRIVATE LIMITED

G 120, G Block, Sector 63, Noida, Uttar Pradesh – 201301, India

+91 7000687377

info@aquasense.tech

www.aquasense.tech



Scan to
Know More



AQUASENSE
Sensing a Sustainable Tomorrow

MEASURE | MONITOR | CONSERVE
WATER FOR A BETTER TOMORROW

ELECTROMAGNETIC WATER FLOWMETER

APL-EFM-DN50

Accurate. Reliable. Built for a Sustainable Future.

Our Smart Electromagnetic Flowmeter is designed for excellent performance and high reliability. The measurement is independent of fluid density, temperature, pressure, and conductivity.



**High
Accuracy**



**Durable &
Reliable**



**Real-time
Monitoring**



**Wide
Applications**



*Every
Drop
Counts*

APPLICATIONS

Used for precise flow measurement of all electrically conductive liquids such as water, wastewater, sludge, slurry, milk and more.



Water Supply &
Wastewater Treatment



Chemical
Industries



Building & Plant
Automation



Pulp & Paper
Industries



Food & Beverage
Industries



Drinking Water
Applications



Public Utilities



Water Conservation
Systems

KEY FEATURES

- ✓ Measurement independent of fluid density, temperature, pressure and conductivity
- ✓ Strong resistance to negative pressure
- ✓ LCD display – clear visibility in sunlight & dark
- ✓ Parameters can be reset via infrared touch keys without opening the cover
- ✓ Suitable for harsh operating conditions
- ✓ Multiple communication outputs (4–20 mA, RS485, RS232)
- ✓ Available in integral or remote mounting

FLOW RATE TABLE (Flow rate in m³/hr at different velocities)

Meter Size (DN)	1.00 m/s	1.25 m/s	2.50 m/s	5.00 m/s	10.00 m/s
15	0.636	0.795	1.59	3.18	6.36
25	1.767	2.20875	4.4175	8.835	17.67
50	7.068	8.835	17.67	35.34	70.68
100	28.2	35.25	70.5	141	282
150	63.62	79.525	159.05	318.1	636.2
200	113.1	141.375	282.75	565.5	1131
250	176.7	220.875	441.75	883.5	1767
300	254.5	318.125	636.25	1272.5	2545
400	452.4	565.5	1131	2262	4524

Note: Complete range available from 15 mm to 900 mm. Values are indicative.

PRIMARY FLOW TUBE SPECIFICATIONS

Parameter	Specifications
Media Pressure	20 kg/cm ² ; 25 kg/cm ²
Flow Tube Lining	PTFE liner / Hard rubber liner
Operating Temperature	0–130°C (PTFE), 0–60°C (Rubber)
Materials	Pipe – SS304 (non-magnetic with and without paint)
Electrodes	SS316 / SS316L / Hastelloy C
Inner Lining	PTFE / Hard Rubber
Coil Housing	Carbon Steel (Polyurethane painted); SS304 / SS316 available on request

TRANSMITTER SPECIFICATIONS

Parameter	Specifications
Type	Integral / Remote Mounting
Enclosure	Aluminium die-cast amplifier/transmitter
Power Supply	110V / 220V AC, 50 Hz ±10%; optional 24VDC / 12VDC
Outputs	4–20 mA DC (max. 110 Ω), RS485, RS232
Flow Range	m ³ /hr, LPH, LPM & LPS
Totalizer Range	Litres & m ³
Minimum Media Conductivity	5 µS/cm
Coil Excitation	Pulsed DC

Parameter	Specifications
Local Display	4-digit 7-segment LED (instant), 10-digit 7-segment (totalizer)
Flow Velocity	0.3 m/s to 12 m/s
Accuracy	±0.5% to 0.2% of calibrated range
Repeatability	±0.2% of reading
Operating Temperature	0–60°C (ambient)
Humidity	0–100% RH, non-condensing
Ingress Protection	IP-65 (standard); optional IP-67/IP-68, flameproof, explosion-proof, waterproof
Reference Conditions	Power supply nominal ±10%, 27°C ±2°C

INSTALLATION



Ensure adequate straight pipe length as per installation guidelines.



www.aquasense.tech



sales@aquasense.tech



+91 120 456 7800



Operations Office: Ground Floor, Silver Springs Building,
Opp. Amity University, Noida Sector 126, Uttar Pradesh – 201313, India

Sustainable
Water Management
Through Innovation



AQUASENSE
Sensing a Sustainable Tomorrow

REAL-TIME WATER INTELLIGENCE
FOR A CLEANER, HEALTHIER TOMORROW

WATER QUALITY SENSOR SOLUTIONS

Real-time water quality monitoring for aquaculture, pools, STP/ETP, industrial water systems and digital water management.

MEASURE
MONITOR
MANAGE
PRESERVE



Accurate &
Reliable



Easy
Integration



Real-time
Monitoring



Rugged
Design



RS-485
(Modbus/RTU)



**Better Water
Better Life**

Core interface: RS-485 (Modbus/RTU) | Typical cable: 5 m
Sensor-specific operating limits as per AquaSense 2026-27
Channel Partner Price List.

OUR SENSOR PORTFOLIO

MONITOR WHAT MATTERS



pH Sensor

- Range: 0 – 14 pH
- Output: RS-485 (Modbus/RTU)
- Cable: 5 m
- Material: POM
- Temperature: 0 – 50 °C
- Pressure: ≤ 0.2 MPa



DO Sensor

- Range: 0 – 20 mg/L
- Output: RS-485 (Modbus/RTU)
- Cable: 5 m
- Material: POM



Turbidity Sensor (Auto Optical Cleaning)

- Range: 0 – 200 NTU
- Output: RS-485 (Modbus/RTU)
- Cable: 5 m
- Material: Stainless steel (auto-clean)
- Temperature: 0 – 40 °C
- Pressure: ≤ 0.2 MPa



Turbidity Sensor

- Range: 0 – 200 NTU
- Output: RS-485 (Modbus/RTU)
- Cable: 5 m
- Material: POM
- Temperature: 0 – 40 °C
- Pressure: ≤ 0.2 MPa



Free Residual Chlorine Sensor

- Range: 0 – 2,000 mg/L
- Output: RS-485 (Modbus/RTU)
- Cable: 5 m
- Material: POM
- Temperature: 5 – 50 °C
- Pressure: ≤ 0.2 MPa



TSS Sensor

- Range: 0 – 2000 mg/L
- Output: RS-485 (Modbus/RTU)
- Cable: 5 m
- Material: Stainless steel (auto-clean)
- Temperature: 0 – 40 °C
- Pressure: ≤ 0.2 MPa



TDS Sensor (5000 µS)

- Range: 0 – 5000 µS/cm
(TDS 0 – 3200 mg/L)
- Output: RS-485 (Modbus/RTU)
- Cable: 5 m
- Material: POM
- Temperature: 0 – 50 °C
- Pressure: ≤ 0.2 MPa



TDS Sensor (20000 µS)

- Range: 0 – 20000 µS/cm
- Output: RS-485 (Modbus/RTU)
- Cable: 5 m
- Material: POM
- Temperature: 0 – 50 °C
- Pressure: ≤ 0.2 MPa

Other Available Sensors

- ✓ Total Hardness
- ✓ Nitrate (NO₃)
- ✓ Ammonia (NH₃)
- ✓ Chloride
- ✓ Fluoride
- ✓ BOD / COD / TOC
- ✓ ORP / EC / Colour
- ✓ Custom Sensor Combinations

APPLICATIONS

ACROSS INDUSTRIES. FOR A SUSTAINABLE TOMORROW.



Aquaculture

Healthy Fish, Higher Yield



Pools

Safe & Clean Water



STP / ETP

Compliance & Sustainability



Industrial Water

Process Efficiency



Digital Water Management

Real-time Insights Anywhere



IMPROVE
WATER QUALITY



ENHANCE
OPERATIONAL EFFICIENCY



SUPPORT
REGULATORY COMPLIANCE



ENABLE
A GREENER TOMORROW

AQUASENSE PRIVATE LIMITED

G 120, G Block, Sector 63, Noida, Uttar Pradesh – 201301, India



+91 98967 62017



info@aquasense.tech



www.aquasense.tech



Scan to
Know More



AQUASENSE
Sensing a Sustainable Tomorrow


MEASURE | MONITOR | CONTROL | COMPLY
INTEGRATED WATER MANAGEMENT SOLUTIONS

ATBC SELF COMPLIANCE DEVICE

Smart IoT Based Borewell Automation
for CGWA / NOC Compliance
Monitor | Control | Report | Stay Compliant



- Save Water
- Ensure Compliance
- Reduce Energy Bills
- Sustainable Operations



Real-time Flow Monitoring

Accurate measurement of groundwater extraction



Automatic Pump Control

Based on quantity limits, tank levels and schedules



CGWA / NOC Compliance

Automatic data logs and reporting for self compliance



4G IoT Connectivity

Real-time data transmission to cloud platform



Alerts & Notifications

Instant alerts for overuse, tampering and faults



Web & Mobile Dashboard

Access anywhere, anytime

SYSTEM ARCHITECTURE



FROM BOREWELL TO CLOUD – COMPLETE CONTROL

KEY BENEFITS

- Self compliance with CGWA / NOC
- Reduce water wastage & energy costs
- Automated & reliable operations
- Real-time monitoring & reporting
- Supports sustainable water management
- Easy installation & low maintenance



COMPLY TODAY

FOR A WATER SECURE TOMORROW

AQUASENSE PRIVATE LIMITED

Operations Office: Ground Floor, Silver Springs Building,
Opp. Amity University, Noida Sector 126, Uttar Pradesh – 201313, India

+91 74285 76968

info@aquasense.tech

www.aquasense.tech

Smart Solutions
for a Sustainable
Tomorrow



AQUASENSE
Sensing a Sustainable Tomorrow

SMART WATER MANAGEMENT
FOR A BETTER TOMORROW

SAVE WATER
SAVE ENERGY
SMART OPERATIONS
SUSTAINABLE TOMORROW

AquaTank

COMPLETE AUTOMATION OF TANKS, PUMPS & VALVES

MONITOR | CONTROL | OPTIMIZE

IoT Enabled Smart Water Management System

Automate your water infrastructure and ensure continuous, efficient, and reliable water supply.

KEY BENEFITS



Prevent Overflow
Save water & avoid wastage



Save Energy
Optimize pump operations



Reduce Manpower
Fully automated operation



Protect Equipment
Prevent dry run & pump damage



Real-time Monitoring
Anytime, anywhere



Data & Analytics
Insight for better decisions



Lower Operational Cost
Efficient water management



Sustainable Operations
Conserve water for a green future

IDEAL FOR



Large Campuses



Hospitals



Hotels



Resorts



Hostels



Malls



Commercial Buildings



Industries

SYSTEM COMPONENTS



ATLC AquaTank Level Controller

- Works with Radar / Hydrostatic / Float sensors
- Real-time level monitoring
- Level-based alerts



ATMV AquaTank Motorized Valve

- Automatic open / close
- Remote operation
- Precision flow control



ATPC AquaTank Pump Controller

- Automatic start / stop
- Dry run protection
- Control multiple tanks
- Smart scheduling

Smart Tanks
Smarter Buildings



OVERHEAD TANK

- ✓ Level Monitoring
- ✓ Overflow Prevention

PUMPS

- ✓ Auto Start/Stop
- ✓ Dry Run Protection

MOTORIZED VALVES

- ✓ Auto Open/Close
- ✓ Remote Operation

UNDERGROUND SUMP

- ✓ Level Monitoring
- ✓ Low Level Protection

MONITOR & CONTROL ON WEB & MOBILE



Save Water



Save Energy



Smart Automation



Sustainable Future

Let's Build Water
Smart Together

AQUASENSE PRIVATE LIMITED

G 120, G Block, Sector 63, Noida, UP 201301, India

+91 98967 62017

info@aquasense.tech

www.aquasense.tech



AQUASENSE
Sensing a Sustainable Tomorrow



Smart
Water Management
for a Sustainable
Tomorrow

AquaChargeTM

Smart Water Metering, Billing & Control Platform

Monitor | Measure | Automate | Bill | Save



Save
Water



Save
Energy



Save
Man Power



Prevent
Leakage



Ensure
Revenue
Recovery



**AquaCharge
Flow Meter (ACFM)**
Real-time water flow measurement



**AquaCharge
Motorized Valve (ACMV)**
Automatic flow control



**AquaCharge
Flow Meter with Valve Control (FMVC)**
All-in-one integrated device



KEY BENEFITS



100%
Real-Time
Usage Visibility



Zero
Non-Revenue
Water Leakage



30%
Reduction in
Water Wastage



Auto
Billing & Valve
Control



**Operational
Efficiency**
with Smart
Automation



**Sustainable
Water
Management**

HOW IT WORKS



1
Install
AquaCharge device
at each connection
point



2
Measure
real-time water
consumption



3
Transmit data
to cloud via 4G /
LoRaWAN



4
Generate
automated bills
(prepaid / postpaid)



5
Control valve
based on limits,
payment status
or leak detection

Connected Intelligence

- ✓ Unified cloud platform
- ✓ Real-time alerts & notifications
- ✓ Remote valve actuation
- ✓ Multi-tier access (Admin / Manager / Consumer)
- ✓ Audit trail & compliance reporting

IDEAL FOR



Residential Societies



Commercial Buildings



Industries



Hospitals



Hotels & Resorts



Malls



Municipalities

SMART METERING. SUSTAINABLE TOMORROW.



CONSERVE
WATER



SUPPORT
COMMUNITIES



ENABLE
A GREENER PLANET

AQUASENSE PRIVATE LIMITED

G 120, G Block, Sector 63, Noida, UP 201301, India

+91 7000687377

info@aquasense.tech

www.aquasense.tech



AQUASENSE
Sensing a Sustainable Tomorrow

SMART WATER SOLUTIONS
FOR A HEALTHIER TOMORROW

CLEAN WATER
COMPLIANT OPERATIONS
LOWER COSTS
GREENER TOMORROW

AquaTreat

AUTOMATION & MONITORING FOR WTP | STP | ETP

IoT Based | Real-time Monitoring | Intelligent Control

From Sensors to Smarter Decisions

Transforming Treatment Plants into
Efficient, Compliant and Transparent Assets

Monitor
Control
Optimize
Ensure Compliance



Real-time Monitoring

Continuous water
quality & equipment
monitoring



Automated Control

Optimize process
with intelligent
automation



Data & Analytics

Actionable insights
for better
decisions



Ensure Compliance

Meet CPCB / SPCB
norms with digital
record keeping



Lower Operating Cost

Reduce energy,
chemicals &
manual effort



Sustainable Operations

Protect environment
for a greener
tomorrow

COMPLETE PLANT AUTOMATION

End-to-End Monitoring & Control for WTP, STP & ETP



Water Quality Monitoring
pH, TDS, COD, BOD, TSS,
DO, Ammonia, Nitrate & more



Flow & Level Monitoring
Inlet, outlet, tank levels,
flow balancing



Pump, Blower & Valve Control
Automatic operation,
energy optimization



Energy Monitoring
Track and reduce energy
consumption



Alerts & Notifications
Instant alerts via SMS / Email /
Mobile App



Cloud Dashboard
Access anytime, anywhere

AquaTreat Cloud Platform

Data | Analytics | Alerts | Reports



Regulatory Compliance



- ✓ CPCB / SPCB Integration
- ✓ Automatic Data Logging
- ✓ Compliance Reports
- ✓ Audit Ready Records

IDEAL FOR



Large Campuses
Universities,
IT Parks, Institutions



Hospitals
Healthcare Facilities



Hotels & Resorts
Hospitality & Leisure



Hostels
Student & Workforce
Accommodations



Malls
Retail & Commercial
Complexes



Commercial Buildings
Corporate Offices,
Business Parks



Industries
Manufacturing,
Process Industries

**SMART TREATMENT PLANTS
FOR A CLEANER, SAFER TOMORROW**



TREAT
RESPONSIBLY



REUSE
SUSTAINABLY



PRESERVE
FOR TOMORROW

AQUASENSE PRIVATE LIMITED

G 120, G Block, Sector 63, Noida, UP 201301, India

+91 98967 62017

info@aquasense.tech

www.aquasense.tech



AQUASENSE
Sensing a Sustainable Tomorrow

SMART WATER SOLUTIONS
FOR A HEALTHIER TOMORROW

CLEAN WATER
COMPLIANT OPERATIONS
LOWER COSTS
GREENER TOMORROW

AquaTreat

AUTOMATION & MONITORING FOR WTP | STP | ETP

IoT Based | Real-time Monitoring | Intelligent Control

From Sensors to Smarter Decisions

Transforming Treatment Plants into
Efficient, Compliant and Transparent Assets

Monitor
Control
Optimize
Ensure Compliance



Real-time Monitoring

Continuous water
quality & equipment
monitoring



Automated Control

Optimize process
with intelligent
automation



Data & Analytics

Actionable insights
for better
decisions



Ensure Compliance

Meet CPCB / SPCB
norms with digital
record keeping



Lower Operating Cost

Reduce energy,
chemicals &
manual effort



Sustainable Operations

Protect environment
for a greener
tomorrow

COMPLETE PLANT AUTOMATION

End-to-End Monitoring & Control for WTP, STP & ETP



Water Quality Monitoring
pH, TDS, COD, BOD, TSS,
DO, Ammonia, Nitrate & more



Flow & Level Monitoring
Inlet, outlet, tank levels,
flow balancing



Pump, Blower & Valve Control
Automatic operation,
energy optimization



Energy Monitoring
Track and reduce energy
consumption



Alerts & Notifications
Instant alerts via SMS / Email /
Mobile App



Cloud Dashboard
Access anytime, anywhere

AquaTreat Cloud Platform

Data | Analytics | Alerts | Reports



Regulatory Compliance



- ✓ CPCB / SPCB Integration
- ✓ Automatic Data Logging
- ✓ Compliance Reports
- ✓ Audit Ready Records

IDEAL FOR



Large Campuses
Universities,
IT Parks, Institutions



Hospitals
Healthcare Facilities



Hotels & Resorts
Hospitality & Leisure



Hostels
Student & Workforce
Accommodations



Malls
Retail & Commercial
Complexes



Commercial Buildings
Corporate Offices,
Business Parks



Industries
Manufacturing,
Process Industries

**SMART TREATMENT PLANTS
FOR A CLEANER, SAFER TOMORROW**



TREAT
RESPONSIBLY



REUSE
SUSTAINABLY



PRESERVE
FOR TOMORROW

AQUASENSE PRIVATE LIMITED

G 120, G Block, Sector 63, Noida, UP 201301, India

+91 98967 62017

info@aquasense.tech

www.aquasense.tech



AQUASENSE
Sensing a Sustainable Tomorrow

SMART WATER MANAGEMENT
FOR MINING OPERATIONS



SAFER MINES
HIGHER PRODUCTIVITY
LOWER COSTS
SUSTAINABLE TOMORROW

AquaMine™

Smart Dewatering Automation for Mining Operations

No Pump Failure. No Flooding. No Downtime.

Real-time Monitoring | Intelligent Control |
Remote Operations

- ✓ Continuous Water Ingress Monitoring
- ✓ Automatic Pump Control
- ✓ Real-time Alerts & Analytics
- ✓ Remote Monitoring (4G/IoT)
- ✓ Better Safety & Compliance

*Keep
Mines Safe
& Productive*



Prevent Flooding

Real-time level monitoring



Optimize Pump Operations

Automatic start/stop based on water levels



Reduce Energy Costs

Operate only when required



Improve Safety

Remote monitoring in hazardous zones



Increase Productivity

Minimize downtime & disruptions



Sustainable Operations

Efficient water management

HOW IT WORKS

- Sensors monitor water level in sumps and mine pits
- Controller automatically starts/stops pumps
- Real-time data transmitted to cloud platform
- Alerts & reports on mobile/web for faster decision making

SOLUTION ARCHITECTURE



KEY APPLICATIONS

- Open Cast Mines
- Underground Mines
- Coal Mines
- Metal & Mineral Mines

KEY BENEFITS

- ✓ No pump failure
- ✓ No flooding risks
- ✓ Remote & real-time visibility
- ✓ Higher equipment life
- ✓ Lower OPEX
- ✓ Safe & compliant operations

TURN DATA INTO UPTIME. KEEP YOUR MINES DRY, SAFE AND PRODUCTIVE.



SAFE MINES



HIGHER PRODUCTIVITY



LOWER COSTS



SUSTAINABLE TOMORROW

AQUASENSE PRIVATE LIMITED

G 120, G Block, Sector 63, Noida, Uttar
Pradesh – 201301, India



+91 98967 62017



info@aquasense.tech



www.aquasense.tech

Water
Intelligence
for a Better
Tomorrow



AQUASENSE
Sensing a Sustainable Tomorrow

DIGITAL SOLUTIONS
FOR SAFER, SMARTER
OIL & GAS OPERATIONS

SAFER FACILITIES
HIGHER RELIABILITY
SUSTAINABLE TOMORROW

FIRE FIGHTING DIGITAL TWIN

FOR OIL & GAS INFRASTRUCTURE

BPCL | HPCL | IOCL | TERMINALS | REFINERIES

From Reactive Firefighting
to Predictive Fire Readiness

*Protect
People
Assets
Operations*

PREVENT
DETECT
PREDICT
RESPOND



**Real-time
Monitoring**



**Predictive
Intelligence**



**Simulation
& Planning**



**Automated
Response**



**Centralized
Command**



**Compliance
& Reporting**

FIELD SENSORS

- Pressure
- Flow
- Valve Status
- Tank Levels
- Hydrant Health
- Fire / Gas Detection
- Temperature



COMMAND & CONTROL

- Live Dashboard
- Real-time Alerts
- Drills & Compliance
- Multi-site View
- Mobile App Access
- Cloud Based Platform
- AI & Predictive Analytics

KEY BENEFITS

- Enhanced Safety**
Protect people, assets and environment
- Predictive Maintenance**
Avoid failures and downtime
- Lower Operational Costs**
Optimize resource utilization
- Faster Response**
Real-time alerts and automation
- Higher Asset Reliability**
Continuous monitoring and diagnostics
- Regulatory Compliance**
Meet OISD, PESO, NFPA and other standards

IDEAL FOR



Refineries
Process units, tank farms, utilities



Oil Terminals
Storage terminals & depots



Pipeline Stations
Pump & valve stations



Petrochemical Plants
Critical fire protection systems



LPG / LNG Facilities
High-risk installations



Onshore & Offshore Assets
Remote and harsh environments

INTELLIGENCE TODAY. SAFER TOMORROW.



SMART
OPERATIONS



RESILIENT
INFRASTRUCTURE



SUSTAINABLE
FUTURE

AQUASENSE PRIVATE LIMITED

G 120, G Block, Sector 63, Noida, Uttar Pradesh – 201301, India

+91 98967 62017

info@aquasense.tech



Scan to
Know More



AQUASENSE
Sensing a Sustainable Tomorrow

INTEGRATED WATER
MANAGEMENT SOLUTIONS
FOR INDUSTRIES



CONSERVE WATER
OPTIMIZE OPERATIONS
ENSURE COMPLIANCE

SOURCE TO SINK WATER INTELLIGENCE

Monitor | Automate | Control | Comply | Sustain

One integrated platform across the complete industrial water lifecycle

Every
Drop
Counts



KEY BENEFITS

- Reduce Water OPEX**
Optimize usage and minimize waste
- Improve Resource Efficiency**
Lower energy and operational costs
- Ensure Compliance**
Meet regulatory requirements (CGWA, CPCB/SPCB)
- Enhance Sustainability**
Conserve water for a greener future
- Real-Time Visibility**
Data-driven decisions
- Single Partner End-to-End Solution**
From monitoring to control and audit

IDEAL FOR



Smarter Water. Stronger Industries. A Sustainable Tomorrow.

AQUASENSE PRIVATE LIMITED

G 120, G Block, Sector 63, Noida, UP 201301, India

+91 7000687377

info@aquasense.tech

www.aquasense.tech



Scan to
Know More