


[Home](#)[AWS](#)[Computer Network](#)[IoT](#)[DS](#)[Java](#)[HTML](#)[CSS](#)[Aptitude](#)[Selenium](#)[Kotlin](#)[JavaScript](#)

What is DynamoDB?

- Amazon DynamoDB is a fast and flexible NoSQL database service for all applications that require consistent single-digit millisecond latency at any scale.
- It is a fully managed database that supports both document and key-value data models.
- Its flexible data model and performance makes it a great fit for mobile, web, gaming, ad-tech, IOT, and many other applications.
- It is stored in SSD storage.
- It is spread across three geographically data centres.



Because of its availability in three geographically data centres, It consists of two different types of consistency models:

- **Eventual Consistent Reads**
- **Strongly Consistent Reads**

Eventual Consistent Reads

It maintains consistency across all the copies of data which is usually reached within a second. If you read a data from **DynamoDB table**, then the response would not reflect the most recently completed write operation, and if you repeat to read the data after a short period, then the response would be the latest update. This is the best model for Read performance.

Strongly Consistent Reads

A strongly consistent read returns a result that reflects all writes that received a successful response prior to the read.

Note: If your application wants the data from DynamoDB table immediately, then choose the Strongly Consistent Read model. If you can wait for a second, then choose the Eventual Consistent Model.

AWS DynamoDB Throughput Capacity

DynamoDB throughput capacity depends on the read/write capacity modes for performing read/write operation on tables.

There are two types of read/write capacity modes:

- Provisioned mode
- On-demand mode

Provisioned mode

- It defines the maximum amount of capacity that an application can use from a specified table.
- In a provisioned mode, you need to specify the number of reads and writes per second required by the application.
- If the limit of Provisioned mode throughput capacity is exceeded, then this leads to the request throttling.
- A provisioned mode is good for applications that have predictable and consistent traffic.

The Provisioned mode consists of two capacity units:

- Read Capacity unit
- Write Capacity unit

Read Capacity Unit

- The total number of read capacity units depends on the item size, and read consistency model.
- Read Capacity unit represents two types of consistency models:
 - **Strongly Consistent model:** Read Capacity Unit represents one strong consistent read per second for an item up to 4KB in size.
 - **Eventually Consistent model:** Read Capacity Unit represents two eventually consistent reads per second for an item up to 4KB in size.
- DynamoDB will require additional read capacity units when an item size is greater than 4KB. For example, if the size of an item is 8KB, 2 read capacity units are required for strongly consistent read while 1 read capacity unit is required for eventually consistent read.

Write Capacity Unit

- The total number of write capacity unit depends on the item size.
- Only 1 write capacity unit is required for an item up to size 1KB.
- DynamoDB will require additional write capacity units when size is greater than 1KB. For example, if an item size is 2KB, two write capacity units are required to perform 1 write per second.
- For example, if you create a table with 20 write capacity units, then you can perform 20 writes per second for an item up to 1KB in size.

On-Demand mode

- DynamoDB on-demand mode has a flexible new billing option which is capable of serving thousands of requests per second without any capacity planning.
- On-Demand mode offers pay-per-request pricing for read and write requests so that you need to pay only for what you use, thus, making it easy to balance costs and performance.
- In On-Demand mode, DynamoDB accommodates the customer's workload instantly as the traffic level increases or decreases.
- On-Demand mode supports all the DynamoDB features such as encryption, point-in-time recovery, etc except auto-scaling
- If you do not perform any read/write, then you just need to pay for data storage only.

- On-Demand mode is useful for those applications that have unpredictable traffic and database is very complex to forecast.

← Prev

Next →

For Videos Join Our Youtube Channel: [Join Now](#)

Feedback

- Send your Feedback to feedback@javatpoint.com






Help Others, Please Share















Learn Latest Tutorials

| | | | | |
|---|--|---|---|---|
| Splunk | SPSS | Swagger | Transact-SQL | Tumblr |
|  React tutorial ReactJS |  Regex tutorial Regex |  Reinforcement learning tutorial Reinforcement Learning |  R Programming tutorial R Programming |  RxJS tutorial RxJS |
|  React Native tutorial React Native |  Python Design Patterns Python Design Patterns |  Python Pillow tutorial Python Pillow |  Python Turtle tutorial Python Turtle |  Keras tutorial Keras |

Preparation

| | | | | |
|--|--|--|--|--|
|  Aptitude Aptitude |  Logical Reasoning Reasoning |  Verbal Ability Verbal Ability |  Interview Questions Interview Questions |  Company Interview Questions Company Questions |
|--|--|--|--|--|

Trending Technologies

| | | | | |
|---|--|--|---|--|
|  Artificial Intelligence Artificial Intelligence |  AWS Tutorial AWS |  Selenium tutorial Selenium |  Cloud Computing Cloud Computing |  Hadoop tutorial Hadoop |
|  ReactJS Tutorial ReactJS |  Data Science Tutorial Data Science |  Angular 7 Tutorial Angular 7 |  Blockchain Tutorial Blockchain |  Git Tutorial Git |
|  Machine Learning Tutorial Machine Learning |  DevOps Tutorial DevOps | | | |

B.Tech / MCA

| | | | | |
|---|--|--|---|--|
|  DBMS tutorial DBMS |  Data Structures tutorial Data Structures |  DAA tutorial DAA |  Operating System Operating System |  Computer Network tutorial Computer Network |
|  Compiler Design tutorial Compiler Design |  Computer Organization and Architecture Computer Organization |  Discrete Mathematics Tutorial Discrete Mathematics |  Ethical Hacking Ethical Hacking |  Computer Graphics Tutorial Computer Graphics |
|  Software Engineering Software Engineering |  html tutorial Web Technology |  Cyber Security tutorial Cyber Security |  Automata Tutorial Automata |  C Language tutorial C Programming |
|  C++ tutorial C++ |  Java tutorial Java |  .Net Framework tutorial .Net |  Python tutorial Python |  List of Programs Programs |
|  Control Systems tutorial Control System |  Data Mining Tutorial Data Mining |  Data Warehouse Tutorial Data Warehouse | | |

