

1. Install MongoDB (latest safe method)

Step 1: Import MongoDB GPG key

```
wget -qO - https://www.mongodb.org/static/pgp/server-6.0.asc | \
gpg --dearmor | sudo tee /usr/share/keyrings/mongodb-server-6.0.gpg > /dev/null
```

Step 2: Add MongoDB repository

```
echo "deb [ arch=amd64,arm64 signed-by=/usr/share/keyrings/mongodb-server-6.0.gpg ]
https://repo.mongodb.org/apt/ubuntu focal/mongodb-org/6.0 multiverse" | \
sudo tee /etc/apt/sources.list.d/mongodb-org-6.0.list
```

Step 3: Update packages

```
sudo apt update
```

Step 4: Install MongoDB

```
sudo apt install -y mongodb-org
```

Step 5: Start MongoDB service

```
sudo systemctl start mongod
```

Step 6: Enable auto-start

```
sudo systemctl enable mongod
```

Step 7: Check status

```
sudo systemctl status mongod
```

2. Start Mongo Shell

`mongosh`

3. Database & Collection

Create / switch database

`use mydb`

Create collection (optional, auto-created on insert)

`db.createCollection("users")`

4. CRUD Operations

➤ CREATE (Insert)

Insert one document

```
db.users.insertOne({  
  name: "Alice",  
  age: 25,  
  city: "Bangalore"  
})
```

Insert multiple

```
db.users.insertMany([  
  { name: "Bob", age: 30 },  
  { name: "Charlie", age: 28 }  
])
```

➤ READ (Find)

Get all documents

```
db.users.find()
```

Pretty format

```
db.users.find().pretty()
```

Find specific

```
db.users.find({ name: "Alice" })
```

➤ UPDATE

Update one

```
db.users.updateOne(  
  { name: "Alice" },  
  { $set: { age: 26 } }  
)
```

Update many

```
db.users.updateMany(  
  {},  
  { $set: { active: true } }  
)
```

➤ DELETE

Delete one

```
db.users.deleteOne({ name: "Bob" })
```

Delete many

```
db.users.deleteMany({ age: { $lt: 29 } })
```

5. Useful Commands

Show databases

`show dbs`

Show collections

`show collections`

Drop collection

`db.users.drop()`

Drop database

`db.dropDatabase()`