PYTHON ACTIVITY BASED LEARNING

CASE STUDIES

1. Progressive Electricity Billing
2. Hospital billing and patient classification
3. Employee payroll and deduction analysis
4. Retail billing and with multiple discount rules
5. Manufacturing Cost and Profitability Analysis
6. Multi-Currency Travel Budget Analysis
7. Campus Event Financial Planning
8. Examination Result and Grace-Mark Validation
9. Attendance recovery computation
10. Advanced Numeric Pattern Generator

1.PROGRESSIVE ELECTRICITY BILLING

ALGORITHM:

1.Start

2.Read consumer name and units consumed.

3.If units are up to 100, charge ₹1.50 per unit; otherwise charge ₹1.50 for the first 100 units.


4.For units 101–200, charge ₹2.50 per unit in that slab; for units above 200, charge ₹4.00 per unit in that slab.

5.Add a fixed meter charge of ₹50.

6.Display units and total bill.

7.Stop.

FLOWCHART:



PSEUDOCODE:

START
INPUT name, units IF units <= 100: energy_charge
= units * 1.50 ELSE IF units <= 200: energy_charge
= 100 * 1.50 + (units - 100) * 2.50
ELSE:
energy_charge = 100 * 1.50 + 100 * 2.50 + (units - 200) * 4.00
total = energy_charge + 50
DISPLAY name, units, total STOP

CODE:

```
units = int(input("Enter electricity units: "))
if units <= 100:
    bill = units * 2
elif units <= 200:
    bill = 200 + (units - 100) * 3
else:
    bill = 500 + (units - 200) * 5
print("Electricity Bill: Rs.", bill)
```

OUTPUT:

```
Enter electricity units: 3
Electricity Bill: Rs. 6
```

TESTCASES:

Test Case	Input (Units)	Expected Output
TC1	50	Electricity Bill: Rs. 100
TC2	100	Electricity Bill: Rs. 200
TC3	150	Electricity Bill: Rs. 350
TC4	200	Electricity Bill: Rs. 500
TC5	250	Electricity Bill: Rs. 750
TC6	0	Electricity Bill: Rs. 0

2.Hospital billing and patient classification

ALGORITHM:

1.Start.

2. Read patient name, patient type (general or private), days admitted, and treatment charge

3. patient name, patient type (general or private), days admitted, and treatment charge.

4.Validate days and treatment charge are non-negative.

5.Calculate room charge: ₹1,000 per day for private or ₹500 per day for general.


6.Add treatment charge to room charge.

7.Classify bill as Low (below ₹5,000), Medium (₹5,000–₹15,000), or High (above ₹15,000).

8.Display total and classification.

9.Stop.

FLOWCHART:



PSEUDOCODE:

START
INPUT name, patient_type, days, treatment IF days < 0
OR treatment < 0: DISPLAY "Invalid input" ELSE:
  IF patient_type == "private": room_rate = 1000
ELSE: room_rate = 500
  total = days * room_rate + treatment
  IF total < 5000: category = "Low"
  ELSE IF total <= 15000: category = "Medium"
  ELSE: category = "High"
  DISPLAY name, total, category STOP

CODE:

```python
name = input("Enter patient name: ")
age = int(input("Enter patient age: "))
if age < 18:
    print("Category: Child")
elif age < 60:
    print("Category: Adult")
else:
    print("Category: Senior Citizen")
print("1. General Checkup - Rs. 500")
print("2. Blood Test - Rs. 800")
print("3. X-Ray - Rs. 1000")
choice = int(input("Enter your choice: "))
if choice == 1:
    bill = 500
elif choice == 2:
    bill = 800
elif choice == 3:
    bill = 1000
else:
    bill = 0
    print("Invalid choice")
if bill > 0:
    print("Patient Name:", name)
    print("Hospital Bill: Rs.", bill)
```

OUTPUT:

```
Enter patient name: SARATHA
Enter patient age: 46
Category: Adult
1. General Checkup - Rs. 500
2. Blood Test - Rs. 800
3. X-Ray - Rs. 1000
Enter your choice: 80
Invalid choice
```

TESTCASES:

Test Case	Patient Name	Age	Choice	Expected Output
TC1	Ravi	10	1	Category: Child, Hospital Bill: Rs. 500
TC2	Anu	25	2	Category: Adult, Hospital Bill: Rs. 800
TC3	Kumar	65	3	Category: Senior Citizen, Hospital Bill: Rs. 1000
TC4	Priya	17	3	Category: Child, Hospital Bill: Rs. 1000

ALGORITHM:

1.Start.

2.Read employee name, basic salary, and tax deduction percentage.

3.Calculate HRA as 20% of basic salary and DA as 10%.

4.Calculate gross salary = basic + HRA + DA.


5.Calculate deduction using the given percentage of gross salary.

6.Calculate net salary = gross − deduction.

7.Display gross, deduction, and net salary.

8.Stop.

FLOWCHART:



PSEUDOCODE:

START
INPUT name, basic, deduction_percent
IF basic < 0 OR deduction_percent < 0 OR deduction_percent > 100:
DISPLAY "Invalid input" ELSE:
  hra = basic * 0.20 da =
basic * 0.10 gross =
basic + hra + da
  deduction = gross * deduction_percent / 100
  net = gross - deduction
  DISPLAY name, gross, deduction, net
STOP

CODE:

```python
name = input("Enter employee name: ")
salary = float(input("Enter basic salary: "))
if salary <= 10000:
    deduction = salary * 0.05
elif salary <= 20000:
    deduction = salary * 0.10
else:
    deduction = salary * 0.15
net_salary = salary - deduction
print("Employee Name:", name)
print("Basic Salary: Rs.", salary)
print("Deduction: Rs.", deduction)
print("Net Salary: Rs.", net_salary)
```

OUTPUT:

```
Enter employee name: SUJATHA
Enter basic salary: 100000
Employee Name: SUJATHA
Basic Salary: Rs. 100000.0
Deduction: Rs. 15000.0
Net Salary: Rs. 85000.0
```

TESTCASES:

est Case	**Employee Name**	**Basic Salary (Input)**	**Deduction (Output)**	**Net Salary (Output)**
TC1	Ravi	8000	400.0	7600.0
TC2	Sita	10000	500.0	9500.0
TC3	Raju	15000	1500.0	13500.0
TC4	Priya	20000	2000.0	18000.0
TC5	Kiran	25000	3750.0	21250.0
TC6	Arun	5000	250.0	4750.0

ALGORITHM:

1.Start.

2.Read item total and whether the customer is a member (yes/no).

3.If total is at least ₹5,000, apply 10% discount; otherwise if at least ₹2,000, apply 5%; otherwise no discount.


4.If customer is a member, apply an additional 2% discount to the amount after the first discount.

5.Add 5% tax to the discounted amount.

6.Display discount and final bill.

7.Stop.

FLOWCHART:



PSEUDOCODE:

START
INPUT amount, member
IF amount < 0: DISPLAY "Invalid amount" ELSE:
  IF amount >= 5000: discount = amount * 0.10
  ELSE IF amount >= 2000: discount = amount * 0.05
  ELSE: discount = 0
  after_discount = amount - discount
  IF member == "yes": after_discount = after_discount * 0.98
tax = after_discount * 0.05 total = after_discount + tax
DISPLAY discount, tax, total STOP

CODE:

```python
amount = float(input("Enter shopping amount: "))
if amount >= 5000:
    discount = amount * 0.20
elif amount >= 2000:
    discount = amount * 0.10
elif amount >= 1000:
    discount = amount * 0.05
else:
    discount = 0
final_amount = amount - discount
print("Shopping Amount: Rs.", amount)
print("Discount: Rs.", discount)
print("Final Bill: Rs.", final_amount)
```

OUTPUT:

```
Enter shopping amount: 10000
Shopping Amount: Rs. 10000.0
Discount: Rs. 2000.0
Final Bill: Rs. 8000.0

Process finished with exit code 0
```

TESTCASES:

Test Case	Shopping Amount (₹)	Discount Rate	Discount (₹)	Final Bill (₹)
TC1	**500**	**0%**	**0**	**500**
TC2	**1000**	**5%**	**50**	**950**
TC3	**1500**	**5%**	**75**	**1425**
TC4	**2000**	**10%**	**200**	**1800**
TC5	**3000**	**10%**	**300**	**2700**
TC6	**5000**	**20%**	**1000**	**4000**
TC7	**8000**	**20%**	**1600**	**6400**

ALGORITHM:

1.Start.

2.Read quantity produced, material cost per unit, labour cost per unit, and selling price per unit.

3.Validate all values are non-negative.

4.Calculate total cost = quantity × (material cost + labour cost).


5.Calculate revenue = quantity × selling price.

6.Calculate profit or loss = revenue − total cost.

7.Display cost, revenue, and profit/loss.

8.Stop.

FLOWCHART:



PSEUDOCODE:

START
INPUT quantity, material, labour, selling_price IF
any input is negative: DISPLAY "Invalid input" ELSE:
total_cost = quantity * (material + labour)
revenue = quantity * selling_price result =
revenue - total_cost IF result > 0: status =
"Profit"
ELSE IF result < 0: status = "Loss"
ELSE: status = "Break-even"
DISPLAY total_cost, revenue, result, status STOP

CODE:

```python
material = float(input("Enter material cost: "))
labour = float(input("Enter labour cost: "))
other = float(input("Enter other costs: "))
quantity = int(input("Enter number of products: "))
price = float(input("Enter selling price per product: "))
total_cost = material + labour + other
total_sales = quantity * price
profit = total_sales - total_cost
print("Total Manufacturing Cost: Rs.", total_cost)
print("Total Sales: Rs.", total_sales)
print("Profit/Loss: Rs.", profit)
if profit > 0:
    print("Profit")
elif profit < 0:
    print("Loss")
else:
    print("No Profit, No Loss")
```

OUTPUT:


```
Enter material cost: 100000
Enter labour cost: 200000
Enter other costs: 50000
Enter number of products: 6
Enter selling price per product: 10000
Total Manufacturing Cost: Rs. 350000.0
Total Sales: Rs. 60000.0
Profit/Loss: Rs. -290000.0
Loss
```

TESTCASES:

Test Case	Material Cost (₹)	Labour Cost (₹)	Other Costs (₹)	Quantity	Selling Price (₹)	Total Cost (₹)	Total Sales (₹)	Profit/Loss (₹)	Result
TC1	5000	2000	1000	100	100	8000	10000	2000	Profit
TC2	5000	2000	1000	100	80	8000	8000	0	No Profit, No Loss
TC3	5000	2000	1000	100	60	8000	6000	-2000	Loss
TC4	3000	1000	500	50	100	4500	5000	500	Profit
TC5	2000	1000	500	20	100	3500	2000	-1500	Loss
TC6	1000	500	500	10	200	2000	2000	0	No Profit, No Loss

ALGORITHM:

FLOWCHART:



PSEUDOCODE:

CODE:

```python
budget = float(input("Enter travel budget in rupees: "))
currency = input("Enter currency (USD or EUR): ").upper()
amount = float(input("Enter foreign currency amount: "))
if currency == "USD":
    rate = 85
elif currency == "EUR":
    rate = 95
else:
    rate = 0
    print("Invalid currency")
if rate > 0:
    expense = amount * rate
    remaining = budget - expense
    print("Expense in Rupees: Rs.", expense)
    print("Remaining Budget: Rs.", remaining)
    if remaining >= 0:
        print("Budget is sufficient")
    else:
        print("Budget exceeded")
```

OUTPUT:

```
Enter travel budget in rupees: 100000
Enter currency (USD or EUR): usd
Enter foreign currency amount: 20000
Expense in Rupees: Rs. 1700000.0
Remaining Budget: Rs. -1600000.0
Budget exceeded
```


TESTCASES:

Test Case	Budget (₹)	Currency	Foreign Amount	Rate (₹)	Expense (₹)	Remaining Budget (₹)	Expected Result
TC1	10000	USD	50	85	4250	5750	Budget is sufficient
TC2	5000	USD	60	85	5100	-100	Budget exceeded
TC3	15000	EUR	100	95	9500	5500	Budget is sufficient
TC4	8000	EUR	100	95	9500	-1500	Budget exceeded
TC5	5000	USD	0	85	0	5000	Budget is sufficient

7.Campus event financial planning

ALGORITHM:

FLOWCHART:



PSEUDOCODE:

CODE:

```
budget = float(input("Enter event budget: "))
food = float(input("Enter food expenses: "))
decoration = float(input("Enter decoration expenses: "))
other = float(input("Enter other expenses: "))
total = food + decoration + other
remaining = budget - total
print("Total Budget: Rs.", budget)
print("Total Expenses: Rs.", total)
print("Remaining Amount: Rs.", remaining)
if remaining > 0:
    print("Budget is sufficient")
elif remaining < 0:
    print("Budget exceeded")
else:
    print("Budget fully used")
```

OUTPUT:


```
Enter event budget: 100000
Enter food expenses: 20000
Enter decoration expenses: 40000
Enter other expenses: 20000
Total Budget: Rs. 100000.0
Total Expenses: Rs. 80000.0
Remaining Amount: Rs. 20000.0
Budget is sufficient
```

TESTCASES:

ALGORITHM:

FLOWCHART:

Examination Result and Grace-Mark Validation



PSEUDOCODE:

CODE:

```python
marks = int(input("Enter your marks: "))
if marks >= 35:
    print("Result: Pass")
elif marks >= 30:
    marks = marks + 5
    if marks >= 35:
        print("Result: Pass with grace marks")
    else:
        print("Result: Fail")
else:
    print("Result: Fail")

print("Final Marks:", marks)
```

OUTPUT:


```
Enter your marks: 90
Result: Pass
Final Marks: 90
```

TESTCASES:

Test Case Input Marks Final Marks Expected Output

ALGORITHM:

FLOWCHART:



PSEUDOCODE:

CODE:

```python
total_classes = int(input("Enter total classes: "))
attended = int(input("Enter classes attended: "))
attendance = (attended / total_classes) * 100
print("Attendance Percentage:", attendance)
if attendance >= 75:
    print("Attendance is sufficient")
else:
    required = (0.75 * total_classes - attended) / 0.25
    print("Attendance is below 75%")
    print("More classes to attend:", int(required) + (required % 1 > 0))
```

OUTPUT:


```
Enter total classes: 6
Enter classes attended: 5
Attendance Percentage: 83.33333333333334
Attendance is sufficient
```

TESTCASES:

Test Case Total Classes Classes Attended Attendance (%) Expected Output

ALGORITHM:

FLOWCHART:




PSEUDOCODE:

CODE:

```
print("Numeric Pattern Generator")
n = int(input("Enter number of rows: "))
for i in range(1, n + 1):
    for j in range(1, i + 1):
        print(j, end=" ")
    print()
```

OUTPUT:



TESTCASES:

Test Case Input (Number of rows) Expected Output

1 1	**1**
1 2	
2	**2**
11 2	
3 3 1	**20**
1 2 **20**	
1 **1 2**	
4 4	
1 2 3 **1 2 3 4**	
1 **1 2**	
5 5	**1 2 3** **1 2 3 4** **1 2 3 4 5**