Orange Health Labs

Rated 4.9/5 on Google (50,000+ Reviews)

Available in 6 cities

Trusted by 1000+ doctors

Reports in your pocket

Download App

Sri Charan Nandiraju

20 Year(s) · Male

Reported on

February 18, 2026

Index

- Glycated Hemoglobin (HbA1C)
- Cholesterol, Total
- Creatinine
- Complete Blood Count (CBC)
- Thyroid Function Test (TFT)
- Basic Vitals (Ht/Wt/BMI)
- Blood Pressure

Sri Charan Nandiraju
20 Year(s)/Male

Ref. by :
Partner : ICICI Lombard

Report Ref. ID : HYD6143770
Patient ID : OHPM72PS1966780
Collected : 18/02/2026 03:13 PM
Received : 18/02/2026 06:51 PM
Reported : 18/02/2026 07:55 PM

MC-6403

Test	Results	Units	Biological Reference
BIOCHEMISTRY			
Glycosylated Haemoglobin (HbA1c) | Whole Blood EDTA			
Glycated Hemoglobin (HbA1C) High-Performance Liquid Chromatography (HPLC)	5.3	%	Normal: < 5.7 Pre-Diabetes: 5.7-6.4 Diabetes: ⇒ 6.5
Mean Blood Glucose Calculated	105	mg/dL	< 117

HbA1C is used to monitor fluctuations in blood glucose concentration in the past 8 to 12 week's period.
The reference interval defined as per American Diabetes Association guidelines 2016:

- Less than 5.7%: Non Diabetic
- 5.7 to 6.4%: at increased risk of developing diabetes in the future
- More than 6.5%: Diabetic
- Therapeutic glycemic target
  - Adults: less than 7%
  - Children with Type 1 diabetes: less than 7%
- Pregnant diabetic patients: less than 6.5%

Note: Targets may be individualized based on: Age/life expectancy, Comorbid conditions, Diabetes duration, Hypoglycemia status, Individual patient considerations

Reference: American Diabetes Association. Standards of medical care in diabetes - 2021.

Mean Blood Glucose is average Blood glucose which directly correlates with A1C, reported in the same units as blood sugar levels (mg/dl). Thus it reflects the average glucose concentration in the past 8 to 12 weeks period. This should not be compared with Fasting or Post prandial or random blood sugar which measures glucose concentration at that point of time of testing.

Approved By

Dr. Shruti Sharma
MBBS, DNB (Pathology)
Pathologist

Sri Charan Nandiraju
20 Year(s)/Male

Ref. by :
Partner : ICICI Lombard

Report Ref. ID : HYD6143770
Patient ID : OHPM72PS1966780
Collected : 18/02/2026 03:13 PM
Received : 18/02/2026 07:32 PM
Reported : 18/02/2026 07:52 PM

MC-6403

Test	Results	Units	Biological Reference
Cholesterol, Total Serum,Cholesterol Esterase/Cholesterol Oxidase/Peroxidase	165	mg/dL	< 200
Creatinine Serum,Twopoint-Rate-Creatinine Aminohydrolase	1.2	mg/dL	0.66 - 1.25

Approved By

Dr. Shruti Sharma
MBBS, DNB (Pathology)
Pathologist

Sri Charan Nandiraju
20 Year(s)/Male

Ref. by :
Partner : ICICI Lombard

Report Ref. ID : HYD6143770
Patient ID : OHPM72PS1966780
Collected : 18/02/2026 03:13 PM
Received : 18/02/2026 06:51 PM
Reported : 18/02/2026 08:01 PM

HAEMATOLOGY

Complete Blood Count (CBC) | Whole Blood EDTA

Test	Results	Units	Biological Reference
Red Blood Cells (RBC) Count DC Impedance Method	**5.81**	mill/mm³	4.5 - 5.5
Hemoglobin (Hb) Cyanide-free SLS method	16.2	g/dL	13 - 17
Hematocrit (HCT) | Packed Cell Volume (PCV) Calculated	49.5	%	40 - 50
Mean Corpuscular Volume (MCV) Calculated	85.2	fL	83 - 101
Mean Corpuscular Hemoglobin (MCH) Calculated	27.9	pg	27 - 32
Mean Corpuscular Hemoglobin Concentration (MCHC) Calculated	32.7	g/dL	31.5 - 34.5
Red Cell Distribution Width (RDW) CV Calculated	12.8	%	11.6 - 14
Mentzer Index Calculated	15.0	Index Value	Thal trait: <14, Iron deficiency anaemia : >=14
Sehgal Index Calculated	1249.4	Index Value	Beta Thalassemia trait: < 972 Iron deficiency anaemia: >= 972
Total White Blood Cell Count (TC) Flow Cytometry	8130	cells/mm³	4000 - 10000
Differential Count			
Neutrophils Flow Cytometry	61.2	%	40 - 80
Lymphocytes Flow Cytometry	30.3	%	20 - 40
Monocytes Flow Cytometry	5.0	%	2 - 10

Sri Charan Nandiraju
20 Year(s)/Male

Ref. by :
Partner : ICICI Lombard

Report Ref. ID : HYD6143770
Patient ID : OHPM72PS1966780
Collected : 18/02/2026 03:13 PM
Received : 18/02/2026 06:51 PM
Reported : 18/02/2026 08:01 PM

Test	Results	Units	Biological Reference
Eosinophils Flow Cytometry	2.8	%	1 - 6
Basophils Flow Cytometry	0.7	%	0 - 2
Absolute Neutrophil Count (ANC) Calculated	4976	/mm³	2000 - 7000
Absolute Lymphocyte Count (ALC) Calculated	2463	/mm³	1000 - 3000
Absolute Monocyte Count (AMC) Calculated	407	/mm³	200 - 1000
Absolute Eosinophil Count (AEC) Calculated	228	/mm³	20 - 500
Absolute Basophil Count (ABC) Calculated	57	/mm³	0 - 100
Neutrophil Lymphocyte Ratio (NLR) Calculated	2.0	Ratio	1 - 3
Platelet Count DC Impedance Method	278	10^3/µL	150 - 450
Platelet Hematocrit Calculated	0.280	%	0.2 - 0.5
Mean Platelet Volume (MPV) Calculated	10.1	fL	7 - 13

- Reference Ranges are in accordance with Dacie & Lewis Practical Hematology International Edition (12th).
- As per International Council for Standardization in Hematology's recommendations Differential Leucocyte counts are additionally reported in Absolute numbers in each cell per unit volume of blood.

Approved By

Dr. Shruti Sharma
MBBS, DNB (Pathology)
Pathologist

Sri Charan Nandiraju
20 Year(s)/Male

Ref. by :
Partner : ICICI Lombard

Report Ref. ID : HYD6143770
Patient ID : OHPM72PS1966780
Collected : 18/02/2026 03:13 PM
Received : 18/02/2026 07:32 PM
Reported : 18/02/2026 08:21 PM

MC-6403

Test	Results	Units	Biological Reference
IMMUNOLOGY			
Thyroid Function Test (TFT) | Serum			
Triiodothyronine (T3), Total Chemiluminescent Immunoassay	1.19	ng/mL	0.91 - 2.18
Thyroxine (T4), Total Chemiluminescent Immunoassay	6.97	µg/dL	5.01 - 13.2
Thyroid Stimulating Hormone (TSH) Chemiluminescent Immunoassay	2.089	µIU/mL	0.455 - 4.16

Thyroid Stimulating Hormone (TSH), also called Thyrotropin is a hormone secreted into the blood by the Pituitary gland (a gland present in the brain). It signals the thyroid gland to make and release the thyroid hormones (T3 & T4) into the blood. The VITROS TSH3 assay meets the criteria for a third generation assay with a high level of precision and a limit of quantification (LOQ) of 0.01 µIU/mL.

High TSH level indicates that the thyroid gland is not making enough thyroid hormone (primary hypothyroidism). Low TSH level usually indicates that the thyroid is producing too much thyroid hormone (hyperthyroidism).



Factors influencing TSH levels

Sri Charan Nandiraju
20 Year(s)/Male

Ref. by :
Partner : ICICI Lombard

Report Ref. ID : HYD6143770
Patient ID : OHPM72PS1966780
Collected : 18/02/2026 03:13 PM
Received : 18/02/2026 07:32 PM
Reported : 18/02/2026 08:21 PM

MC-6403

Test	Results	Units	Biological Reference

1. **TSH level** shows a significant decline after meal intake in comparison to fasting values. If the patient is taking any thyroid medication different times each day, they may sometimes be taking the thyroid hormone on an empty stomach, and sometimes with or after having food. This may have clinical implications in the diagnosis and management of hypothyroidism, especially Subclinical hypothyroidism.
2. **Circadian Rhythm:** TSH levels follow a circadian variation, reaching peak levels between Morning 2 - 4 am and at a minimum between Evening 6-10 pm. The above graph considers a sleep window of 11:00 PM to 7:30 AM. The variation is of the order of 50%. There are studies which quote variations up to 70 % depending on when the sample is drawn during which time of the day. Hence time of sample collection during a day can significantly influence on the measured serum TSH concentrations.
3. **Other Factors:** It is important to recognize that TSH is a labile hormone and is subject to non-thyroidal pituitary influences (glucocorticoids, somatostatin, dopamine etc.), stress, activity, that can disrupt the TSH/FT4 relationship. Genetics, Poisonous substances and radiation exposure, Inflammation of the thyroid gland, Deficiency or excess of iodine in the diet, Pregnancy, Certain medications - antidepressants, cholesterol lowering drugs, chemotherapy drugs, steroids, Thyroid cancer.

In **pregnant females** the reference range of TSH differs. Please refer the table below for the same:-

PREGNANCY	TSH REFERENCE RANGE (µIU/mL)
1st Trimester	0.100-2.500
2nd Trimester	0.200-3.00
3rd Trimester	0.300-3.00

References:

1. Indian Journal of Endocrinology and Metabolism 18(5):p 705-707, Sep-Oct 2014.
2. http://www.pnei-it.com/1/upload/thyrotropin_secretion_patterns_in_health_and_disease.pdf

Approved By

Dr. Shruti Sharma
MBBS, DNB (Pathology)
Pathologist

Sri Charan Nandiraju
20 Year(s)/Male

Ref. by :
Partner : ICICI Lombard

Report Ref. ID : HYD6143770
Patient ID : OHPM72PS1966780
Collected : 18/02/2026 03:13 PM
Received : 18/02/2026 07:32 PM
Reported : 18/02/2026 08:21 PM

MC-6403

Test	Results	Units	Biological Reference

Reviewed By

Dr. Shruti Sharma
MBBS, DNB (Pathology)
Pathologist

Dr. Vaddi Saran
MBBS, MD (Pathology)
Pathologist

CONDITIONS OF LABORATORY TESTING & REPORTING

- It is presumed that the test sample belongs to the patient named or identified in the test requisition form. Test results released pertain to the specimen submitted.
- Laboratory investigations are only a tool to facilitate arriving at a diagnosis and should be clinically correlated by the Referring Physician.
- All tests are performed and reported as per the turnaround time stated in the Orange Health Labs Directory of Services (DOS).
- Orange Health Labs confirms that all tests have been performed or assayed with the highest quality standards, clinical safety & technical integrity.
- All test results are dependent on the quality of the sample received by the Laboratory and the assay technology.
- Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.
- A requested test might not be performed if:
  - The specimen received is insufficient or inappropriate, or the specimen quality is unsatisfactory
  - Incorrect specimen type
  - Request for testing is withdrawn by the ordering doctor or patient
  - There is a discrepancy between the label on the specimen container and the name on the test requisition form
- Test results may show interlaboratory variations.
- Test results are not valid for medico-legal purposes.
- This is a computer-generated medical diagnostic report that has been validated by an Authorized Medical Practitioner/Doctor. The report does not need a physical signature.

REPORT PRINTOUT/HARDCOPY

- Patients can collect free report printouts from our Lab or the nearest Collection Centre.
- Hard copies can be delivered within 24 hours for ₹200/report (non-refundable after dispatch).
- For assistance, contact Orange Support at +91-9008111144.

Name	Sri Charan Nandiraju	**Collected On**	02/18/2026, 03:07 PM
Age/Sex	20 Years | male	**Reported On**	02/18/2026, 03:07 PM

Blood Pressure

Systolic Value	-	132	mm hg
Diastolic Value	-	76	mm hg

Body Mass Index

Height	-	179.5	cms
Weight	-	82.6	kgs
Body Mass Index	-	25.64	kg/m2