

Advanced WYSIWYG editor

The Advanced WYSIWYG editor combines lightweight design with powerful, rich text editing capabilities, supporting specific Markdown syntax. It offers a highly visual and intuitive experience that surpasses traditional Markdown editors yet maintains more flexibility than the WYSIWYG editors.

⚠ CAUTION

The articles switched from the Markdown or the WYSIWYG editor to the Advanced WYSIWYG editor cannot be reverted.

Using the Advanced WYSIWYG editor

Assigning an article name

When you create an article, you provide a name for it. In the **Advanced WYSIWYG editor**, the article title appears at the top of the article content area. Click the title to edit it. You will see the following options:

Suggest Title:

- Eddy AI suggests three title options for your article. Select the desired title and edit it as needed.
- Click **Generate more suggestions** to see additional title options.
- Use the **like** (👍) and **dislike** (👎) buttons to provide feedback on Eddy AI's suggestions.


URL & Description:

- URL:** Edit the article's URL in this field. By default, Document360 creates the URL (also known as a slug) based on the article title at the time of creation. For example, if the article title is "What is Document360?", the URL becomes `what-is-document360`.

⚠ NOTE

For more information, read the article on [Change the URL of an article](#).

- Description:** Enter a short description of the article.



❗ NOTE

To edit article metadata such as [SEO settings](#), [search visibility](#), [tags](#), [labels](#), [related articles](#), [featured image](#), [attachments](#), [status indicator](#), [preferences](#), or [deprecation](#), click the **More** icon (⋮) in the top-right corner of the editor, and then select **More article options**.

You can use the **Quick insert** menu, slash command, and specific Markdown syntax to create and edit content in the Advanced WYSIWYG editor.

Quick insert menu

The Quick insert menu appears as a floating option within an empty block. It allows users to quickly add commonly used elements to their articles.

The available options in the **Quick insert** menu are:

- **Eddy AI Writer** (🤖): Generate AI-powered content directly in your article.
- **Bullet List** (☰): Insert a bulleted list. Use the dropdown to select default, disc, square, or circle.
- **Table** (📊): Add a table to structure data.
- **Image** (🖼️): Upload and insert an image.

❗ NOTE


- Use the available tools to format the image. Click the image to open the floating formatting menu.
- You can align, crop, add borders, add shadows, add captions, and more.

For more information, read the article on [Image formatting in the Advanced WYSIWYG editor](#).

- **Link** ([@](#)): Add a hyperlink. You can also use the **Ctrl + K** keyboard shortcut.
- **Code block** (`</>`): Insert a code block for technical content. Click within the code block to access the contextual toolbar:
 - Language dropdown: Select the desired language
 - Copy: To copy the code block
- **More**: Click More to access additional formatting options using the Slash menu.

ⓘ NOTE

- The Quick Insert menu appears only when the block is empty.
- It disappears automatically when you start typing.
- If you clear the content in a block, the Quick Insert menu reappears.



Start writing with Eddy AI, Pick a template, and Import docs

When the article in the Advanced WYSIWYG editor is in an empty state, you can start creating your content using the following options:

a. Start writing with Eddy AI

1. Click **Start writing with Eddy AI**.
2. Select one of the available options:
 - a. **Write Article**
 - b. **Create article outline**


- c. **Create article from video**
- d. **Create article from media transcript or text file**

3. Enter your desired prompt or topic.

The AI will generate an initial draft based on the selected options and provided input.

ⓘ NOTE

For more information, read the article on [AI Writer](#).



b. Pick a template

1. Click **Pick a template**.
A panel will appear with available templates.
2. Select the desired template and preview it.
3. Click **Use this template** to structure your article with predefined content.
The article's name and slug will automatically populate using the template's title.

Template name [Manage templates](#)

Troubleshooting Guide

Getting Started Guides

New template

Getting Started with [Product/Service Name]

Introduction

[Brief overview of what the product/service is and its benefits.]

System Requirements

Requirement	Details
Operating System	Windows 10 or higher, macOS 10.14 or higher
Browser	Latest versions of Chrome, Firefox, Safari, or Edge
Internet Connection	Stable broadband connection

Cancel

Use this template

ⓘ NOTE

For more information, read the article on [Templates](#).

C. Import document

1. Click **Import document**.

The Import panel will appear.

2. Upload a **.docx** file using drag-and-drop or the **upload a file** option.

The article name and slug will be auto-generated based on the uploaded file's name.

Import document



Upload from my device

or drag and drop

Acceptable formats: .docx

Max size: 15MB

Cancel

Import

ⓘ NOTE

- The **Start writing with Eddy AI**, **Pick a template**, and **Import docs** options will appear prominently when the article editor is empty.
- Once you start typing manually, the options disappear.
- If you clear the content in the editor, these options reappear for easy access.

Slash commands


Type **/** in the editor, a list of options appears. You can also search for the options by typing the command names. Click the desired command or press the **Enter** key to select the command.

ⓘ NOTE

Ensure you type **/** at the start of a line or after a space. The options will not appear if you type it immediately after a character. You can navigate through each command and section in slash commands using the up, down, right, and left arrow keys.

You can also easily access **Eddy AI Writer** right from the top of the slash menu. Additionally, the slash command options are categorized into three sections:

Format	Insert	Content reuse
Heading 2	Image	Variables
Heading 3	Screen capture	Snippets
Heading 4	Video	Glossary
Numbered list	Record video	
Multi-level list	Interactive demo	
Bullet list	Link	
Checklist	File	
Inline code	Table	
Page break	Divider	
	Accordion	
	Callout	
	Private note	
	Code block	
	Tabs	
	FAQs	
	Latex	
	Emoji	



ⓘ NOTE

Tables

When selecting `/table` from the slash menu, a sub-menu appears with a grid-style palette:

- The default selection is a `3 × 3` table.
- You can insert up to a `10 × 10` table using the palette.
- Use the keyboard keys or mouse to modify the selection.
- After table creation, you can add more rows and columns using the + icon. For more information, read the [Tables in Advanced WYSIWYG editor](#).

Dividers

When selecting `/divider` from the slash menu, a sub-menu appears showing **three divider styles**:

- Solid (default)
- Dotted
- Dashed

Markdown syntax

The Advanced WYSIWYG editor supports a wide range of Markdown syntaxes; for a detailed list, read the article on [Markdown basics](#).

For example, if you want to add a Heading 2, type the following syntax: `##` **Markdown syntax**. The syntax will be rendered and Heading 2 will be added instantly.

❗ NOTE

- The Markdown syntax will only work when you type it in manually. It will not be rendered when you copy and paste the syntax.
- To view the list of unsupported Markdown syntax, read the article on [Advanced WYSIWYG editor basics](#).

Toolbar


To change the layout or appearance of the content, use the Advanced WYSIWYG editor's rich formatting options.

While editing in the Advanced WYSIWYG editor, click the **Format** (T) icon on the right side of the editor panel.

❗ NOTE

By selecting the Pin (📌) option, you can anchor the toolbar to the right side of the editor interface. When the toolbar is pinned, the **category tree** will remain expanded as you navigate between articles, making it easier to switch between them without expanding the category tree each time, while keeping the formatting toolbar pinned in the editor.

On smaller screens (below 1280 px), the category tree will automatically collapse when you switch between articles.



1. Text styles

- **Undo** (↶): To reverse the last action.
- **Redo** (↷): To reapply the last undone action.

- **Format painter** (🖌️): To copy and apply formatting from one part of the text to another.
- **Clear** (🗑️): To remove all styling from selected text.
- **Lettercase** (Aa): To change the letter case of the text.

2. Headings

- **H2** : To apply the H2 (Heading 2) style to the selected text.
- **H3** : To apply the H3 (Heading 3) style to the selected text.
- **H4** : To apply the H4 (Heading 4) style to the selected text.
- **Paragraph** (¶): To apply the standard paragraph style to the selected text.

3. Typography

- **Font family**: To select the typeface for the text.
- **Font size**: To adjust the size of selected text.

ⓘ NOTE

When you insert the content within Advanced WYSIWYG editor, the font type will be set to *Verdana* by default.

- To change the font settings throughout your knowledge base, navigate to **Settings** (⚙️) in the left navigation bar.
- In the left navigation pane, navigate to **Knowledge base site** > [Customize site](#).
- From the **Site font** dropdown, select the desired font.

4. Palette

- **Font color**: To change the color of the selected text.
- **Background color**: To set a background color for the selected text.

5. Formatting & Lists

- **Bold** (B): To bold the selected text.
- **Italic** (I): To italicize the selected text.
- **Underline** (U): To underline the selected text.
- **Strikethrough** (ABC): To apply a strikethrough to the selected text.
- **Inline code** (📄): To add inline code to the text.
- **Align left** (☐): To align the text content with the left margin.

- **Center** (☐): To center your text content.
- **Align right** (☐): To align the text content with the right margin.
- **Justify** (☐): To distribute the text content evenly between the margins.
- **Bullet list** (☐): To add a list denoted with symbols for each item.
- **Numbered list** (☐): To add a list denoted with numbering for each item.
- **Multi-level numbering list** (☐): To add a list denoted with multi-level numbering for each item.
- **Check list** (☐): To add a list denoted with checkboxes that users can mark as complete or incomplete.

6. Controls

- **Increase indent** (☐): To move the content farther away from the margin.
- **Decrease indent** (☐): To move the content closer to the margin.
- **Subscript** (X₁): To lower the text below the baseline.
- **Superscript** (X¹): To raise the text above the baseline.
- **Line height** (☐): To choose the spacing between the lines.
- **Letter space** (☐): To change the spacing between the letters.
- **Line break** (☐): To switch to the following line.
- **Page break** (☐): To specify where to end the current page and begin the next page while exporting content as a PDF.

💡 PRO TIP

To change the level of your bulleted or numbered list, you can either use the **Increase indent** (☐) or **Decrease indent** (☐) controls from the toolbar. Alternatively, use the keyboard shortcuts **Tab** to increase indent or **Shift+Tab** to decrease indent.

Find and replace

To use the Find and Replace feature in the Advanced WYSIWYG editor:


1. Click the **More** (☐) icon in the top-right corner.
2. Select **Find and replace** from the menu.

ⓘ NOTE

For more information, read the article on [Find and replace](#).


Find and replace

|



Spell Checker in Advanced WYSIWYG editor

1. Right-click on the misspelled word.
2. The suggestions for corrections will be displayed through your browser's native functions.
3. Click on the suggested correction to apply it as needed.



Inserting FAQ templates in the Advanced WYSIWYG editor

To insert FAQ templates in the Advanced WYSIWYG editor:

1. Navigate to the desired location in the article.
2. Type the **Slash** command `/FAQs` and select **FAQs** from the list.
Document360 adds three FAQ accordion templates to your article.
3. In the inserted FAQ templates, you can perform the following options:
 - a. **Settings** (⚙️): Click to customize the FAQ templates according to your preferences.
 - b. **Expand/Collapse** (📁): Click to expand or collapse the FAQ accordions.
 - c. **Delete** (🗑️): Click to remove the entire FAQ section.
 - d. **Add question** (+): Click between the FAQs to insert additional custom FAQs.

☆ ⓘ 🔒 🔍 Preview

Recommendations Draft ...

2. In the left navigation pane, navigate to **Knowledge base site** > **Article settings & SEO** tab.

3. In the **Article settings** tab, expand the **FAQ** accordion.

Customization options

You can customize the FAQ templates as needed from the following options:

1. In the **Expand/Collapse** section, choose your option

a. **Expand first**: Only the first FAQ will be expanded by default.

b. **Expand all**: All generated FAQs will be expanded.

c. **Collapse all**: All generated FAQs will be collapsed.

2. **Style**: For styling the FAQs, choose your desired option:

a. **With border**: A border will appear around all sides of each FAQ accordion (default option).

b. **Without border**: Only the bottom border will be displayed on each accordion, except for the last one.

3. **Expand arrow position**: You can select the position of the arrow for expanding FAQs, either right or left. By default, the arrow position is set to right.

4. **Expand/Collapse**: Customize the icons used for expanding and collapsing FAQs. Choose between arrow up/down or plus/minus options.

ⓘ


NOTE

- FAQs templates are different from AI FAQ generator.
- For more information, read the article [AI FAQ generator](#).

Code view ()

- Allows you to view and edit the content in HTML code format.
- When you switch to Code view, the editor automatically formats the HTML for better readability. This formatting standardizes indentation and spacing without changing the underlying HTML structure.
- Automatic formatting runs each time you enter Code view. Custom HTML and script blocks are not affected, and formatting is not applied during save or publish.
- Switching to Code View enables you to add custom HTML elements, apply inline styles, or make precise adjustments.
- Use **Ctrl + F** to perform a persistent search in Code view:
 - Press **Enter** to navigate to the next occurrence of the search term.
 - Press **Shift + Enter** to navigate to the previous occurrence.
- In the **Code view** panel, the **More** (⋮) icon is disabled.

Page: 14 of 31



⚠ NOTE

- You must click the **Save** button to save the changes made in the code view.
- Ordered and Unordered list misses out on sequential ordering.
- Nested list types are not supported in the following scenarios:
 - When the content is copied and pasted.
 - In certain content migration scenarios.

Adding an inline comment in the Advanced WYSIWYG editor


1. Navigate to your desired article in the Knowledge base portal.
2. Select the desired text to add a comment, and a floating menu will appear.
3. Click the **Comment** (💬) icon from the floating menu.
4. Use basic formatting tools such as bold and lists. Additionally, use the @ symbol to mention your project team members if needed.
5. Once done, click the **Send** (➤) icon.

❗ NOTE

To turn off this mode, navigate to the Knowledge base portal, **Documentation** (📖) in the left navigation bar.

In the left navigation pane, navigate to **Content tools > Workflow designer**.

Hover over the desired status and click the Edit (✎) icon and turn off the **Read only** toggle.




To view all the comments in an article:

1. Navigate to the desired article.
2. Click the **Comment** (💬) icon located on the right side near the publish button.
3. The Comments panel will appear. Use the dropdown at the top to filter the options, such as All comments, mentioned comments, open comments, and resolved comments.

Here, you can reply to the comments.

❗ NOTE

For information, read the article on [Reviewing an article using Inline comments](#)



Using numbered and multi-level lists in the Advanced WYSIWYG editor

In the **Advanced WYSIWYG editor**, you can add both **numbered lists** and **multi-level lists** to organize your content effectively.

Creating a numbered list

You can create a numbered list using one of the following methods:

Method 1:

Type any of the following followed by a space, based on your requirement:

1. , a. , A. , i. , I. , (α). , 1) , a) , or i)

Method 2:

Use the slash (/) command:

- **/numbered list** – to add a numbered list. Hover over **Numbered list** in the slash menu to view the available list options.
- **/multi-level list** – to add a multi-level list. Hover over **Multi-level list** in the slash menu to view the list of multi-level list options.

Method 3:

- Select the desired content and press **Ctrl + Shift + 0** or **Ctrl + Shift + 7**.
- By default, the numbered list starts with **1. , 2. , 3. ,** and so on.

Available list styles

Numbered list formats

The following numbered list styles are available:

Format	Example	Description
Numeric	1., 2., 3.	Uses standard Arabic numerals.
Lowercase alphabetic	a., b., c.	Uses lowercase English letters.
Uppercase alphabetic	A., B., C.	Uses uppercase English letters.
Lowercase Roman	i., ii., iii.	Uses lowercase Roman numerals.
Uppercase Roman	I., II., III.	Uses uppercase Roman numerals.
Greek lowercase	α., β., γ.	Uses lowercase Greek letters.
Numeric (with parentheses)	1), 2), 3)	Uses numbers followed by a closing parenthesis.
Lowercase alphabetic (with parentheses)	a), b), c)	Uses lowercase letters followed by a closing parenthesis.
Lowercase Roman (with parentheses)	i), ii), iii)	Uses lowercase Roman numerals followed by a closing parenthesis.

Multi-level list formats

You can choose from four types of multi-level lists:

Type	Example	Description
Numeric → Alphabetic → Roman	1. Step one a. Prepare the environment i. Install required packages 2. Step two	The first level uses numbers, the second level uses lowercase letters, and the third level uses lowercase Roman numerals.
Hierarchical Numeric	1. Project Setup 1.1 Create folders 1.2 Configure settings 1.2.1 Update the config file 2. Deployment	Each sublevel extends the numbering hierarchy using decimal notation.
Numeric (Parentheses) → Alphabetic (Parentheses) → Roman (Parentheses)	1) User registration a) Enter personal details i) Validate the input 2) Confirmation	Uses numbers, letters, and Roman numerals followed by closing parentheses.
Hierarchical Numeric (Parentheses)	1) Installation 1.1) Download the setup file 1.2) Run the installer 1.2.1) Accept terms and conditions 2) Finish setup	Combines hierarchical numeric levels with closing parentheses for each item.

Continuing numbered list after a break:

After inserting an image, page break, or other element within a numbered list, a spark () icon appears next to the list item that follows.

Select the spark (⚡) icon to choose from the following options:

- **Numbering options:** You can either **continue numbering** to follow the previous list while preserving the existing indentation or **restart numbering** to begin from 1 and reset the indentation.
- **Set numbering value:** Manually enter a starting number or use the ↑ or ↓ arrows to set a value. This retains only the first-level indentation.

☆ ⓘ 📄 👁 Preview
Recommendations Draft ...

Numbered lists

Here are some elements you'll find on the knowledge base portal:

⚙ ⋮

1. Overview page
2. Documentation
3. Interactive decision trees
4. API Documentation I
5. Feedback manager
6. Analytics
7. Knowledge Pulse
8. Widgets
9. Drive
10. Settings
11. Search

T

👤

NOTE

The spark (⚡) icon appears only for the first item in the numbered list after a break or block element.

Adjusting indentation in numbered lists

- **To increase the indentation**, press **Tab**. If you are in a numbered list, the numbering format will change accordingly. For example:
 1. Numbers
 - a. Letters
 - i. Roman numerals
- **To decrease the indentation**, press **Shift + Tab**.
This reduces the indent for the current item. If a higher-level indentation exists, the structure adjusts for the entire list.

NOTE

The list indentation cycles through predefined styles for both ordered and unordered lists.

- Ordered list sequence: 1 → a → i → (then repeats Numbers → Alphabets → Romans)
- Unordered list sequence: Disc (●) → Circle (○) → Square (■) → (then repeats).

Adjusting numbering order via drag and drop

When you drag a block into a different position within a numbered list, the numbering can be updated to reflect the new order.

Example:

- Block A is the first block.
- Block B continues numbering from Block A.
- Block C is unrelated and has no numbering.

If you drag Block C between A and B and then choose Continue numbering for Block C, the list updates as: A, C, B

This ensures the numbering reflects the visual flow of content.

Format painter in the Advanced WYSIWYG editor

The **Format painter** in Document360 helps you quickly copy and apply text formatting from one section to another, saving time and ensuring consistency across your content.

You can access the Format painter from the following locations in the Advanced WYSIWYG editor:


- **Format menu**
- **Bubble menu** that appears when you select text

Using the Format painter

To use the Format painter:

1. In the Advanced WYSIWYG editor, select the source text whose formatting you want to copy.
2. Click the **Format painter** (🖌️) icon from the format or bubble menu.
3. The cursor will change to a **paintbrush icon**, indicating that the Format painter is active.
4. Apply the copied formatting by:
 - Clicking on a word or letter in the target text (applies to the whole word only).
 - Dragging the mouse to highlight a selection.
 - Selecting an entire block of text.

Once the formatting is applied or the Format painter is canceled, the cursor will return to normal.



Formatting that will be copied

Only **text-level formatting** will be copied. This includes:

- Font type, size, and color
- Bold, Italic, Underline, Strikethrough
- Letter spacing
- Background color (highlight)

⚠️ NOTE

- For headings, the heading tag will also be copied, but only if the entire block is selected.
- The copied style is based on the **first character** of the selected source text.

Cancelling the Format painter

The Format painter will be deactivated if you:

- Click anywhere outside the editor.
- Press **Esc**.
- Perform any other action in the editor or **Categories & Articles** pane.
- Click the active Format painter icon in the Format menu.

ⓘ NOTE

- Press **Ctrl + Z** or click the Undo (↶) icon in the Format menu to undo the applied formatting.
- Press **Alt + Shift + V** or click the Clear (✕) icon in the Format menu to clear formatting from the selected text.

Keyboard shortcuts for Format painter


The keyboard shortcuts for using Format painter are:

Action	Shortcut
Copy formatting	Alt + C
Apply formatting	Alt + V
Clear formatting	Alt + Shift + V
Cancel format painter	Esc

Formatting choices for pasting from Microsoft Word

When pasting content from Microsoft Word, you can retain or clear formatting, including elements like lists, tables, indentations, and fonts.

1. Click **Paste with formatting** to retain the content's format from Microsoft Word.
2. Click **Paste as plain text** to clear the content's format from Microsoft Word.



Troubleshooting

Unable to edit the article section due to unsupported HTML tags

This issue occurs when an article is converted from the WYSIWYG editor to the Advanced WYSIWYG editor, resulting in unsupported HTML tags.

Steps to resolve:

1. To prevent this, avoid converting articles from the standard WYSIWYG editor to the Advanced WYSIWYG editor.
2. Instead, import or copy-paste content directly into the Advanced WYSIWYG editor to prevent formatting challenges.
3. If the issue has already occurred, review the article's code view and remove any unsupported HTML tags. These tags are typically wrapped within the `<editor360-custom-block>` tag. Removing this tag will restore editing functionality and resolve the issue.

FAQ

Is it possible to add a code block without any heading?

When using the Advanced WYSIWYG editor, it is not possible to add a code block without a name/heading. However, if you wish to hide the name of a code block, you can use Custom CSS code in the **Custom CSS & JavaScript** settings. Also, note that this change will apply to all the code blocks on your Knowledge base site.

You can use the Markdown editor to add a code block without a name or heading.

How can I add spaces in LaTeX formulas?

To insert spaces in LaTeX formulas, use `\;` (a backslash followed by a semicolon) between terms.

Example:

```
Area = length\;*\/;width
```

Output:

$Area = length * width$

Why is the article's content formatting inconsistent?

Formatting inconsistencies occur when content is copied and pasted from external sources, retaining original styles that conflict with the article's default formatting. To ensure uniform formatting across your article, follow the steps below:

1. Select the entire content within the article. Click the **Clear** formatting option available in the **Format** menu to remove any inherited styles applied to the content while the article structure remains the same.
2. After clearing the formatting, manually reapply necessary styles such as headings, lists, or bold text if needed.
3. Clearing the formatting ensures that content displays consistently in both light and dark modes on the Knowledge base site.

How can I add numbering to my content in the Advanced WYSIWYG editor?

You can add numbering to your content in three ways:

1. **Type and Press:** Type **1.** and press **space** to start numbering.
2. **Keyboard shortcut:** Select the desired content and use the shortcut **Ctrl + Shift + 7** or **Ctrl + Shift + 0**.
3. **Format menu:** Select the desired content, go to **Format (T)**, and choose the **Numbered list** (☰) icon.
You can choose from various numbering styles, including Default (1, 2, etc.), Lower Alpha, Lower Greek, Lower Roman, Upper Alpha, and Upper Roman.

How do I delete an accordion block in the editor?

You can delete an accordion block in two ways:

1. Remove all content from the accordion and press the **Backspace** key.
2. Hover over the accordion block, click the **drag handle** (six dots on the left), then press **Delete** or use the delete option from the toolbar that appears when you hover over the drag handle.

What are the different ways to create FAQ sections in Document360, and how do Accordion, FAQ Templates, and AI FAQ Generator compare?

In Document360, there are three ways to create FAQ sections: Accordion, FAQ templates, and the AI FAQ generator. All three use accordion-style formatting, but they differ in how the content is added and managed. While Accordions are entirely manual, FAQ templates provide a structure, and the AI FAQ generator creates content based on the article.

Accordion	FAQ Templates	AI FAQ Generator
Manually add each accordion item using the slash menu <code>/accordion</code> .	Insert a predefined FAQ skeleton using the slash menu <code>/FAQs</code> .	Generate FAQs using the Eddy icon beside the code view (requires a minimum of 150 words in the article).
You have full control—type both the question and answer manually.	Only the structure is added; you fill in your questions and answers.	Questions and answers are generated automatically based on the article's content.
It can be placed anywhere in the article.	It can be inserted anywhere in the article.	Always added at the end of the article.
Add, edit, or delete each accordion manually.	Delete or edit individual FAQ blocks as needed.	Edit, delete, lock specific FAQs, and regenerate others as needed.
Does not provide reusable layouts.	Offers a consistent layout for reuse across articles.	FAQs are unique to each article and can be regenerated multiple times.
Expand/collapse works at each accordion level only.	FAQs can be expanded or collapsed across the entire project.	FAQs can be expanded or collapsed across the entire project.
Fully manual entry.	Manual entry after inserting the layout.	You can manually add or edit the generated FAQs.

How can I find the article ID of an article in Document360?

To find an article ID in Document360:

1. Navigate to the **Knowledge base portal**.
2. In the **Documentation** () section in the left navigation bar, go to the desired article.

3. Look at the URL in your browser — the last part of the URL is the **article ID**.

Example URL:

`https://portal.document360.io/860f9f88-412e-4570-8111-d5bf2f4b7dd1/document/help/view/6aac3117-05d0-4917-b22f-4e20fb65f9dc`

- In this example, `860f9f88-412e-4570-8111-d5bf2f4b7dd1` is the **project ID**.
- The last segment, `6aac3117-05d0-4917-b22f-4e20fb65f9dc` is the **article ID**.

Why is the font color not displayed as intended in dark mode? ^

This case usually occurs when inline CSS styles are carried over while copying content from external sources (like web pages, documents, or PDFs). These styles often override the platform's default theme, causing low contrast or invisible text in dark mode.

To prevent this:

- Paste as plain text using `Ctrl + Shift + V` (Windows) or `Cmd + Shift + V` (Mac) when adding content to an article.
- This removes any unwanted formatting, keeping your content readable in both light and dark modes.

If you've already pasted content and are facing readability concerns, try selecting the text and removing the inline formatting using the **Clear** (X) option in the Advanced WYSIWYG editor.

Why can't readers check checklist items on the Knowledge base site? ^

Checklist blocks created in the **Advanced WYSIWYG editor** are displayed as read-only on the **Knowledge base site** by design. Readers can check or uncheck checklist items only while editing the article inside the **Knowledge base portal**.

If your use case requires temporary interaction on the live site, such as SOP walkthroughs or process validation, you can use **Custom CSS & JavaScript** to make the checklist checkboxes clickable.

Example:

CSS	Copy
<pre>#articleContent ul[data-type=taskList] li[data-checked] > label { pointer-events: auto; }</pre>	

Note: Any checklist state changed using this workaround is temporary and resets when the page is refreshed.

How can I create a two-column layout in my Document360 articles?

You can create a two-column layout (for example, article content on the left and additional notes or tips on the right) in your Document360 articles using **Custom CSS**.

1. Navigate to **Settings** (⚙️) > **Knowledge base site** in the left navigation bar in the Knowledge base portal.
2. In the left navigation pane, navigate to **Customize site** > **Custom CSS & JavaScript**.
3. In the **CSS** tab, paste the following code:

```
.onehope {  
  display: flex;  
  flex-direction: row;  
  width: 100%;  
  font-size: smaller;  
  background-color: white;  
}  
.onehope .onehope_left {  
  flex: 1;  
  margin-right: 0.5vw;  
  margin-top: 25px;  
  margin-left: 0.2vw;  
  text-align: justify;  
}  
.onehope .onehope_right {  
  flex: 1;  
  margin-right: 0vw;  
  margin-left: 1vw;  
  max-width: 30%;  
  text-align: justify;  
}
```

4. In your article content, add the HTML structure.

ⓘ NOTE

You can use the content below directly in the Markdown editor. If you are working in a WYSIWYG or an Advanced WYSIWYG editor, switch to Code view and paste the same.

5. Here's a sample:

```
<div class="onehope">
  <div class="onehope_left">
    <h3>How to reset your password</h3>
    <p>If you forget your password, click <b>Forgot
Password</b> on the login page.
    Enter your registered email, and you'll receive a
password reset link.</p>
  </div>
  <div class="onehope_right">
    <h4>Tip</h4>
    <p>For better security, choose a password with at least
8 characters,
    including numbers and special symbols.</p>
  </div>
</div>
```

ⓘ NOTE

Make sure the class names in your HTML (e.g., `onehope` , `onehope_left` , `onehope_right`) exactly match the class names you defined in your CSS. Otherwise, the layout won't be applied.