

MEDICAL INFORMATION MONOGRAPH — FORMULATION COMPATIBILITY

CORZAPAN (corzapan sodium) 10mg — ENTERAL TUBE STABILITY & CYP INTERACTIONS

Document Ref: MEDINFO-CORZ-2025-084 | Professional Inquiry Service

1. TUBE CRUSHING & SUSPENSION STABILITY GUIDELINES

Enteral Tube Type	Compatibility	Flush Volume	Occlusion Risk
Polyurethane Nasogastric (NG)	Compatible (crush & disperse in 20mL sterile water)	20 mL sterile water flush	Low (< 0.5%)
Silicone Gastrostomy (G-tube)	Compatible (French size ≥ 14Fr)	30 mL sterile water flush	Minimal
Jejunostomy (J-tube)	Not Recommended (site of absorption bypass)	N/A	Moderate

2. CYP3A4 & CYP2C9 DRUG-DRUG INTERACTION SUMMARY

Co-administration of Corzapan with potent CYP3A4 inhibitors (e.g. ketoconazole, clarithromycin) results in a 1.8-fold increase in Corzapan AUC0-inf. Dose reduction to 5 mg once daily is recommended. Strong CYP3A4 inducers (e.g. rifampin, carbamazepine) decrease systemic exposure by 45%. Therapeutic drug monitoring is advised during concurrent antiepileptic therapy.

Regulatory Note: Clinical pharmacology guidance inquiry. Zero patient exposure, zero adverse events reported. Category: Medical Information.