

```
# HELP app_go_numGC Number of completed Garbage Collector cycles.
# TYPE app_go_numGC gauge
app_go_numGC{otel_scope_name="order-func",otel_scope_version="v0.1.0"} 14642
# HELP app_go_routines Number of Go routines running.
# TYPE app_go_routines gauge
app_go_routines{otel_scope_name="order-func",otel_scope_version="v0.1.0"} 21
# HELP app_go_sys Number of total bytes of memory.
# TYPE app_go_sys gauge
app_go_sys{otel_scope_name="order-func",otel_scope_version="v0.1.0"} 1.48857904e+08
# HELP app_http_response Response time of HTTP requests in seconds.
# TYPE app_http_response histogram
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.001"} 0
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.003"} 32
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.005"} 115
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.01"} 321
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.02"} 1299
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.03"} 2168
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.05"} 3125
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.1"} 6976
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.2"} 11463
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.3"} 11676
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.5"} 11698
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="0.75"} 11699
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="1"} 11699
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="2"} 11699
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="3"} 11702
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="5"} 11702
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="10"} 11702
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="30"} 11702
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200",le="+Inf"} 11702
app_http_response_sum{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200"} 1026.4941132160002
app_http_response_count{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="200"} 11702
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="500",le="0.001"} 1
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="500",le="0.003"} 1
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="500",le="0.005"} 1
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="500",le="0.01"} 1
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="500",le="0.02"} 1
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="500",le="0.03"} 1
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="500",le="0.05"} 1
app_http_response_bucket{method="GET",otel_scope_name="order-func",otel_scope_version="v0.1.0",path="/orders",status="500",le="0.1"} 1
```

[illegible]

[illegible]

[illegible]

[illegible]

```
app_http_response_count{method="PUT",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="/orders/{id}",status="500"} 1  
# HELP app_http_service_response Response time of HTTP service requests in seconds.  
# TYPE app_http_service_response histogram  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.001"}  
2812  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.003"}  
8268  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.005"}  
9626  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.01"}  
11595  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.02"}  
13745  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.03"}  
14693  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.05"}  
16964  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.1"}  
22437  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.2"}  
23366  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.3"}  
23402  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.5"}  
23404  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.75"}  
23404  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="1"} 23404  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="2"} 23404  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="3"} 23404  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="5"} 23404  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="10"}  
23404  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="30"}  
23404  
app_http_service_response_bucket{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="+Inf"}  
23404  
app_http_service_response_sum{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200"}  
682.4047709550017  
app_http_service_response_count{method="GET",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200"} 23404  
app_http_service_response_bucket{method="POST",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="201",le="0.001"}  
405  
app_http_service_response_bucket{method="POST",otel_scope_name="order-  
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="201",le="0.003"}  
2647  
app_http_service_response_bucket{method="POST",otel_scope_name="order-
```

7/10

```

app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.05"}
11664
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.1"}
11683
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.2"}
11696
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.3"}
11696
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.5"}
11699
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="0.75"}
11699
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="1"} 11699
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="2"} 11699
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="3"} 11699
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="5"} 11699
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="10"}
11699
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="30"}
11699
app_http_service_response_bucket{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200",le="+Inf"}
11699
app_http_service_response_sum{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200"} 38.956982837
app_http_service_response_count{method="PUT",otel_scope_name="order-
func",otel_scope_version="v0.1.0",path="http://localhost:8081",status="200"} 11699
# HELP app_info Info for app_name, app_version and framework_version.
# TYPE app_info gauge
app_info{app_name="order-
func",app_version="v0.1.0",framework_version="v1.8.0",otel_scope_name="order-
func",otel_scope_version="v0.1.0"} 1
# HELP app_sys_memory_alloc Number of bytes allocated for heap objects.
# TYPE app_sys_memory_alloc gauge
app_sys_memory_alloc{otel_scope_name="order-func",otel_scope_version="v0.1.0"}
1.813048e+07
# HELP app_sys_total_alloc Number of cumulative bytes allocated for heap objects.
# TYPE app_sys_total_alloc gauge
app_sys_total_alloc{otel_scope_name="order-func",otel_scope_version="v0.1.0"}
2.09846668e+11
# HELP go_gc_duration_seconds A summary of the pause duration of garbage collection
cycles.
# TYPE go_gc_duration_seconds summary
go_gc_duration_seconds{quantile="0"} 1.4874e-05
go_gc_duration_seconds{quantile="0.25"} 5.0208e-05
go_gc_duration_seconds{quantile="0.5"} 0.000106751
go_gc_duration_seconds{quantile="0.75"} 0.000222708
go_gc_duration_seconds{quantile="1"} 0.014496958
go_gc_duration_seconds_sum 3.212180593
go_gc_duration_seconds_count 14642
# HELP go_goroutines Number of goroutines that currently exist.
# TYPE go_goroutines gauge
go_goroutines 24
# HELP go_info Information about the Go environment.
# TYPE go_info gauge
go_info{version="go1.22.3"} 1
# HELP go_memstats_alloc_bytes Number of bytes allocated and still in use.

```



```
# TYPE go_memstats_alloc_bytes gauge
go_memstats_alloc_bytes 1.8146864e+07
# HELP go_memstats_alloc_bytes_total Total number of bytes allocated, even if freed.
# TYPE go_memstats_alloc_bytes_total counter
go_memstats_alloc_bytes_total 2.09846684384e+11
# HELP go_memstats_buck_hash_sys_bytes Number of bytes used by the profiling bucket hash
table.
# TYPE go_memstats_buck_hash_sys_bytes gauge
go_memstats_buck_hash_sys_bytes 9922
# HELP go_memstats_frees_total Total number of frees.
# TYPE go_memstats_frees_total counter
go_memstats_frees_total 5.6614582e+08
# HELP go_memstats_gc_sys_bytes Number of bytes used for garbage collection system
metadata.
# TYPE go_memstats_gc_sys_bytes gauge
go_memstats_gc_sys_bytes 3.953144e+06
# HELP go_memstats_heap_alloc_bytes Number of heap bytes allocated and still in use.
# TYPE go_memstats_heap_alloc_bytes gauge
go_memstats_heap_alloc_bytes 1.8146864e+07
# HELP go_memstats_heap_idle_bytes Number of heap bytes waiting to be used.
# TYPE go_memstats_heap_idle_bytes gauge
go_memstats_heap_idle_bytes 1.1993088e+08
# HELP go_memstats_heap_inuse_bytes Number of heap bytes that are in use.
# TYPE go_memstats_heap_inuse_bytes gauge
go_memstats_heap_inuse_bytes 2.1364736e+07
# HELP go_memstats_heap_objects Number of allocated objects.
# TYPE go_memstats_heap_objects gauge
go_memstats_heap_objects 89304
# HELP go_memstats_heap_released_bytes Number of heap bytes released to OS.
# TYPE go_memstats_heap_released_bytes gauge
go_memstats_heap_released_bytes 1.02899712e+08
# HELP go_memstats_heap_sys_bytes Number of heap bytes obtained from system.
# TYPE go_memstats_heap_sys_bytes gauge
go_memstats_heap_sys_bytes 1.41295616e+08
# HELP go_memstats_last_gc_time_seconds Number of seconds since 1970 of last garbage
collection.
# TYPE go_memstats_last_gc_time_seconds gauge
go_memstats_last_gc_time_seconds 1.717580945923598e+09
# HELP go_memstats_lookups_total Total number of pointer lookups.
# TYPE go_memstats_lookups_total counter
go_memstats_lookups_total 0
# HELP go_memstats_mallocs_total Total number of mallocs.
# TYPE go_memstats_mallocs_total counter
go_memstats_mallocs_total 5.66235124e+08
# HELP go_memstats_mcache_inuse_bytes Number of bytes in use by mcache structures.
# TYPE go_memstats_mcache_inuse_bytes gauge
go_memstats_mcache_inuse_bytes 9600
# HELP go_memstats_mcache_sys_bytes Number of bytes used for mcache structures obtained
from system.
# TYPE go_memstats_mcache_sys_bytes gauge
go_memstats_mcache_sys_bytes 15600
# HELP go_memstats_mspan_inuse_bytes Number of bytes in use by mspan structures.
# TYPE go_memstats_mspan_inuse_bytes gauge
go_memstats_mspan_inuse_bytes 237760
# HELP go_memstats_mspan_sys_bytes Number of bytes used for mspan structures obtained
from system.
# TYPE go_memstats_mspan_sys_bytes gauge
go_memstats_mspan_sys_bytes 652800
# HELP go_memstats_next_gc_bytes Number of heap bytes when next garbage collection will
take place.
# TYPE go_memstats_next_gc_bytes gauge
go_memstats_next_gc_bytes 3.5538528e+07
# HELP go_memstats_other_sys_bytes Number of bytes used for other system allocations.
# TYPE go_memstats_other_sys_bytes gauge
go_memstats_other_sys_bytes 1.620102e+06
# HELP go_memstats_stack_inuse_bytes Number of bytes in use by the stack allocator.
# TYPE go_memstats_stack_inuse_bytes gauge
go_memstats_stack_inuse_bytes 1.31072e+06
# HELP go_memstats_stack_sys_bytes Number of bytes obtained from system for stack
```

```
allocator.  
# TYPE go_memstats_stack_sys_bytes gauge  
go_memstats_stack_sys_bytes 1.31072e+06  
# HELP go_memstats_sys_bytes Number of bytes obtained from system.  
# TYPE go_memstats_sys_bytes gauge  
go_memstats_sys_bytes 1.48857904e+08  
# HELP go_threads Number of OS threads created.  
# TYPE go_threads gauge  
go_threads 16  
# HELP otel_scope_info Instrumentation Scope metadata  
# TYPE otel_scope_info gauge  
otel_scope_info{otel_scope_name="order-func",otel_scope_version="v0.1.0"} 1  
# HELP promhttp_metric_handler_requests_in_flight Current number of scrapes being served.  
# TYPE promhttp_metric_handler_requests_in_flight gauge  
promhttp_metric_handler_requests_in_flight 1  
# HELP promhttp_metric_handler_requests_total Total number of scrapes by HTTP status  
code.  
# TYPE promhttp_metric_handler_requests_total counter  
promhttp_metric_handler_requests_total{code="200"} 55  
promhttp_metric_handler_requests_total{code="500"} 0  
promhttp_metric_handler_requests_total{code="503"} 0
```