SRI JANANI B -241401108 CSBS **SYSTEM CALLS**

Activities Terminal Mar 31 11:32

srijanani@localhost:~/system_calls — /usr/bin/vim pid.c

```
#include <stdio.h>
#include <unistd.h>

int main(){
        printf("PID: %d\n", getpid());
        printf("PPID: %d\n", getppid());

        return 0;
}
~
~
```

Activities Terminal Mar 31 11:34

srijanani@localhost:~/system_calls

```
[srijanani@localhost ~]$ ls
abc.sh   Desktop   Downloads  ifelse.sh  Music  Pictures  Public   REC      sample.sh  scheduling  sh           Templates  while.sh
ab.sh    Documents Folder     loops.sh   pc     posneg.sh qns.txt  sample.c sample.txt SFA         system_calls Videos
[srijanani@localhost ~]$ cd system_calls
[srijanani@localhost system_calls]$ vi pid.c
[srijanani@localhost system_calls]$ gcc pid.c
[srijanani@localhost system_calls]$ ./a.out
PID:  2802
PPID: 2505
[srijanani@localhost system_calls]$ vi fork.c
```

Activities Terminal Mar 31 11:35

srijanani@localhost:~/system_calls — /usr/bin/vim fork.c

```
#include <stdio.h>
#include <unistd.h>

int main(){
        if(fork()==0){
                printf("This is CHILD process\n");
        } else {
                printf("This is PARENT process\n");
        }

        printf("PID: %d\n", getpid());

        return 0;
}
~
~
~
~
```

Activities Terminal Mar 31 11:37

srijanani@localhost:~/system_calls

```
[srijanani@localhost ~]$ ls
abc.sh  Desktop  Downloads  ifelse.sh  Music  Pictures  Public  REC  sample.sh  scheduling  sh  Templates  while.sh
ab.sh  Documents  Folder  loops.sh  pc  posneg.sh  qns.txt  sample.c  sample.txt  SFA  system_calls  Videos
[srijanani@localhost ~]$ cd system_calls
[srijanani@localhost system_calls]$ vi pid.c
[srijanani@localhost system_calls]$ gcc pid.c
[srijanani@localhost system_calls]$ ./a.out
PID:  2802
PPID: :2505
[srijanani@localhost system_calls]$ vi fork.c
[srijanani@localhost system_calls]$ gcc fork.c
[srijanani@localhost system_calls]$ ./a.out
This is PARENT process
PID:  2824
This is CHILD process
PID: :2825
[srijanani@localhost system_calls]$ vi exec.c
```

Activities Terminal Mar 31 11:39

srijanani@localhost:~/system_calls — /usr/bin/vim exec.c

```
#include <stdio.h>
#include <unistd.h>

int main(){
	printf("Before exec()\n");
	execl("/bin/ls", "ls", NULL);
	printf("After exec()\n");

	return 0;
}
~
~
~
```

Activities Terminal Mar 31 11:41

srijanani@localhost:~/system_calls

```
[srijanani@localhost ~]$ ls
abc.sh  Desktop  Downloads  ifelse.sh  Music  Pictures  Public  REC  sample.sh  scheduling  sh  Templates  while.sh
ab.sh  Documents  Folder  loops.sh  pc  posneg.sh  qns.txt  sample.c  sample.txt  SFA  system_calls  Videos
[srijanani@localhost ~]$ cd system_calls
[srijanani@localhost system_calls]$ vi pid.c
[srijanani@localhost system_calls]$ gcc pid.c
[srijanani@localhost system_calls]$ ./a.out
PID:  2802
PPID: 2505
[srijanani@localhost system_calls]$ vi fork.c
[srijanani@localhost system_calls]$ gcc fork.c
[srijanani@localhost system_calls]$ ./a.out
This is PARENT process
PID:  2824
This is CHILD process
PID:  2825
[srijanani@localhost system_calls]$ vi exec.c
[srijanani@localhost system_calls]$ gcc exec.c
[srijanani@localhost system_calls]$ ./a.out
Before exec()
a.out  exec.c  fork.c  opendir.c  pid.c  readdir.c
[srijanani@localhost system_calls]$ vi opendir.c
```

Activities Terminal Mar 31 11:41

srijanani@localhost:~/system_calls — /usr/bin/vim opendir.c

```c
#include <stdio.h>
#include <dirent.h>

int main(){
	DIR *dir;

	dir = opendir(".");

	if(dir == NULL){
		printf("Failed to open directory\n");
		return 1;
	}

	printf("Directory opened successfully!\n");
	closedir(dir);
	return 0;
}
~
~
~
~
~
```

Activities Terminal Mar 31 11:42

srijanani@localhost:~/system_calls

```
[srijanani@localhost ~]$ ls
abc.sh  Desktop  Downloads  ifelse.sh  Music  Pictures  Public  REC  sample.sh  scheduling  sh  Templates  while.sh
ab.sh  Documents  Folder  loops.sh  pc  posneg.sh  qns.txt  sample.c  sample.txt  SFA  system_calls  Videos
[srijanani@localhost ~]$ cd system_calls
[srijanani@localhost system_calls]$ vi pid.c
[srijanani@localhost system_calls]$ gcc pid.c
[srijanani@localhost system_calls]$ ./a.out
PPID: 2802
PPID: 2505
[srijanani@localhost system_calls]$ vi fork.c
[srijanani@localhost system_calls]$ gcc fork.c
[srijanani@localhost system_calls]$ ./a.out
This is PARENT process
PID: 2824
This is CHILD process
PID: 2825
[srijanani@localhost system_calls]$ vi exec.c
[srijanani@localhost system_calls]$ gcc exec.c
[srijanani@localhost system_calls]$ ./a.out
Before exec()
a.out  exec.c  fork.c  opendir.c  pid.c  readdir.c
[srijanani@localhost system_calls]$ vi opendir.c
[srijanani@localhost system_calls]$ gcc opendir.c
[srijanani@localhost system_calls]$ ./a.out
Directory opened successfully!
[srijanani@localhost system_calls]$ vi readdir.c
```

Activities Terminal Mar 31 11:31

srijanani@localhost:~/system_calls

```
[srijanani@localhost ~]$ ls
abc.sh  Desktop  Downloads  ifelse.sh  Music  Pictures  Public  REC  sample.sh  scheduling  sh  Templates  while.sh
ab.sh  Documents  Folder  loops.sh  pc  posneg.sh  qns.txt  sample.c  sample.txt  SFA  system_calls  Videos
[srijanani@localhost ~]$ cd system_calls
[srijanani@localhost system_calls]$ vi pid.c
```