

Tribhuvan University
Madan Bhandari Memorial College
New-Baneshwor, Kathmandu



Lab Report on
Computer Graphics and Animation (CACS 305)

Submitted By

Name: Srijana Subedi


Code no: 3279616


BCA Fifth Semester

Submitted To


Sachitananda Mishra


Signature





```
20 | x += x_inc;
C:\Users\Acer\Desktop\3279616(srijana subedi)\3279616(srijana dda).exe
Enter initial point (x1, y1): 350 280
Enter final point (x2, y2): 400 200
```





C:\Users\Acer\Desktop\3279616(srijana subedi)\3279616(srijana rotation).cpp - [Executing] - Dev-C++

C:\Users\Acer\Desktop\3279616(srijana subedi)\3279616(srijana rotation).exe


***** ROTATION *****


Enter an initial coordinates of the line = 250 300

Enter a final coordinates of the line = 129 320

Now, Enter a degree = 90

Windows BGI





C:\Users\Acer\Desktop\3279616(srijana subedi)\3279616(srijana mid point ellipse algorithm).cpp


C:\Users\Acer\Desktop\3279616(srijana subedi)\3279616(srijana mid point ellipse algo...

***** MID POINT ELLIPSE ALGORITHM *****

Enter coordinate x and y = 329 250

Now enter constants a and b = 45 78

Windows BGI



\\Users\\Acer\\Desktop\\Lab of Graphics and animation\\3279616(shearing).cpp - [Executing] - Dev-C

C:\\Users\\Acer\\Desktop\\Lab of Graphics and animation\\3279616(shearing).exe

Enter the top-left corner of the rectangle (x1 y1): 300 320

Enter the width and height of the rectangle: 199 282

Enter X-axis shear factor (shx): 45

Windows BGI

Original Rectangle

