CS1M02 : Principles Of Database Systems

MINI PROJECT

Vehicle Service Center Management

(Task 3 & Task 4)

Name: Srijan Gouraha

Roll No: 24MMB0A63

Department of Metallurgical and Materials Engineering

CUSTOMER

MySQL Workbench

Local instance MySQL80 | Vehicle_service | Vehicle_service (vehicle_servi...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration | Schemas

Information

No object selected

Object Info | Session

SQL File 1*

Limit to 1000 rows

```
1  create database vehicle_service_center_management;
2  use vehicle_service_center_management;
3
4  CREATE TABLE CUSTOMER( C_ID INT PRIMARY KEY,
5  NAME VARCHAR(50) NOT NULL,
6  ADDRESS VARCHAR(50) UNIQUE );
7
8  DESCRIBE CUSTOMER;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
C_ID	int	NO	PRI	NULL	
NAME	varchar(50)	NO		NULL	
ADDRESS	varchar(50)	YES	UNI	NULL	

Result Grid | Form Editor | Field Types

Result 1

Read Only

SQL Additions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	11:04:49	CREATE TABLE CUSTOMER(C_ID INT PRIMARY KEY, NAME VARCHAR(50) NOT NULL, ADDRESS VA...	0 row(s) affected	0.047 sec
4	11:04:51	DESCRIBE CUSTOMER	3 row(s) returned	0.000 sec / 0.000 sec

30°C Sunny

Search

ENG IN

11:05 AM 28-03-2026

MySQL Workbench

Local instance MySQL80 | Vehicle_service | Vehicle_service (vehicle_servi...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration | Schemas

Information

No object selected

Object Info | Session

SQL File 1*

Limit to 1000 rows

```
9
10  CREATE TABLE CUSTOMER_PHONE (C_ID INT,
11  PHONE_NO VARCHAR(10),
12  FOREIGN KEY (C_ID) REFERENCES CUSTOMER(C_ID),
13  PRIMARY KEY (C_ID, PHONE_NO));
14
15  DESCRIBE CUSTOMER_PHONE;
16
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
C_ID	int	NO	PRI	NULL	
PHONE_NO	varchar(10)	NO	PRI	NULL	

Result Grid | Form Editor | Field Types

Result 2

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	11:05:29	CREATE TABLE CUSTOMER_PHONE (C_ID INT, PHONE_NO VARCHAR(10), FOREIGN KEY (C_ID) REF...	0 row(s) affected	0.047 sec
6	11:05:32	DESCRIBE CUSTOMER_PHONE	2 row(s) returned	0.000 sec / 0.000 sec

30°C Sunny

Search

ENG IN

11:05 AM 28-03-2026

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
16
17 •  INSERT INTO CUSTOMER VALUES (1,'Rahul Sharma','Delhi'),(2,'Ananya Gupta','Mumbai'),(3,'Rohit Singh','Lucknow'),(4,'Neha Verma','Pune'),
18    (5,'Amit Das','Kolkata'),(6,'Priya Nair','Chennai'),(7,'Karan Mehta','Ahmedabad'),(8,'Sneha Kapoor','Jaipur'),(9,'Arjun Patel','Surat'),
19    (10,'Divya Iyer','Bangalore');
20 •  INSERT INTO CUSTOMER_PHONE VALUES
21    (1,'9876543210'),(1,'9123456780'),(2,'9876500001'),(3,'9876500002'),(4,'9876500003'),(5,'9876500004'),(6,'9876500005'),(7,'9876500006'),
22    (8,'9876500007'),(9,'9876500008');
23
24 •  SELECT * FROM CUSTOMER C LEFT JOIN CUSTOMER_PHONE CP ON C.C_ID = CP.C_ID ;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

C_ID	NAME	ADDRESS	C_ID	PHONE_NO
1	Rahul Sharma	Delhi	1	9123456780
1	Rahul Sharma	Delhi	1	9876543210
2	Ananya Gupta	Mumbai	2	9876500001
3	Rohit Singh	Lucknow	3	9876500002
4	Neha Verma	Pune	4	9876500003
5	Amit Das	Kolkata	5	9876500004
6	Priya Nair	Chennai	6	9876500005
7	Karan Mehta	Ahmedabad	7	9876500006
8	Sneha Kapoor	Jaipur	8	9876500007
9	Arjun Patel	Surat	9	9876500008
10	Divya Iyer	Bangalore	NULL	NULL

Result Grid Form Editor Field Types

Result 4 Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
23	10:51:44	SELECT * FROM CUSTOMER LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
24	10:52:44	SELECT * FROM CUSTOMER C JOIN CUSTOMER_PHONE CP ON C.C_ID = CP.C_ID LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
25	10:53:10	SELECT * FROM CUSTOMER C LEFT JOIN CUSTOMER_PHONE CP ON C.C_ID = CP.C_ID LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec

Hot days ahead 29°C

Search

ENG IN

10:56 AM 29-03-2026

VEHICLE

MySQL Workbench

Local instance MySQL80 | Vehicle_service | Vehicle_service (vehicle_servi...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration | Schemas

Information

No object selected

Object Info | Session

SQL File 1* | SQL File 2*

Limit to 1000 rows

```
1  CREATE TABLE VEHICLE( V_ID INT PRIMARY KEY,
2  REGISTRATION_NO VARCHAR(50) NOT NULL UNIQUE,
3  BRAND VARCHAR(50) NOT NULL,
4  MODEL VARCHAR(50) NOT NULL,
5  YEAR INT CHECK(YEAR>=1995) NOT NULL, -- WE WILL NOT TAKE VEHICLES OLDER THAN 30 YEARS
6  CUSTOMER_ID INT ,
7  FOREIGN KEY (CUSTOMER_ID) REFERENCES CUSTOMER(C_ID));
8
9  DESCRIBE VEHICLE;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
V_ID	int	NO	PRI	NULL	
REGISTRATION_NO	varchar(50)	NO	UNI	NULL	
BRAND	varchar(50)	NO		NULL	
MODEL	varchar(50)	NO		NULL	
YEAR	int	NO		NULL	
CUSTOMER_ID	int	YES	MUL	NULL	

Result Grid | Form Editor | Field Types

Result 2

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	11:16:33	CREATE TABLE VEHICLE(V_ID INT PRIMARY KEY, REGISTRATION_NO VARCHAR(50) NOT NULL UNIQ...	0 row(s) affected	0.047 sec
2	11:16:37	DESCRIBE VEHICLE	6 row(s) returned	0.016 sec / 0.000 sec

Hot days ahead 31°C

Search

ENG IN

11:17 AM 28-03-2026

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
12  INSERT INTO VEHICLE VALUES
13  (101,'DL01AB1234','Honda','City',2018,1),(102,'MH02CD5678','Hyundai','i20',2020,2),
14  (103,'UP03EF9012','Toyota','Innova',2019,3),(104,'MH12GH3456','Maruti','Swift',2017,4),
15  (105,'WB05IJ7890','Tata','Nexon',2021,5),(106,'TN06KL1234','Mahindra','XUV300',2022,6),
16  (107,'GJ07MN5678','Honda','Amaze',2019,7),(108,'RJ08OP9012','Hyundai','Creta',2020,8),
17  (109,'GJ09QR3456','Toyota','Fortuner',2023,9),(110,'KA10ST7890','Kia','Seltos',2021,10);
18
19  SELECT * FROM VEHICLE;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

V_ID	REGISTRATION_NO	BRAND	MODEL	YEAR	CUSTOMER_ID
101	DL01AB1234	Honda	City	2018	1
102	MH02CD5678	Hyundai	i20	2020	2
103	UP03EF9012	Toyota	Innova	2019	3
104	MH12GH3456	Maruti	Swift	2017	4
105	WB05IJ7890	Tata	Nexon	2021	5
106	TN06KL1234	Mahindra	XUV300	2022	6
107	GJ07MN5678	Honda	Amaze	2019	7
108	RJ08OP9012	Hyundai	Creta	2020	8
109	GJ09QR3456	Toyota	Fortuner	2023	9
110	KA10ST7890	Kia	Seltos	2021	10
NULL	NULL	NULL	NULL	NULL	NULL

Result Grid | Form Editor | Field Types | Apply

VEHICLE 2

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	10:56:48	DESCRIBE VEHICLE	6 row(s) returned	0.000 sec / 0.000 sec
27	10:58:15	INSERT INTO VEHICLE VALUES (101,'DL01AB1234','Honda','City',2018,1),(102,'MH02CD5678','Hyundai',12...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
28	10:58:29	SELECT * FROM VEHICLE LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Hot days ahead
29°C

Search

ENG
IN

10:58 AM
29-03-2026

MECHANIC

MySQL Workbench

Local instance MySQL80 | Vehicle_service | Vehicle_service (vehicle_servi...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration | Schemas

Information

No object selected

Object Info | Session

SQL File 1* | SQL File 2* | SQL File 3*

Limit to 1000 rows

```
1   -- MECHANIC PART
2 • CREATE TABLE MECHANIC( M_ID INT PRIMARY KEY,
3   NAME VARCHAR(50) NOT NULL,
4   SPECIALIZATION VARCHAR(50) NOT NULL,
5   SALARY DECIMAL(7,2) DEFAULT 30000.00);
6
7 • DESCRIBE MECHANIC;
8
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
M_ID	int	NO	PRI	NULL	
NAME	varchar(50)	NO		NULL	
SPECIALIZATION	varchar(50)	NO		NULL	
SALARY	decimal(7,2)	YES		30000.00	

Result Grid | Form Editor | Field Types

Result 1

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	11:26:24	CREATE TABLE MECHANIC(M_ID INT PRIMARY KEY, NAME VARCHAR(50) NOT NULL, SPECIALIZATIO...	0 row(s) affected	0.032 sec
4	11:26:27	DESCRIBE MECHANIC	4 row(s) returned	0.016 sec / 0.000 sec

31°C Sunny

Search

ENG IN

11:26 AM 28-03-2026

MySQL Workbench

Local instance MySQL80 | Vehicle_service | Vehicle_service (vehicle_servi...

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar
- Tables
- Views
- Stored Procedures
- Functions

Administration | Schemas

Information

No object selected

Object Info | Session

SQL File 1* | SQL File 2* | SQL File 3*

Limit to 1000 rows

```
8
9  CREATE TABLE MECHANIC_PHONE( M_ID INT,
10 M_PHONE VARCHAR(10) ,
11 PRIMARY KEY (M_ID, M_PHONE),
12 FOREIGN KEY (M_ID) REFERENCES MECHANIC(M_ID));
13
14 DESCRIBE MECHANIC_PHONE;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
M_ID	int	NO	PRI	NULL	
M_PHONE	varchar(10)	NO	PRI	NULL	

Result Grid | Form Editor | Field Types

Result 2

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
5	11:27:01	CREATE TABLE MECHANIC_PHONE(M_ID INT, M_PHONE VARCHAR(10) , PRIMARY KEY (M_ID, M_PH...	0 row(s) affected	0.032 sec
6	11:27:03	DESCRIBE MECHANIC_PHONE	2 row(s) returned	0.000 sec / 0.000 sec

31°C Sunny

Search

ENG IN

11:27 AM 28-03-2026

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
16  INSERT INTO MECHANIC VALUES
17  (1,'Dipesh','Engine',35000),(2,'Suresh','Electrical',32000),(3,'Mahesh','Transmission',33000),
18  (4,'Rajesh','Body Work',31000),(5,'Ganesh','Brake System',30000),(6,'Naresh','Suspension',34000),
19  (7,'Lokesh','AC Repair',31000),(8,'Dinesh','Diagnostics',36000),(9,'Mukesh','General',30000),
20  (10,'Harish','Engine',37000);
21  INSERT INTO MECHANIC_PHONE VALUES
22  (1,'9001111111'),(2,'9001111112'),(3,'9001111113'),(4,'9001111114'),(5,'9001111115'),
23  (6,'9001111116'),(7,'9001111117'),(8,'9001111118'),(9,'9001111119'),(10,'9001111120');
24
25  SELECT M.M_ID, M.NAME, M.SPECIALIZATION, M.SALARY, MP.M_PHONE FROM MECHANIC M LEFT JOIN MECHANIC_PHONE MP ON M.M_ID = MP.M_ID;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

M_ID	NAME	SPECIALIZATION	SALARY	M_PHONE
1	Dipesh	Engine	35000.00	9001111111
2	Suresh	Electrical	32000.00	9001111112
3	Mahesh	Transmission	33000.00	9001111113
4	Rajesh	Body Work	31000.00	9001111114
5	Ganesh	Brake System	30000.00	9001111115
6	Naresh	Suspension	34000.00	9001111116
7	Lokesh	AC Repair	31000.00	9001111117
8	Dinesh	Diagnostics	36000.00	9001111118
9	Mukesh	General	30000.00	9001111119
10	Harish	Engine	37000.00	9001111120

Result Grid
Form Editor
Field Types

Result 2

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
31	11:07:25	INSERT INTO MECHANIC VALUES (1,'Dipesh','Engine',35000),(2,'Suresh','Electrical',32000),(3,'Mahesh','Tra...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.000 sec
32	11:07:27	INSERT INTO MECHANIC_PHONE VALUES (1,'9001111111'),(2,'9001111112'),(3,'9001111113'),(4,'9001111...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.016 sec
33	11:07:29	SELECT M.M_ID, M.NAME, M.SPECIALIZATION, M.SALARY, MP.M_PHONE FROM MECHANIC M LEFT J...	10 row(s) returned	0.000 sec / 0.000 sec


29°C Sunny

Search

ENG IN

11:08 AM 29-03-2026

SERVICE


MySQL Workbench
Vehicle_service
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
vehicle_service_center_man
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
Schema:
SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*
Limit to 1000 rows
2
3 CREATE TABLE SERVICE(S_ID INT PRIMARY KEY,
4 S_TYPE VARCHAR(100) NOT NULL,
5 S_DATE_TIME DATETIME NOT NULL,
6 S_COST DECIMAL(10,2) CHECK(S_COST >=0),
7
8 M_ID INT,
9 V_ID INT,
10 FOREIGN KEY (M_ID) REFERENCES MECHANIC(M_ID),
11 FOREIGN KEY (V_ID) REFERENCES VEHICLE(V_ID));
12
13
14 DESCRIBE SERVICE;
15
Result Grid Filter Rows: Export: Wrap Cell Content:
Field Type Null Key Default Extra
S_ID int NO PRI NULL
S_TYPE varchar(100) NO NULL
S_DATE_TIME datetime NO NULL
S_COST decimal(10,2) YES NULL
M_ID int YES MUL NULL
V_ID int YES MUL NULL
Result Grid
Form Editor
Field Types
SQL Additions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
16  INSERT INTO SERVICE VALUES
17  (201,'Oil Change','2026-03-01 10:00:00',1500.00,1,101),
18  (202,'Brake Repair','2026-03-02 11:00:00',2500.00,2,102),
19  (203,'Engine Repair','2026-03-03 12:00:00',5000.00,3,103),
20  (204,'Wheel Alignment','2026-03-04 09:30:00',1200.25,4,104),
21  (205,'AC Repair','2026-03-05 14:00:00',3000.50,7,105),
22  (206,'Battery Replace','2026-03-06 13:00:00',2000.00,2,106),
23  (207,'General Service','2026-03-07 15:00:00',1800.00,9,107),
24  (208,'Suspension Fix','2026-03-08 16:00:00',4000.00,6,108),
25  (209,'Engine Tune','2026-03-09 10:30:00',3500.00,1,109),
26  (210,'Brake Pad Change','2026-03-10 11:30:00',2199.50,5,110);
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

S_ID	S_TYPE	S_DATE	S_COST	M_ID	V_ID
201	Oil Change	2026-03-01 10:00:00	1500.00	1	101
202	Brake Repair	2026-03-02 11:00:00	2500.00	2	102
203	Engine Repair	2026-03-03 12:00:00	5000.00	3	103
204	Wheel Alignment	2026-03-04 09:30:00	1200.25	4	104
205	AC Repair	2026-03-05 14:00:00	3000.50	7	105
206	Battery Replace	2026-03-06 13:00:00	2000.00	2	106
207	General Service	2026-03-07 15:00:00	1800.00	9	107
208	Suspension Fix	2026-03-08 16:00:00	4000.00	6	108
209	Engine Tune	2026-03-09 10:30:00	3500.00	1	109
210	Brake Pad Change	2026-03-10 11:30:00	2199.50	5	110
NULL	NULL	NULL	NULL	NULL	NULL

Result Grid Form Editor Field Types

SERVICE 7

Apply

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
58	11:33:23	SELECT * FROM SERVICE LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
59	11:34:50	SELECT * FROM SERVICE LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
60	11:34:51	SELECT * FROM SERVICE LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

News for you
RCB's record-bre...

Search

ENG
IN

11:35 AM
29-03-2026

SPARE_PART

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5*

Limit to 1000 rows

```
1  -- SPARE PARTS
2  CREATE TABLE SPARE_PART( P_ID INT PRIMARY KEY,
3  P_NAME VARCHAR(50) NOT NULL,
4  PRICE DECIMAL(10,2) CHECK(PRICE>=0),
5  STOCK INT CHECK(STOCK>=0));
6  DESCRIBE SPARE_PART;
7
8
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
P_ID	int	NO	PRI	NULL	
P_NAME	varchar(50)	NO		NULL	
PRICE	decimal(10,2)	YES		NULL	
STOCK	int	YES		NULL	

Result Grid
Form Editor
Field Types

Result 1

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
3	09:56:34	CREATE TABLE SPARE_PART(P_ID INT PRIMARY KEY, P_NAME VARCHAR(50) NOT NULL, PRICE DE...	0 row(s) affected	0.078 sec
4	09:56:50	DESCRIBE SPARE_PART	4 row(s) returned	0.015 sec / 0.000 sec

Hot days ahead
28°C

Search

ENG
IN

09:57 AM
29-03-2026

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
8  INSERT INTO SPARE_PART VALUES
9  (1,'Oil Filter', 485.75, 50),(2,'Brake Pad', 800.00, 40),
10 (3,'Spark Plug', 295.60, 60),(4,'Battery', 4500.85, 20),
11 (5,'Air Filter', 398.90, 55),(6,'Clutch Plate', 2485.35, 25),
12 (7,'Suspension Rod', 3199.95, 15),(8,'AC Compressor', 7050.00, 10),
13 (9,'Headlight', 1499.50, 30),(10,'Radiator', 4988.65, 18);
14
15 SELECT * FROM SPARE_PART;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

P_ID	P_NAME	PRICE	STOCK
1	Oil Filter	485.75	50
2	Brake Pad	800.00	40
3	Spark Plug	295.60	60
4	Battery	4500.85	20
5	Air Filter	398.90	55
6	Clutch Plate	2485.35	25
7	Suspension Rod	3199.95	15
8	AC Compressor	7050.00	10
9	Headlight	1499.50	30
10	Radiator	4988.65	18
NULL	NULL	NULL	NULL

Result Grid Form Editor Field Types

SPARE_PART 2

Apply

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
1	11:47:12	SELECT * FROM SPARE_PART LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

33°C Sunny

Search

ENG IN

11:47 AM 29-03-2026

SERVICE_PART

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7*

Limit to 1000 rows

```
3  CREATE TABLE SERVICE_PART( PART_ID INT,
4  SERVICE_ID INT,
5  QUANTITY INT CHECK(QUANTITY>=0),
6  PRIMARY KEY (PART_ID, SERVICE_ID),
7  FOREIGN KEY (PART_ID) REFERENCES SPARE_PART(P_ID),
8  FOREIGN KEY (SERVICE_ID) REFERENCES SERVICE(S_ID));
9
10 DESCRIBE SERVICE_PART;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
PART_ID	int	NO	PRI	NULL	
SERVICE_ID	int	NO	PRI	NULL	
QUANTITY	int	YES		NULL	

Result Grid
Form Editor
Field Types

Result 1

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output


#	Time	Action	Message	Duration / Fetch
5	10:02:02	CREATE TABLE SERVICE_PART(PART_ID INT, SERVICE_ID INT, QUANTITY INT CHECK(QUANTITY>=...	0 row(s) affected	0.047 sec
6	10:02:26	DESCRIBE SERVICE_PART	3 row(s) returned	0.016 sec / 0.000 sec

28°C Sunny

Search

ENG IN

10:02 AM 29-03-2026


MySQL Workbench
Vehicle_service
File Edit View Query Database Server Tools Scripting Help
Navigator
SCHEMAS
Filter objects
vehicle_service_center_mar
Tables
Views
Stored Procedures
Functions
Administration Schemas
Information
Schema:
vehicle_service_center_mana
Object Info Session
SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*
Limit to 1000 rows
11
12 SELECT * FROM SERVICE_PART;
13 INSERT INTO SERVICE_PART VALUES
14 (1,201,2),(2,202,1),(3,203,4),(7,204,1),(8,205,1),(4,206,1),
15 (5,207,2),(7,208,1),(1,209,1),(2,210,2);
16
17 SELECT S.S_TYPE, S.S_DATE_TIME, S.S_COST, SP.P_NAME, SP.PRICE, SPP.QUANTITY FROM SERVICE S
18 LEFT JOIN SERVICE_PART SPP ON S.S_ID=SPP.SERVICE_ID LEFT JOIN SPARE_PART SP ON SPP.PART_ID = SP.P_ID;
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
PART_ID SERVICE_ID QUANTITY
1 201 2
1 209 1
2 202 1
2 210 2
3 203 4
4 206 1
5 207 2
7 204 1
7 208 1
8 205 1
NULL NULL NULL
SERVICE_PART 8
Result Grid
Form Editor
Field Types
Apply Revert
SQLAdditions
Jump to
Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.
Context Help Snippets
Output
Action Output
Time Action Message Duration / Fetch
13 12:04:47 SELECT S.S_TYPE, S.S_DATE_TIME, S.S_COST, SP.P_NAME, SP.PRICE, SPP.QUANTITY FROM SERVI... 10 row(s) returned 0.000 sec / 0.000 sec
14 12:05:28 SELECT * FROM SERVICE_PART LIMIT 0, 1000 10 row(s) returned 0.000 sec / 0.000 sec
15 12:05:49 SELECT * FROM SERVICE_PART LIMIT 0, 1000 10 row(s) returned 0.000 sec / 0.000 sec

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
11
12 •  SELECT * FROM SERVICE_PART;
13 • INSERT INTO SERVICE_PART VALUES
14   (1,201,2),(2,202,1),(3,203,4),(7,204,1),(8,205,1),(4,206,1),
15   (5,207,2),(7,208,1),(1,209,1),(2,210,2);
16
17 • SELECT S.S_TYPE, S.S_DATE_TIME, S.S_COST, SP.P_NAME, SP.PRICE, SPP.QUANTITY FROM SERVICE S
18   LEFT JOIN SERVICE_PART SPP ON S.S_ID=SPP.SERVICE_ID LEFT JOIN SPARE_PART SP ON SPP.PART_ID = SP.P_ID;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

S_TYPE	S_DATE_TIME	S_COST	P_NAME	PRICE	QUANTITY
Oil Change	2026-03-01 10:00:00	1500.00	Oil Filter	485.75	2
Brake Repair	2026-03-02 11:00:00	2500.00	Brake Pad	800.00	1
Engine Repair	2026-03-03 12:00:00	5000.00	Spark Plug	295.60	4
Wheel Alignment	2026-03-04 09:30:00	1200.25	Suspension Rod	3199.95	1
AC Repair	2026-03-05 14:00:00	3000.50	AC Compressor	7050.00	1
Battery Replace	2026-03-06 13:00:00	2000.00	Battery	4500.85	1
General Service	2026-03-07 15:00:00	1800.00	Air Filter	398.90	2
Suspension Fix	2026-03-08 16:00:00	4000.00	Suspension Rod	3199.95	1
Engine Tune	2026-03-09 10:30:00	3500.00	Oil Filter	485.75	1
Brake Pad Change	2026-03-10 11:30:00	2199.50	Brake Pad	800.00	2

Result Grid Form Editor Field Types

Result 9

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
14	12:05:28	SELECT * FROM SERVICE_PART LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
15	12:05:49	SELECT * FROM SERVICE_PART LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
16	12:06:10	SELECT S.S_TYPE, S.S_DATE_TIME, S.S_COST, SP.P_NAME, SP.PRICE, SPP.QUANTITY FROM SERVI...	10 row(s) returned	0.000 sec / 0.000 sec

33°C Sunny

Search

ENG IN

12:06 PM 29-03-2026

SUPPLIER

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8*

Limit to 1000 rows

```
1  -- SUPPLIER
2  CREATE TABLE SUPPLIER(SUPP_ID INT PRIMARY KEY,
3  SUPP_NAME VARCHAR(50) NOT NULL,
4  SUPP_ADDRESS VARCHAR(50) NOT NULL);
5
6  DESCRIBE SUPPLIER;
7
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
SUPP_ID	int	NO	PRI	NULL	
SUPP_NAME	varchar(50)	NO		NULL	
SUPP_ADDRESS	varchar(50)	NO		NULL	

Result Grid
Form Editor
Field Types

Result 1

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
7	10:12:33	CREATE TABLE SUPPLIER(SUPP_ID INT PRIMARY KEY, SUPP_NAME VARCHAR(50) NOT NULL, SUPP...	0 row(s) affected	0.047 sec
8	10:12:35	DESCRIBE SUPPLIER	3 row(s) returned	0.016 sec / 0.000 sec

28°C Sunny

Search

ENG IN

10:12 AM 29-03-2026

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8*

Limit to 1000 rows

```
7
8  CREATE TABLE SUPPLIER_PHONE(SUPP_ID INT,
9  SUPP_PHONE VARCHAR(10),
10 PRIMARY KEY(SUPP_ID, SUPP_PHONE),
11 FOREIGN KEY(SUPP_ID) REFERENCES SUPPLIER(SUPP_ID));
12
13 DESCRIBE SUPPLIER_PHONE;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
SUPP_ID	int	NO	PRI	NULL	
SUPP_PHONE	varchar(10)	NO	PRI	NULL	

Result Grid
Form Editor
Field Types

Result 2

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
10	10:13:25	CREATE TABLE SUPPLIER_PHONE(SUPP_ID INT, SUPP_PHONE VARCHAR(10), PRIMARY KEY(SUPP_I...	0 row(s) affected	0.032 sec
11	10:13:27	DESCRIBE SUPPLIER_PHONE	2 row(s) returned	0.016 sec / 0.000 sec

28°C Sunny

Search

ENG IN

10:13 AM 29-03-2026

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
15  INSERT INTO SUPPLIER VALUES
16  (1,'AutoParts Ltd','Delhi'),(2,'Speed Motors','Mumbai'),(3,'CarFix Supplies','Pune'),(4,'Prime Parts','Chennai'),
17  (5,'AutoHub','Bangalore'),(6,'MechanicMart','Hyderabad'),(7,'PartsKing','Ahmedabad'),(8,'WheelWorks','Jaipur'),
18  (9,'MotorWorld','Surat'),(10,'GearPro','Kolkata');
19  INSERT INTO SUPPLIER_PHONE VALUES
20  (1,'9810000001'),(2,'9810000002'),(3,'9810000003'),(4,'9810000004'),(5,'9810000005'),(6,'9810000006'),
21  (7,'9810000007'),(8,'9810000008'),(9,'9810000009'),(10,'9810000010');
22
23  SELECT S.SUPP_ID,S.SUPP_NAME,S.SUPP_ADDRESS, SP.SUPP_PHONE FROM SUPPLIER S LEFT JOIN SUPPLIER_PHONE SP
24   ON S.SUPP_ID = SP.SUPP_ID;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

SUPP_ID	SUPP_NAME	SUPP_ADDRESS	SUPP_PHONE
1	AutoParts Ltd	Delhi	9810000001
2	Speed Motors	Mumbai	9810000002
3	CarFix Supplies	Pune	9810000003
4	Prime Parts	Chennai	9810000004
5	AutoHub	Bangalore	9810000005
6	MechanicMart	Hyderabad	9810000006
7	PartsKing	Ahmedabad	9810000007
8	WheelWorks	Jaipur	9810000008
9	MotorWorld	Surat	9810000009
10	GearPro	Kolkata	9810000010

Result Grid Form Editor Field Types

Result 3

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
18	12:17:36	INSERT INTO SUPPLIER VALUES (1,'AutoParts Ltd','Delhi'),(2,'Speed Motors','Mumbai'),(3,'CarFix Supplies','P...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.047 sec
19	12:17:38	INSERT INTO SUPPLIER_PHONE VALUES (1,'9810000001'),(2,'9810000002'),(3,'9810000003'),(4,'9810000...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.047 sec
20	12:20:03	SELECT S.SUPP_ID,S.SUPP_NAME,S.SUPP_ADDRESS, SP.SUPP_PHONE FROM SUPPLIER S LEFT JO...	10 row(s) returned	0.000 sec / 0.000 sec

33°C Sunny

Search

ENG IN

12:20 PM 29-03-2026

PURCHASE

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9*

Limit to 1000 rows

```
3  CREATE TABLE PURCHASE(
4  PURCHASE_DATE_TIME DATETIME NOT NULL,
5  SUPP_ID INT,
6  P_ID INT ,
7  Q_PURCHASED INT CHECK(Q_PURCHASED >=0),
8  PRIMARY KEY (SUPP_ID,P_ID),
9  FOREIGN KEY (SUPP_ID) REFERENCES SUPPLIER(SUPP_ID),
10 FOREIGN KEY (P_ID) REFERENCES SPARE_PART(P_ID)
11 );
12
13 DESCRIBE PURCHASE;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
PURCHASE_DATE_TIME	datetime	NO		NULL	
SUPP_ID	int	NO	PRI	NULL	
P_ID	int	NO	PRI	NULL	
Q_PURCHASED	int	YES		NULL	

Result Grid
Form Editor
Field Types

Result 1

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
13	10:23:58	CREATE TABLE PURCHASE(PURCHASE_DATE_TIME DATETIME NOT NULL, SUPP_ID INT, P_ID INT ,...	0 row(s) affected	0.062 sec
14	10:24:01	DESCRIBE PURCHASE	4 row(s) returned	0.015 sec / 0.000 sec

29°C Sunny

Search

ENG IN

10:24 AM 29-03-2026

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
11  );
12
13  DESCRIBE PURCHASE;
14
15  INSERT INTO PURCHASE VALUES
16  ('2026-02-01 10:00:00',1,1,20),('2026-02-02 11:00:00',2,2,15),('2026-02-03 12:00:00',3,3,30),('2026-02-04 13:00:00',4,4,10),
17  ('2026-02-05 14:00:00',5,5,25),('2026-02-06 15:00:00',6,6,12),('2026-02-07 16:00:00',7,7,8),('2026-02-08 17:00:00',8,8,6),
18  ('2026-02-09 18:00:00',9,9,14),('2026-02-10 19:00:00',10,10,9);
19  SELECT * FROM PURCHASE;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

PURCHASE_DATE_TIME	SUPP_ID	P_ID	Q_PURCHASED
2026-02-01 10:00:00	1	1	20
2026-02-02 11:00:00	2	2	15
2026-02-03 12:00:00	3	3	30
2026-02-04 13:00:00	4	4	10
2026-02-05 14:00:00	5	5	25
2026-02-06 15:00:00	6	6	12
2026-02-07 16:00:00	7	7	8
2026-02-08 17:00:00	8	8	6
2026-02-09 18:00:00	9	9	14
2026-02-10 19:00:00	10	10	9
NULL	NULL	NULL	NULL

Result Grid | Form Editor | Field Types

PURCHASE 3

Apply Revert

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
21	12:24:56	SELECT * FROM PURCHASE LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
22	12:25:04	INSERT INTO PURCHASE VALUES ('2026-02-01 10:00:00',1,1,20),('2026-02-02 11:00:00',2,2,15),('2026-02-0...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.047 sec
23	12:25:07	SELECT * FROM PURCHASE LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

33°C Sunny

Search

ENG IN

12:25 PM

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 7* SQL File 8* SQL File 5* SQL File 9* SQL File 10*

Limit to 1000 rows

```
14
15 •  INSERT INTO PURCHASE VALUES
16    ('2026-02-01 10:00:00',1,1,20),('2026-02-02 11:00:00',2,2,15),('2026-02-03 12:00:00',3,3,30),('2026-02-04 13:00:00',4,4,10),
17    ('2026-02-05 14:00:00',5,5,25),('2026-02-06 15:00:00',6,6,12),('2026-02-07 16:00:00',7,7,8),('2026-02-08 17:00:00',8,8,6),
18    ('2026-02-09 18:00:00',9,9,14),('2026-02-10 19:00:00',10,10,9);
19 •  SELECT * FROM PURCHASE;
20 •  SELECT P.P_NAME, P.PRICE, S.SUPP_NAME, S.SUPP_ADDRESS, SS.SUPP_PHONE, SP.PURCHASE_DATE_TIME, SP.Q_PURCHASED FROM
21    SPARE_PART P LEFT JOIN PURCHASE SP ON P.P_ID = SP.P_ID LEFT JOIN SUPPLIER S ON SP.SUPP_ID = S.SUPP_ID
22    LEFT JOIN SUPPLIER_PHONE SS ON S.SUPP_ID = SS.SUPP_ID;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

P_NAME	PRICE	SUPP_NAME	SUPP_ADDRESS	SUPP_PHONE	PURCHASE_DATE_TIME	Q_PURCHASED
Oil Filter	485.75	AutoParts Ltd	Delhi	9810000001	2026-02-01 10:00:00	20
Brake Pad	800.00	Speed Motors	Mumbai	9810000002	2026-02-02 11:00:00	15
Spark Plug	295.60	CarFix Supplies	Pune	9810000003	2026-02-03 12:00:00	30
Battery	4500.85	Prime Parts	Chennai	9810000004	2026-02-04 13:00:00	10
Air Filter	398.90	AutoHub	Bangalore	9810000005	2026-02-05 14:00:00	25
Clutch Plate	2485.35	MechanicMart	Hyderabad	9810000006	2026-02-06 15:00:00	12
Suspension Rod	3199.95	PartsKing	Ahmedabad	9810000007	2026-02-07 16:00:00	8
AC Compressor	7050.00	WheelWorks	Jaipur	9810000008	2026-02-08 17:00:00	6
Headlight	1499.50	MotorWorld	Surat	9810000009	2026-02-09 18:00:00	14
Radiator	4988.65	GearPro	Kolkata	9810000010	2026-02-10 19:00:00	9

Result Grid Form Editor Field Types

Result 6

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	12:32:16	DESCRIBE PURCHASE	4 row(s) returned	0.015 sec / 0.000 sec
27	12:32:20	SELECT * FROM PURCHASE LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
28	12:32:23	SELECT P.P_NAME, P.PRICE, S.SUPP_NAME, S.SUPP_ADDRESS, SS.SUPP_PHONE, SP.PURCHASE_...	10 row(s) returned	0.016 sec / 0.000 sec

33°C Sunny

Search

ENG IN

12:32 PM 29-03-2026

BILL

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables
Views
Stored Procedures
Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
2
3  CREATE TABLE BILL( S_ID INT,
4  BILL_NO INT,
5  BILL_DATE_TIME DATETIME NOT NULL,
6  PRIMARY KEY (S_ID, BILL_NO),
7  FOREIGN KEY(S_ID) REFERENCES SERVICE(S_ID));
8
9  DESCRIBE BILL;
10
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Field	Type	Null	Key	Default	Extra
S_ID	int	NO	PRI	NULL	
BILL_NO	int	NO	PRI	NULL	
BILL_DATE_TIME	datetime	NO		NULL	

Result Grid
Form Editor
Field Types

Result 2

Read Only

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or to toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
18	10:44:32	CREATE TABLE BILL(S_ID INT, BILL_NO INT, BILL_DATE_TIME DATETIME NOT NULL, PRIMARY KEY (...	0 row(s) affected	0.031 sec
19	10:44:36	DESCRIBE BILL	3 row(s) returned	0.000 sec / 0.000 sec

29°C Sunny

Search

ENG IN

10:44 AM 29-03-2026

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

vehicle_service_center_mar

Tables

Views

Stored Procedures

Functions

Administration Schemas

Information

Schema:
vehicle_service_center_mana

Object Info Session

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 7* SQL File 8* SQL File 5* SQL File 9* SQL File 10*

Limit to 1000 rows

```
7   FOREIGN KEY(S_ID) REFERENCES SERVICE(S_ID));
8
9   DESCRIBE BILL;
10  INSERT INTO BILL VALUES
11  (201,1001,'2026-03-01 10:30:00'),(202,1002,'2026-03-02 11:30:00'),(203,1003,'2026-03-03 12:30:00'),
12  (204,1004,'2026-03-04 10:00:00'),(205,1005,'2026-03-05 14:30:00'),(206,1006,'2026-03-06 13:30:00'),
13  (207,1007,'2026-03-07 15:30:00'),(208,1008,'2026-03-08 16:30:00'),(209,1009,'2026-03-09 11:00:00'),
14  (210,1010,'2026-03-10 12:00:00');
15  SELECT * FROM BILL;
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Content:

S_ID	BILL_NO	BILL_DATE_TIME
201	1001	2026-03-01 10:30:00
202	1002	2026-03-02 11:30:00
203	1003	2026-03-03 12:30:00
204	1004	2026-03-04 10:00:00
205	1005	2026-03-05 14:30:00
206	1006	2026-03-06 13:30:00
207	1007	2026-03-07 15:30:00
208	1008	2026-03-08 16:30:00
209	1009	2026-03-09 11:00:00
210	1010	2026-03-10 12:00:00
NULL	NULL	NULL

Result Grid Form Editor Field Types

Apply

BILL 4

SQLAdditions

Jump to

Automatic context help is disabled. Use the toolbar t manually get help for the current caret position or t toggle automatic help.

Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
31	12:35:28	TRUNCATE TABLE BILL	0 row(s) affected	0.219 sec
32	12:39:28	INSERT INTO BILL VALUES (201,1001,'2026-03-01 10:30:00'),(202,1002,'2026-03-02 11:30:00'),(203,1003,'2...	10 row(s) affected Records: 10 Duplicates: 0 Warnings: 0	0.047 sec
33	12:39:42	SELECT * FROM BILL LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

33°C Sunny

Search

ENG IN

12:40 PM 29-03-2026

MySQL Workbench

Vehicle_service

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter obje

vehicle_

Tabl

View

Stor

Func

Admini

Information

No object selected

Object

SQL File 1* SQL File 2* SQL File 3* SQL File 4* SQL File 5* SQL File 7* SQL File 8* SQL File 9* SQL File 10*

Limit to 1000 rows

```
14      (210,1010,'2026-03-10 12:00:00');
15      SELECT * FROM BILL;
16
17      CREATE VIEW BILL_DETAILS AS SELECT B.BILL_NO, B.BILL_DATE_TIME AS BILLING_TIME, C.NAME, V.REGISTRATION_NO, V.BRAND, V.MODEL, M.NAME AS MECHANIC_NAME,
18      MP.M_PHONE AS CONTACT_MECHANIC,S.S_ID AS SERVICE_ID , S.S_TYPE AS SERVICE_NAME, S.S_DATE_TIME AS SERVICED_ON, SUM(P.PRICE * SP.QUANTITY + S.S_COST) AS BILL_TOTAL
19      FROM BILL B LEFT JOIN SERVICE S ON B.S_ID= S.S_ID  LEFT JOIN SERVICE_PART SP ON S.S_ID =
20      SP.SERVICE_ID LEFT JOIN SPARE_PART P ON P.P_ID = SP.PART_ID LEFT JOIN VEHICLE V ON V.V_ID = S.V_ID LEFT JOIN MECHANIC M ON M.M_ID = S.M_ID
21      LEFT JOIN CUSTOMER C ON C.C_ID = V.CUSTOMER_ID LEFT JOIN MECHANIC_PHONE MP ON MP.M_ID = M.M_ID
22      GROUP BY S.S_COST, P.PRICE, B.BILL_NO, B.BILL_DATE_TIME,S.S_ID, S.S_TYPE, S.S_DATE_TIME, C.NAME, V.REGISTRATION_NO, V.BRAND, V.MODEL, M.NAME, MP.M_PHONE;
23
24      SELECT * FROM BILL_DETAILS;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

BILL_NO	BILLING_TIME	NAME	REGISTRATION_NO	BRAND	MODEL	MECHANIC_NAME	CONTACT_MECHANIC	SERVICE_ID	SERVICE_NAME	SERVICED_ON	BILL_TOTAL
1001	2026-03-01 10:30:00	Rahul Sharma	DL01AB1234	Honda	City	Dipesh	9001111111	201	Oil Change	2026-03-01 10:00:00	2471.50
1002	2026-03-02 11:30:00	Ananya Gupta	MH02CD5678	Hyundai	i20	Suresh	9001111112	202	Brake Repair	2026-03-02 11:00:00	3300.00
1003	2026-03-03 12:30:00	Rohit Singh	UP03EF9012	Toyota	Innova	Mahesh	9001111113	203	Engine Repair	2026-03-03 12:00:00	6182.40
1004	2026-03-04 10:00:00	Neha Verma	MH12GH3456	Maruti	Swift	Rajesh	9001111114	204	Wheel Alignment	2026-03-04 09:30:00	4400.20
1005	2026-03-05 14:30:00	Amit Das	WB05IJ7890	Tata	Nexon	Lokesh	9001111117	205	AC Repair	2026-03-05 14:00:00	10050.50
1006	2026-03-06 13:30:00	Priya Nair	TN06KL1234	Mahindra	XUV300	Suresh	9001111112	206	Battery Replace	2026-03-06 13:00:00	6500.85
1007	2026-03-07 15:30:00	Karan Mehta	GJ07MN5678	Honda	Amaze	Mukesh	9001111119	207	General Service	2026-03-07 15:00:00	2597.80
1008	2026-03-08 16:30:00	Sneha Kapoor	RJ08OP9012	Hyundai	Creta	Naresh	9001111116	208	Suspension Fix	2026-03-08 16:00:00	7199.95
1009	2026-03-09 11:00:00	Arjun Patel	GJ09QR3456	Toyota	Fortuner	Dipesh	9001111111	209	Engine Tune	2026-03-09 10:30:00	3985.75
1010	2026-03-10 12:00:00	Divya Iyer	KA10ST7890	Kia	Seltos	Ganesh	9001111115	210	Brake Pad Change	2026-03-10 11:30:00	3799.50

Result Grid | Form Editor | Field Types

BILL_DETAILS 5

Read Only

SQL Additions

Jump to

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Context Help | Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
49	09:49:12	CREATE VIEW BILL_DETAILS AS SELECT B.BILL_NO, B.BILL_DATE_TIME AS BILLING_TIME, C.NAME, V.REGISTR...	0 row(s) affected	0.047 sec
50	09:49:15	SELECT * FROM BILL_DETAILS LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
51	09:50:36	SELECT * FROM BILL_DETAILS LIMIT 0, 1000	10 row(s) returned	0.015 sec / 0.000 sec

28°C Mostly sunny

Search


ENG IN

09:51 AM 30-03-2026


Task - 4

Queries


1. To Show all services with vehicle registration




2.To Display services with cost greater than 1800 and after 5th march 2026




3. To Arrange Services w.r.t Service cost in descending order




4. To Show services along with mechanic names




5. To Find total number of services done by each mechanic




6. To Find total parts used in each service




7. To Find Least and Most Expensive Spare part




8.1: To Find suppliers supplying more than 10 parts




8.2: To Find suppliers supplying less than 10 parts




9. To Display vehicles and total services done on each vehicle




10. To Display total purchase quantity of each spare part




11. To Find the mechanic who generated the highest revenue




12. To Find the most used spare part




13.1: Find average stock of spare parts



13.2: To Find spare parts whose stock is below average



14. To Show how much money the service center earns each month



15. To Show Top 3 highest paying customers

