

Type Instances

**Type Instances
Are Always
Used When
SELECT'ing,
UPDATE'ing
And DELETE'ing
The Data From
The Object
Tables OR
Object
Reference
Tables OR
Object
Relational
Tables**

```
STUDENT
  PERSONID
  PERSONFULLNAME
    FIRSTNAME
    MIDDLENAME
    LASTNAME
  PERSONDOB
  PERSONADDRESS
    HOUSENUM
    STREET
    CITY
    DISTRICT
    STATE
    COUNTRY
    PIN
STUDENTFEES
  TUTIONFEES
  LABFEES
  SPORTSFEES
  LIBRARYFEES
  EXAMFEES
  TRANSPORTFEES
  HOSTELFEES
  MESSFEES
```

Type Constructors

```
PERSON
  NUMBER(6)
  NAME
  VARCHAR2(20)
  VARCHAR2(20)
  VARCHAR2(20)
  DATE
  ADDRESS
  VARCHAR2(15)
  VARCHAR2(20)
  VARCHAR2(20)
  VARCHAR2(20)
  VARCHAR2(20)
  VARCHAR2(20)
  CHAR(6)
FEES
  NUMBER(8,2)
  NUMBER(6,2)
  NUMBER(6,2)
  NUMBER(6,2)
  NUMBER(6,2)
  NUMBER(7,2)
  NUMBER(8,2)
  NUMBER(8,2)
```

**Type
Constructors
Are Always
Used When
Inserting The
Data into The
Object Tables
OR Object
Reference
Tables OR
Object
Relational
Tables**