

Sathish Yellanki

NEW BATCH FOR

DRACL

UTILITIES

Batch Starts on O6th Sep 2018 Time: 5pm-6pm

Utilities Covered

- SQL* Loader
- UTL File
- External Tables
- Dynamic SQL
- Advance SQL Functions
- Oracle Pragmas
- Regular Expressions
 Bulk Collect & Bulk Loading

Online - 500INR For Each Tool ClassRoom - 300INR For Each Tool





9985798869



9985798869



https://www.facebook.com/Sathishyellankiinstitute

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix, Big Data

Follow Me: https://www.facebook.com/satishkumar.yellanki

SQL> cl scr

SQL> CREATE OR REPLACE PACKAGE EmpResultSet

2 AS

3 TYPE EmpRefCursor

4 IS REF CURSOR;

5 END EmpResultSet;

6 /

Package created.

SQL> CREATE OR REPLACE FUNCTION FunctionEmpResultSet
2 RETURN EmpResultSet.EmpRefCursor
3 IS
4 V_EmpResultSet EmpResultSet.EmpRefCursor;
5 Emp_SQLSMTMT VARCHAR2(100);
6 BEGIN
7 Emp_SQLSMTMT := 'SELECT * FROM Emp';
8 OPEN V EmpResultSet

- 9 FOR
- 10 Emp SQLSMTMT;
- 11 RETURN V EmpResultSet;
- 12 END FunctionEmpResultSet;
- 13 /

Function created.

SQL> SELECT FunctionEmpResultSet ResultSet FROM DUAL;

RESULTSET

CURSOR STATEMENT : 1

CURSOR STATEMENT: 1

COMM	EMPNO ENAME DEPTNO	JOB	MGR	HIREDATE	SAL
	 7839 KING	PRESIDENT		17-NOV-81	5000
10	7698 BLAKE	MANAGER	7839	01-MAY-81	2850
30	7782 CLARK	MANAGER	7839	09-JUN-81	2450
10 20	7566 JONES	MANAGER	7839	02-APR-81	2975

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

Follow Me: https://www.facebook.com/satishkumar.yellanki

1400	7654 MARTIN 30	SALESMAN	7698 28-SEP-81	1250
300	7499 ALLEN 30	SALESMAN	7698 20-FEB-81	1600
0	7844 TURNER 30	SALESMAN	7698 08-SEP-81	1500
30	7900 JAMES	CLERK	7698 03-DEC-81	950
500	7521 WARD 30	SALESMAN	7698 22-FEB-81	1250
20	7902 FORD	ANALYST	7566 03-DEC-81	3000
20	7369 SMITH	CLERK	7902 17-DEC-80	800
20	7788 SCOTT	ANALYST	7566 09-DEC-82	3000
20	7876 ADAMS	CLERK	7788 12-JAN-83	1100
10	7934 MILLER	CLERK	7782 23-JAN-82	1300
14 ro	ws selected.		10/10	
<pre>SQL> CREATE OR REPLACE FUNCTION FunctionEmpResultSet(PQuery IN VARCHAR2) 2 RETURN EmpResultSet.EmpRefCursor 3 IS 4 V_EmpResultSet EmpResultSet.EmpRefCursor; 5 Emp_SQLSMTMT VARCHAR2(1000); 6 BEGIN 7 Emp_SQLSMTMT := PQuery; 8 OPEN V_EmpResultSet 9 FOR 10 Emp_SQLSMTMT; 11 RETURN V_EmpResultSet; 12 END FunctionEmpResultSet; 13 / Function created. SQL> SELECT FunctionEmpResultSet('&GiveQuery') ResultSet FROM DUAL; Enter value for givequery: SELECT * FROM Emp</pre>				
RESULTSET				
CURSOR STATEMENT : 1				

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

OTTD OOD			-1
CURSOR	STATEMENT	•	- 1

COMM	EMPNO ENAME DEPTNO	JOB	MGR	HIREDATE	SAL
	 7839 KING	PRESIDENT		17-NOV-81	5000
10	7698 BLAKE	MANAGER	7839	01-MAY-81	2850
30	7782 CLARK	MANAGER	7839	09-JUN-81	2450
10	7566 JONES	MANAGER	7839	02-APR-81	2975
20	7654 MARTIN	SALESMAN	7698	28-SEP-81	1250
1400 300	30 7499 ALLEN 30	SALESMAN	7698	20-FEB-81	1600
0	7844 TURNER 30	SALESMAN	7698	08-SEP-81	1500
30	7900 JAMES	CLERK	7698	03-DEC-81	950
500	7521 WARD 30	SALESMAN	7698	22-FEB-81	1250
20	7902 FORD	ANALYST	7566	03-DEC-81	3000
20	7369 SMITH	CLERK		17-DEC-80	800
20	7788 SCOTT	ANALYST		09-DEC-82	3000
20	7876 ADAMS 7934 MILLER	CLERK		12-JAN-83 23-JAN-82	1100
10	1934 MITTHEK	CHEKN	1102	23-0AN-02	1300

14 rows selected.

SOL> /

Enter value for givequery: SELECT * FROM Dept

RESULTSET

CURSOR STATEMENT : 1

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

Follow Me: https://www.facebook.com/satishkumar.yellanki

DEPTNO	DNAME	LOC
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	BOSTON

SQL> /

Enter value for givequery: SELECT * FROM SalGrade

RESULTSET

CURSOR STATEMENT : 1

CURSOR STATEMENT : 1

HISAL	LOSAL	GRADE
1200	700	1
1400	1201	2
2000	1401	3
3000	2001	4
9999	3001	5

SOL> /

Enter value for givequery: SELECT Ename, Job, Dname, Loc FROM Emp, Dept WHERE Emp.Deptno = Dept.Deptno

RESULTSET

CURSOR STATEMENT: 1

CONSON STATEMENT . I

CURSOR STATEMENT : 1

JOB	DNAME	LOC
PRESIDENT	ACCOUNTING	NEW YORK
MANAGER	ACCOUNTING	NEW YORK
CLERK	ACCOUNTING	NEW YORK
CLERK	RESEARCH	DALLAS
ANALYST	RESEARCH	DALLAS
CLERK	RESEARCH	DALLAS
ANALYST	RESEARCH	DALLAS
MANAGER	RESEARCH	DALLAS
SALESMAN	SALES	CHICAGO
	PRESIDENT MANAGER CLERK CLERK ANALYST CLERK ANALYST MANAGER	PRESIDENT ACCOUNTING MANAGER ACCOUNTING CLERK ACCOUNTING CLERK RESEARCH ANALYST RESEARCH CLERK RESEARCH ANALYST RESEARCH MANAGER RESEARCH

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

Follow Me: https://www.facebook.com/satishkumar.yellanki

```
.....
JAMES
          CLERK
                   SALES
                                 CHTCAGO
ALLEN
          SALESMAN SALES
                                CHICAGO
MARTIN
          SALESMAN SALES
                                CHICAGO
BLAKE
          MANAGER
                   SALES
                                CHICAGO
          SALESMAN SALES
TURNER
                                CHICAGO
14 rows selected.
SOL> cl scr
SQL> CREATE OR REPLACE PACKAGE Employee RefCur PKG
  3 TYPE EmpCursor
  4 IS REF CURSOR;
  5 PROCEDURE
  6
   EmployeeSearch
  7
 8
    IN EName IN VARCHAR2,
 9
    OUT EmpCursor OUT EmpCursor
 10);
 11 END Employee RefCur PKG;
 12
Package created.
SQL> CREATE OR REPLACE PACKAGE BODY Employee RefCur PKG
  3 PROCEDURE
  4 EmployeeSearch
  5
  6
    IN EName IN VARCHAR2,
  7
    OUT EmpCursor OUT EmpCursor
 8
    )
 9
    IS
 10 BEGIN
 11 OPEN OUT EmpCursor
 12 FOR
 13 SELECT
 14 Emp. Empno,
 15
     Emp.Ename,
 16
   Emp.Job,
 17
     Emp.Sal,
 18
    Dept.Dname,
 19
     Dept.Loc
 20 FROM Emp, Dept
 21 WHERE Ename LIKE UPPER('%' || IN EName || '%')
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

Follow Me: https://www.facebook.com/satishkumar.yellanki

```
22
 23
          Emp.Deptno = Dept.Deptno
 24 ORDER BY UPPER (Emp.Ename);
 25 END EmployeeSearch;
 26 END Employee RefCur PKG;
 27
Package body created.
SOL> DECLARE
  2 O EmpCursor Employee RefCur PKG.EmpCursor;
  3 TYPE RefData IS RECORD
  4
  5
    Empno Emp.Empno%TYPE,
    Ename Emp.Ename%TYPE,
  6
  7
    Job Emp.Job%TYPE,
  8
    Sal Emp.Sal%TYPE,
  9
    Dname Dept.Dname%TYPE,
 10
    Loc Dept.Loc%TYPE
 11 );
 12 MyRefData RefData;
 13 IN EName VARCHAR2(10) := '&GName'
 14 TYPE MyArray
 15 IS
 16 TABLE OF
 17 MyRefData%TYPE;
 18 V MyArray MyArray;
 20 Employee RefCur PKG.EmployeeSearch(IN EName, O EmpCursor);
 21 FETCH O EmpCursor BULK COLLECT INTO V MyArray;
 22 CLOSE O EmpCursor;
 23 FOR LoopIndex IN 1 .. V MyArray.Count
 24 LOOP
 25 DBMS OUTPUT.PUT LINE(V MyArray(LoopIndex).Empno||',
'||V MyArray(LoopIndex).Ename||', '|| V MyArray(LoopIndex).Job||',
'||V MyArray(LoopIndex).Sal||', '||V MyArray(LoopIndex).Dname||', '||
V MyArray(LoopIndex).Loc);
 26 END LOOP;
 27 END;
 28 /
Enter value for gname: Smith
7369, SMITH, CLERK, 800, RESEARCH, DALLAS
PL/SQL procedure successfully completed.
SOL> /
Enter value for gname: A
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
7876, ADAMS, CLERK, 1100, RESEARCH, DALLAS
7499, ALLEN, SALESMAN, 1600, SALES, CHICAGO
7698, BLAKE, MANAGER, 2850, SALES, CHICAGO
7782, CLARK, MANAGER, 2450, ACCOUNTING, NEW YORK
7900, JAMES, CLERK, 950, SALES, CHICAGO
7654, MARTIN, SALESMAN, 1250, SALES, CHICAGO
7521, WARD, SALESMAN, 1250, SALES, CHICAGO
PL/SQL procedure successfully completed.
SQL> cl scr
SQL> CREATE OR REPLACE PACKAGE EmpSearchPackage
  2 IS
  3 PROCEDURE Empinfo(I Deptno IN Emp.Deptno%TYPE);
  4 PROCEDURE Empinfo(I Job IN VARCHAR);
  5 PROCEDURE Empinfo(I MGR IN Emp.MGR%TYPE, I MSGIN CHAR);
  6 END EmpSearchPackage;
Package created.
SQL> CREATE OR REPLACE PACKAGE BODY EmpSearchPackage
  3 FUNCTION EmpExp(V Empno NUMBER)
  4 RETURN NUMBER
  5 IS
  6 V HireDate Emp. HireDate % TYPE;
  7 V = 1;
  8 BEGIN
  9 SELECT HireDate INTO V HireDate
 10 FROM Emp
 11 WHERE Empno = V Empno;
 12 V_Exp := MONTHS BETWEEN(SYSDATE, V HireDate) / 12;
 13 RETURN V Exp;
 14 END EmpExp;
 15 PROCEDURE EmpInfo(I Deptno IN Emp.Deptno%TYPE)
 16 AS
 17 V EmpExp NUMBER;
 18 CURSOR EmpInfoCursor IS
 19 SELECT Empno, Ename, Job, Sal, Comm
 20
   FROM Emp
 21 WHERE Deptno = I Deptno;
 22 EmpRecord EmpInfoCursor%ROWTYPE;
 23 BEGIN
 24 OPEN EmpInfoCursor;
 25 LOOP
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

26 FETCH EmpInfoCursor INTO EmpRecord; 27 EXIT WHEN EmpInfoCursor%NOTFOUND; 28 DBMS OUTPUT.PUT LINE('Employee Name : '||EmpRecord.Ename); 29 DBMS OUTPUT.PUT LINE ('Employee Job: '||EmpRecord.Job); 30 V EmpExp := EmpExp(EmpRecord.Empno); 31 DBMS OUTPUT.PUT LINE ('Employee Salary: '||EmpRecord.Sal); 32 DBMS OUTPUT.PUT LINE ('Employee Comission: '||NVL(TO CHAR(EmpRecord.Comm), 'NO COMMISSION')); 33 DBMS OUTPUT.PUT LINE ('Employee Total Salary : '|| (EmpRecord.Sal NVL(EmpRecord.Comm, 0))); 34 DBMS OUTPUT.PUT LINE ('Employee Experience : '|| V EmpExp); 36 END LOOP; 37 CLOSE EmpInfoCursor; 38 END EmpInfo; 39 PROCEDURE Empinfo(I Job IN VARCHAR) 40 AS 41 V EmpExp NUMBER; 42 CURSOR EmpInfoCursor IS 43 SELECT Empno, Ename, Job, Sal, Comm 44 FROM Emp 45 WHERE Job = I Job; 46 EmpRecord EmpInfoCursor%ROWTYPE; 48 OPEN EmpInfoCursor; 49 LOOP 50 FETCH EmpInfoCursor INTO EmpRecord; 51 EXIT WHEN EmpInfoCursor%NOTFOUND; 52 DBMS OUTPUT.PUT LINE ('Employee Name : '||EmpRecord.Ename); 53 DBMS OUTPUT.PUT LINE('Employee Job: '||EmpRecord.Job); 54 V EmpExp := EmpExp(EmpRecord.Empno); 55 DBMS OUTPUT.PUT LINE ('Employee Salary : '||EmpRecord.Sal); 56 DBMS OUTPUT.PUT LINE ('Employee Comission: '||NVL(TO CHAR(EmpRecord.Comm), 'NO COMMISSION')); 57 DBMS OUTPUT.PUT LINE ('Employee Total Salary: '|| (EmpRecord.Sal + NVL(EmpRecord.Comm, 0))); 58 DBMS OUTPUT.PUT LINE ('Employee Experience : '||V EmpExp); 60 END LOOP; 61 CLOSE EmpInfoCursor; 62 END EmpInfo; 63 PROCEDURE Empinfo(I MGR IN Emp.MGR%TYPE, I MSGIN CHAR) 64 AS 65 V EmpExp NUMBER; 66 CURSOR EmpInfoCursor IS 67 SELECT Empno, Ename, Job, Sal, Comm 68 FROM Emp

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
69 WHERE MGR = I MGR;
 70 EmpRecord EmpInfoCursor%ROWTYPE;
 71 BEGIN
 72 OPEN EmpInfoCursor;
 73 LOOP
 74 FETCH EmpInfoCursor INTO EmpRecord;
 75 EXIT WHEN EmpInfoCursor%NOTFOUND;
 76 DBMS OUTPUT.PUT LINE ('Employee Name : '||EmpRecord.Ename);
 77 DBMS OUTPUT.PUT LINE('Employee Job: '||EmpRecord.Job);
 78 V EmpExp := EmpExp (EmpRecord.Empno);
 79 DBMS OUTPUT.PUT LINE ('Employee Salary: '||EmpRecord.Sal);
 80 DBMS OUTPUT.PUT LINE('Employee Comission:
'||NVL(TO CHAR(EmpRecord.Comm), 'NO COMMISSION'));
 81 DBMS OUTPUT.PUT LINE ('Employee Total Salary : '|| (EmpRecord.Sal +
NVL(EmpRecord.Comm, 0)));
 82 DBMS OUTPUT.PUT LINE('Employee Experience : '| V EmpExp);
 84 END LOOP;
 85 CLOSE EmpInfoCursor;
 86 END EmpInfo;
 87 END EmpSearchPackage;
 88
Package body created.
SQL> EXEC EmpSearchPackage.EmpInfo(10)
Employee Name : KING
Employee Job : PRESIDENT
Employee Salary: 5000
Employee Comission: NO COMMISSION
Employee Total Salary: 5000
Employee Experience : 36.8
********
Employee Name : CLARK
Employee Job : MANAGER
Employee Salary: 2450
Employee Comission: NO COMMISSION
Employee Total Salary: 2450
Employee Experience: 37.24
*******
Employee Name : MILLER
Employee Job : CLERK
Employee Salary: 1300
Employee Comission: NO COMMISSION
Employee Total Salary: 1300
Employee Experience: 36.61
*********
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

PL/SQL procedure successfully completed. SQL> EXEC EmpSearchPackage.EmpInfo('CLERK') Employee Name : JAMES Employee Job : CLERK Employee Salary: 950 Employee Comission: NO COMMISSION Employee Total Salary: 950 Employee Experience: 36.75 ********** Employee Name : SMITH Employee Job : CLERK Employee Salary: 800 Employee Comission: NO COMMISSION Employee Total Salary: 800 Employee Experience: 37.71 ******* Employee Name : ADAMS Employee Job : CLERK Employee Salary: 1100 Employee Comission: NO COMMISSION Employee Total Salary: 1100 Employee Experience: 35.64 ****** Employee Name : MILLER Employee Job : CLERK Employee Salary: 1300 Employee Comission: NO COMMISSION Employee Total Salary: 1300 Employee Experience: 36.61 PL/SQL procedure successfully completed. SQL> cl scr SQL> CREATE OR REPLACE TRIGGER WeekEndCheck 2 AFTER INSERT OR UPDATE OR DELETE 3 ON Emp DECLARE 5 V WeekDay VARCHAR2(100); 6 BEGIN 7 V WeekDay := TO CHAR(SYSDATE, 'DY'); 8 IF V WeekDay = 'SAT' OR V WeekDay = 'SUN' THEN 9 RAISE APPLICATION ERROR (-20010, 'An Illegal Intrusion into the System

SkyEss Techno Solutions Pvt. Ltd.

was Detected.');

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad - 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix, Big Data

```
10 END IF;
 11 END;
 12 /
Trigger created.
SQL> DELETE FROM Emp WHERE Ename = 'ADAMS';
1 row deleted.
SQL> ROLLBACK;
Rollback complete.
SQL> DELETE FROM Emp WHERE Ename = 'ADAMS';
DELETE FROM Emp WHERE Ename = 'ADAMS'
ERROR at line 1:
ORA-20010: An Illegal Intrusion into the System was Detected.
ORA-06512: at "SCOTT.WEEKENDCHECK", line 6
ORA-04088: error during execution of trigger
                                             'SCOTT.WEEKENDCHECK'
SQL> cl scr
SOL> ROLLBACK;
Rollback complete.
SQL> DROP TRIGGER WEEKENDCHECK;
Trigger dropped.
SOL> cl scr
SQL> CREATE OR REPLACE TRIGGER IllegalTime
  2 BEFORE INSERT OR UPDATE OR DELETE
  3 ON Emp
  4 DECLARE
  5 V Time NUMBER;
    BEGIN
    V Time := TO CHAR(SYSDATE, 'HH24');
  8 IF V Time NOT BETWEEN 10 AND 17 THEN
  9 RAISE APPLICATION ERROR(-20011, 'Illegal Intrusion, Not Business
Hours.');
 10 END IF;
 11 END;
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

Trigger created.

SQL> ELETE FROM Emp WHERE Ename = 'ADAMS';
SP2-0734: unknown command beginning "ELETE FROM..." - rest of line ignored.

SQL> DELETE FROM Emp WHERE Ename = 'ADAMS';
DELETE FROM Emp WHERE Ename = 'ADAMS'

*

ERROR at line 1:
ORA-20011: Illegal Intrusion, Not Business Hours.
ORA-06512: at "SCOTT.ILLEGALTIME", line 6
ORA-04088: error during execution of trigger 'SCOTT.ILLEGALTIME'

SQL> DELETE FROM Emp WHERE Ename = 'ADAMS';

1 row deleted.

SOL> SPOOL OFF

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data



Sathish Yellanki

NEW BATCH FOR

DRACL

UTILITIES

Batch Starts on O6th Sep 2018 Time: 5pm-6pm

Utilities Covered

- SQL* Loader
- UTL File
- External Tables
- Dynamic SQL
- Advance SQL Functions
- Oracle Pragmas
- Regular Expressions
 Bulk Collect & Bulk Loading

Online - 500INR For Each Tool ClassRoom - 300INR For Each Tool





9985798869



9985798869



https://www.facebook.com/Sathishyellankiinstitute

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix, Big Data

Follow Me: https://www.facebook.com/satishkumar.yellanki