Annoucing New Batch For

BIG DATA

with

Hadoop Framework

Covering Extensive

HDFS Framework, MapReduce, Pig, Hive, Java, HBase, Spark & Scala







Batch Starts on 21st Aug 2018

Time: 7am-8am

(Class Room and On-Line)



SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
SOL> cl scr
SOL> ED
Wrote file afiedt.buf
  1 DELETE FROM Dept
  2* WHERE Deptno = &V Deptno
SQL> /
Enter value for v deptno: 40
1 row deleted.
SOL> /
Enter value for v deptno: 20
DELETE FROM Dept
ERROR at line 1:
ORA-02292: integrity constraint (SCOTT.EMP FOREIGN KEY) violated - child
record found
SQL> ROLLBACK;
Rollback complete.
SOL> cl scr
SQL> DECLARE
  2 E EmpRemaining EXCEPTION;
  3 PRAGMA EXCEPTION INIT (E EmpRemaining, -2292);
  4 V Deptno Emp.Deptno%TYPE := &GiveDeptno;
  5 BEGIN
  6 DELETE FROM Dept
  7 WHERE Deptno = V Deptno;
  8 END;
Enter value for givedeptno: 40
PL/SQL procedure successfully completed.
SQL> /
Enter value for givedeptno: 30
DECLARE
ERROR at line 1:
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

..... ORA-02292: integrity constraint (SCOTT.EMP FOREIGN KEY) violated - child record found ORA-06512: at line 6 SOL> DECLARE 2 E EmpRemaining EXCEPTION; 3 PRAGMA EXCEPTION INIT (E EmpRemaining, -2292); 4 V Deptno Emp.Deptno%TYPE := &GiveDeptno; 5 BEGIN 6 DELETE FROM Dept 7 WHERE Deptno = V Deptno; 8 EXCEPTION 9 WHEN E EmpRemaining THEN 10 DBMS OUTPUT.PUT LINE('Unable to Delete the Department Number '|| V Deptno|| ' as the Employees are Existing. Validate Your Relations and then Try Once Again.'); 11 WHEN NO DATA FOUND THEN 12 DBMS OUTPUT. PUT LINE ('The Given Information is Missing in the Database, Check for Proper Values.'); 13 END; 14 / Enter value for givedeptno: 30 Unable to Delete the Department Number 30 as the Employees are Existing. Validate Your Relations and then Try Once Again. PL/SQL procedure successfully completed. SQL> ROLLBACK; Rollback complete. SOL> cl scr SQL> DECLARE 2 E EmpRemaining EXCEPTION; 3 PRAGMA EXCEPTION INIT (E EmpRemaining, -2292); 4 V Deptno Emp.Deptno%TYPE := &GiveDeptno; 5 BEGIN 6 DELETE FROM Dept WHERE Deptno = V Deptno; 7 8 EXCEPTION 9 WHEN E EmpRemaining THEN 10 DBMS OUTPUT.PUT LINE('Unable to Delete the Department Number '||V Deptno||' as the Employees are Existing. Validate Your Relations and then Try Once Again.');

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
11 WHEN NO DATA FOUND THEN
 12 DBMS OUTPUT.PUT LINE('The Given Information is Missing in the
Database, Check for Proper Values.');
 13 END;
 14 /
Enter value for givedeptno: 40
PL/SQL procedure successfully completed.
SOL> /
Enter value for givedeptno: 20
Unable to Delete the Department Number 20 as the Employees are Existing.
Validate Your Relations and then Try Once
Again.
PL/SQL procedure successfully completed.
SOL> /
Enter value for givedeptno: 70
PL/SQL procedure successfully completed
SQL> ROLLBACK;
Rollback complete.
SOL> DECLARE
  2 E EmpRemaining EXCEPTION;
  3 PRAGMA EXCEPTION INIT (E EmpRemaining, -2292);
  4 V Deptno Emp.Deptno%TYPE := &GiveDeptno;
  5 BEGIN
  6 DELETE FROM Dept
  7 WHERE Deptno = V Deptno;
  8 IF SQL%NOTFOUND THEN
  9 DBMS OUTPUT.PUT LINE('The Given Information is Missing in the
Database, Check for Proper Values.');
 10 END IF;
 11 EXCEPTION
 12 WHEN E EmpRemaining THEN
 13 DBMS OUTPUT.PUT LINE ('Unable to Delete the Department Number
'|| V Deptno|| as the Employees are Existing. Validate Your Relations and
then Try Once Again.');
14 END;
Enter value for givedeptno: 70
The Given Information is Missing in the Database, Check for Proper
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
PL/SQL procedure successfully completed.
SOL> cl scr
SOL> ROLLBACK;
Rollback complete.
SOL> cl scr
SOL> DECLARE
  2 E EmpExists EXCEPTION;
  3 V Count NUMBER(2);
  4 V SalSum NUMBER(6);
  5 PRAGMA EXCEPTION INIT (E EmpExists, -2292);
  6 V Empno Emp.Empno%TYPE := &GiveEmpno;
    BEGIN
  7
  8 DELETE FROM Emp
  9 WHERE Empno = V Empno;
 10 IF SQL%NOTFOUND THEN
 11 DBMS OUTPUT.PUT LINE('The Given Employee Number '||V Empno||' is
Missing in the Database, Check for Proper Values.');
 12 ROLLBACK;
 13 ELSE
 14 NULL;
 15 END IF;
 16 EXCEPTION
 17 WHEN E EmpExists THEN
 18 DBMS OUTPUT.PUT LINE('Unable to Delete the Employee Details
'||V Empno||' as the Employees are Existing. Validate Your Relations and
then Try Once Again. ();
 19 END;
 20 /
Enter value for giveempno: 7654
PL/SQL procedure successfully completed.
SQL> /
Enter value for giveempno: 7566
Unable to Delete the Employee Details 7566 as the Employees are Existing.
Validate Your Relations and then Try Once
Again.
PL/SQL procedure successfully completed.
SOL> /
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
.....
Enter value for giveempno: 2234
The Given Employee Number 2234 is Missing in the Database, Check for
Proper Values.
PL/SQL procedure successfully completed.
SQL> cl scr
SQL> ROLLBACK;
Rollback complete.
SQL> cl scr
SQL> DECLARE
  2 E NotNULLViolation EXCEPTION;
  3 PRAGMA EXCEPTION INIT (E NotNULL Violation, -1400);
    BEGIN
  5 INSERT INTO Emp(Empno, Ename, Job, Sal, Comm, Deptno)
  6 VALUES(&Empno, 'SATHISH', 'ANALYST', 25000, NULL, &Deptno);
  7 EXCEPTION
  8 WHEN E NotNULLViolation THEN
  9 DBMS OUTPUT.PUT LINE('A Field which Cannot be NULL, is not attended,
Please Check Properly...');
10 END;
 11 /
Enter value for empno: NULL
Enter value for deptno: 30
A Field which Cannot be NULL, is not attended, Please Check Properly...
PL/SQL procedure successfully completed.
SOL> /
Enter value for empno: 7935
Enter value for deptno: NULL
A Field which Cannot be NULL, is not attended, Please Check Properly...
PL/SQL procedure successfully completed.
SOL> ED
Wrote file afiedt.buf
  1 DECLARE
  2 V Empno Emp.Empno%TYPE := &Empno;
  3 V Deptno Emp.Deptno%TYPE := &Deptno;
  4 E NotNULLViolation EXCEPTION;
  5 PRAGMA EXCEPTION INIT (E NotNULLViolation, -1400);
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
6
   BEGIN
  7
    INSERT INTO Emp(Empno, Ename, Job, Sal, Comm, Deptno)
    VALUES (V Empno, 'SATHISH', 'ANALYST', 25000, NULL, V Deptno);
  8
  9 EXCEPTION
 10 WHEN E NotNULLViolation THEN
 11 IF V Empno IS NULL THEN
 12 DBMS OUTPUT.PUT LINE ('Employee Number Cannot be NULL');
 14 DBMS OUTPUT.PUT LINE ('Department Number Cannot be NULL'),
 15 END IF;
 16* END;
SOL> /
Enter value for empno: NULL
Enter value for deptno: 30
Employee Number Cannot be NULL
PL/SQL procedure successfully completed.
SQL> /
Enter value for empno: 7935
Enter value for deptno: NULL
Department Number Cannot be NULL
PL/SQL procedure successfully completed
SOL> ROLLBACK;
Rollback complete.
SQL> cl scr
SQL> ALTER TABLE Emp
  2 ADD CONSTRAINT EmpEnameCHK CHECK(Ename = UPPER(Ename))
  3 ADD CONSTRAINT EmpJobCHK CHECK (Job = UPPER (Job))
Table altered.
SQL> cl scr
SQL> DECLARE
    E NotNULLViolation EXCEPTION;
  3 PRAGMA EXCEPTION INIT (E NotNULL Violation, -1400);
  4 E CheckViolation EXCEPTION;
   PRAGMA EXCEPTION INIT(E CheckViolation, -2290);
   BEGIN
  6
  7 INSERT INTO Emp(Empno, Ename, Job, Sal, Comm, Deptno)
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
8 VALUES (&Empno, '&Ename', '&Job', 25000, NULL, &Deptno);
  9 EXCEPTION
 10 WHEN E CheckViolation THEN
 11 DBMS OUTPUT.PUT LINE('A Field with Check Constraint is not Attended
Properly, Please Check Properly.');
 12 WHEN E NotNULLViolation THEN
 13 DBMS OUTPUT.PUT LINE ('A Field which Cannot be NULL, is not attended,
Please Check Properly.');
 14 END;
 15 /
Enter value for empno: 7935
Enter value for ename: Suresh
Enter value for job: CLERK
Enter value for deptno: 30
A Field with Check Constraint is not Attended Properly,
                                                        Please Check
Properly.
PL/SQL procedure successfully completed.
SOL> /
Enter value for empno: 7935
Enter value for ename: SURESH
Enter value for job: Clerk
Enter value for deptno: 30
A Field with Check Constraint is not Attended Properly, Please Check
Properly.
PL/SQL procedure successfully completed.
SQL> /
Enter value for empno: NULL
Enter value for ename: SURESH
Enter value for job: CLERK
Enter value for deptno: 30
A Field which Cannot be NULL, is not attended, Please Check Properly.
PL/SQL procedure successfully completed.
SOL> ED
Wrote file afiedt.buf
   DECLARE
   V Empno Emp.Empno%TYPE := &Empno;
  3 V Ename Emp.Ename%TYPE := '&Ename';
  4 V Job Emp.Job%TYPE := '&Job';
  5 V Deptno Emp.Deptno%TYPE := &Deptno;
  6 E NotNULLViolation EXCEPTION;
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

.....

```
7 PRAGMA EXCEPTION INIT(E NotNULLViolation, -1400);
  8 E CheckViolation EXCEPTION;
  9 PRAGMA EXCEPTION INIT(E CheckViolation, -2290);
 10 BEGIN
 11 INSERT INTO Emp(Empno, Ename, Job, Sal, Comm, Deptno)
 12 VALUES (V Empno, V Ename, V Job, 25000, NULL, V Deptno);
 13 EXCEPTION
 14 WHEN E CheckViolation THEN
 15 IF V Ename != UPPER(V Ename) THEN
 16 DBMS OUTPUT.PUT LINE ('Employee Name Should Be in Upper Case
 17 ELSIF V Job != \overline{UPPER}(V \text{ Job}) THEN
 18 DBMS OUTPUT.PUT LINE ('Employee Designation Should Be in Upper
Case');
 19 END IF;
 20 WHEN E NotNULLViolation THEN
 21 IF V Empno IS NULL THEN
 22 DBMS OUTPUT.PUT LINE ('Employee Number Cannot be NULL');
 23 ELSE
 24 DBMS OUTPUT.PUT LINE('Department Number Cannot be NULL');
 25 END IF;
 26* END;
SQL> /
Enter value for empno: NULL
Enter value for ename: SURESH
Enter value for job: CLERK
Enter value for deptno: 30
Employee Number Cannot be NULL
PL/SQL procedure successfully completed.
SQL> /
Enter value for empno: 7936
Enter value for ename: Suresh
Enter value for job: CLERK
Enter value for deptno: 30
Employee Name Should Be in Upper Case
PL/SQL procedure successfully completed.
SQL> cl scr
SQL> ROLLBACK;
Rollback complete.
SOL> cl scr
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

.....

```
SQL> DECLARE
  2 V Empno Emp.Empno%TYPE := &GEmpno;
  3 V Ename Emp.Ename%TYPE;
    BEGIN
  5
    SELECT Ename INTO V_Ename
  6 FROM Emp
  7 WHERE Empno = V Empno;
  8 DBMS OUTPUT.PUT LINE ('The Employee Name is : '| | V Ename);
  9 EXCEPTION
 10 WHEN NO DATA FOUND THEN
 11 DBMS OUTPUT.PUT LINE('Employee Data Not Found');
 12 WHEN OTHERS THEN
 13 DBMS OUTPUT.PUT LINE('Un-Identified Exception')
 14 END;
 15
Enter value for gempno: 7654
The Employee Name is : MARTIN
PL/SQL procedure successfully completed
SQL> /
Enter value for gempno: 2234
Employee Data Not Found
PL/SQL procedure successfully completed.
SOL> ED
Wrote file afiedt.buf
  1 DECLARE
  2 V Empno Emp.Empno%TYPE := &GEmpno;
  3 V Ename Emp.Ename%TYPE;
  4 E RecNotFound EXCEPTION;
  5 PRAGMA EXCEPTION INIT(E RecNotFound, -1403);
  7 SELECT Ename INTO V Ename
  8 FROM Emp
  9 WHERE Empno = V Empno;
 10 DBMS OUTPUT.PUT LINE ('The Employee Name is : '| | V Ename);
 11 EXCEPTION
 12 WHEN E RecNotFound THEN
 13 DBMS OUTPUT.PUT LINE('Employee Data Not Found');
 14 WHEN OTHERS THEN
 15 DBMS OUTPUT.PUT LINE('Un-Identified Exception');
 16* END;
SOL> /
Enter value for gempno: 2234
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

.....

E RecNotFound EXCEPTION; ERROR at line 4: ORA-06550: line 4, column 1: PLS-00701: illegal ORACLE error number -1403 for PRAGMA EXCEPTION_INIT SQL> ED Wrote file afiedt.buf 1 DECLARE 2 V Empno Emp.Empno%TYPE := &GEmpno; 3 V Ename Emp.Ename%TYPE; 4 E RecNotFound EXCEPTION; 5 PRAGMA EXCEPTION INIT (E RecNotFound, +100); 7 SELECT Ename INTO V Ename 8 FROM Emp 9 WHERE Empno = V Empno; 10 DBMS OUTPUT.PUT LINE('The Employee Name is: '||V Ename); 11 EXCEPTION 12 WHEN E RecNotFound THEN 13 DBMS OUTPUT.PUT LINE ('Employee Data Not Found'); 14 WHEN OTHERS THEN 15 DBMS OUTPUT.PUT LINE('Un-Identified Exception'); 16* END; SOL> / Enter value for gempno: 2234 Employee Data Not Found PL/SQL procedure successfully completed. SOL> ED Wrote file afiedt.buf 1 DECLARE 2 V Empno Emp.Empno%TYPE := &GEmpno; 3 V Ename Emp.Ename%TYPE; 4 E RecNotFound EXCEPTION; 5 PRAGMA EXCEPTION INIT(E RecNotFound, +100); 6 7 SELECT Ename INTO V Ename 8 FROM Emp 9 WHERE Empno = V Empno; 10 DBMS OUTPUT.PUT LINE('The Employee Name is : '||V Ename); 11 EXCEPTION 12 WHEN E RecNotFound THEN

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
13 DBMS OUTPUT.PUT LINE('Employee Data Not Found');
 14 DBMS_OUTPUT.PUT_LINE('Server Return Code : '||SQLCODE);
 15 DBMS OUTPUT.PUT LINE ('Server Return Message: '||SQLERRM);
 16 WHEN OTHERS THEN
 17 DBMS OUTPUT.PUT LINE('Un-Identified Exception');
 18 DBMS OUTPUT.PUT LINE('Server Return Code : '||SQLCODE);
 19 DBMS OUTPUT.PUT LINE ('Server Return Message : '||SQLERRM);
SQL> /
Enter value for gempno: 2234
Employee Data Not Found
Server Return Code: 100
Server Return Message : ORA-01403: no data found
PL/SQL procedure successfully completed.
SOL> ED
Wrote file afiedt.buf
  1 DECLARE
  2 V Sal Emp.Sal%TYPE := &GSal;
  3 V Ename Emp.Ename%TYPE;
  4 E RecNotFound EXCEPTION;
  5 PRAGMA EXCEPTION INIT(E RecNotFound, +100);
  6 BEGIN
  7
    SELECT Ename INTO V Ename
  8 FROM Emp
  9 WHERE Sal = V Sal;
 10 DBMS OUTPUT.PUT LINE ('The Employee Name is : '||V Ename);
 11 EXCEPTION
 12 WHEN E RecNotFound THEN
 13 DBMS OUTPUT.PUT LINE('Employee Data Not Found');
 14 DBMS OUTPUT.PUT LINE ('Server Return Code: '||SQLCODE);
 15 DBMS OUTPUT.PUT LINE('Server Return Message: '||SQLERRM);
 16 WHEN OTHERS THEN
 17 DBMS OUTPUT.PUT LINE('Un-Identified Exception');
 18 DBMS OUTPUT.PUT LINE('Server Return Code: '||SQLCODE);
 19 DBMS OUTPUT.PUT LINE('Server Return Message : '||SQLERRM);
 20* END;
SQL> /
Enter value for gsal: 5000
The Employee Name is : KING
PL/SQL procedure successfully completed.
SOL> /
Enter value for gsal: 2234
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

..... Employee Data Not Found Server Return Code: 100 Server Return Message : ORA-01403: no data found PL/SQL procedure successfully completed. SQL> / Enter value for qsal: 3000 Un-Identified Exception Server Return Code : -1422 Server Return Message: ORA-01422: exact fetch returns more than requested number of rows PL/SQL procedure successfully completed. SOL> ED Wrote file afiedt.buf 1 DECLARE 2 V Sal Emp.Sal%TYPE := &GSal; 3 V Ename Emp.Ename%TYPE; 4 E RecNotFound EXCEPTION; 5 PRAGMA EXCEPTION INIT (E RecNotFound, 7 SELECT Ename INTO V Ename 8 FROM Emp 9 WHERE Sal = V Sal ; 10 DBMS OUTPUT.PUT LINE('The Employee Name is : '||V Ename); 11 EXCEPTION 12 WHEN E RecNotFound THEN 13 DBMS OUTPUT.PUT LINE('Employee Data Not Found'); 14 DBMS OUTPUT.PUT LINE ('Server Return Code: '||SQLCODE); 15 DBMS OUTPUT.PUT LINE('Server Return Message: '||SQLERRM); 16 WHEN TOO MANY ROWS THEN 17 DBMS OUTPUT.PUT LINE ('More Records Are Matching, Cannot Operate'); 18 DBMS OUTPUT.PUT LINE ('Server Return Code: '||SQLCODE); 19 DBMS OUTPUT.PUT LINE ('Server Return Message: '||SQLERRM); 20 WHEN OTHERS THEN 21 DBMS OUTPUT.PUT LINE ('Un-Identified Exception'); 22 DBMS OUTPUT.PUT LINE ('Server Return Code : '||SQLCODE); 23 DBMS OUTPUT.PUT LINE ('Server Return Message : '||SQLERRM); 24* END; SQL> / Enter value for gsal: 1250 More Records Are Matching, Cannot Operate Server Return Code : -1422

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
.....
Server Return Message: ORA-01422: exact fetch returns more than
requested number of rows
PL/SQL procedure successfully completed.
SOL> cl scr
SQL> ROLLBACK;
Rollback complete.
SOL> cl scr
SOL> CREATE TABLE MyAudit
    UserName VARCHAR2(15),
 4
    ModDate DATE,
    Message VARCHAR2(100)
 6
   )
 7
Table created.
SQL> CREATE TABLE TrappedMessages
 2 (
 3
    ErrorNum NUMBER(6),
    ErrorMsg VARCHAR2 (250)
 5
    TrapDate DATE
 6)
 7
Table created.
SOL> DECLARE
 2 V Deptno Dept.Deptno%TYPE := &DeptNumber;
 4 V Loc Dept.Loc%TYPE := UPPER('&DeptLocation');
 5 BEGIN
   INSERT INTO Dept
   VALUES(V_Deptno, V_Dname, V_Loc);
   IF SQL%FOUND THEN
   DBMS OUTPUT.PUT LINE('Insert is Successfull');
 10 INSERT INTO MyAudit (UserName, ModDate, Message)
 11 VALUES (USER, SYSDATE, 'Record Inserted Successfully');
 12 ELSE
13 DBMS OUTPUT.PUT LINE('Insert Has Failed');
14 INSERT INTO MyAudit (UserName, ModDate, Message)
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

```
15 VALUES (USER, SYSDATE, 'Record Insertion Failed');
 16 END IF;
 17 EXCEPTION
 18 WHEN OTHERS THEN
 19
    DECLARE
 20
    V ErrorCode NUMBER(6);
 21 V ErrorMessage VARCHAR2 (200);
 2.3
    V ErrorCode := SQLCODE;
 24
     V ErrorMessage := SUBSTR(SQLERRM, 1, 200);
     DBMS OUTPUT.PUT LINE('The Error Code Traced is: '||V ErrorCode);
 25
    DBMS OUTPUT.PUT LINE('The Error Message Traced is:
 26
'||V ErrorMessage);
    INSERT INTO TrappedMessages(ErrorNum, ErrorMsg, TrapDate)
 27
    VALUES(V ErrorCode, V ErrorMessage, SYSDATE);
 29
 30 END;
 31 /
Enter value for deptnumber: 30
Enter value for deptname: SHIPPING
Enter value for deptlocation: CHENNAI
The Error Code Traced is : -1
The Error Message Traced is: ORA-00001: unique constraint
(SCOTT.DEPT PRIMARY KEY) violated
PL/SQL procedure successfully completed.
Enter value for deptnumber: NULL
Enter value for deptname: CARGO
Enter value for deptlocation: MUMBAI
The Error Code Traced is: -1400
The Error Message Traced is: ORA-01400: cannot insert NULL into
("SCOTT"."DEPT"."DEPTNO")
PL/SQL procedure successfully completed.
SQL> /
Enter value for deptnumber: 50
Enter value for deptname: CARGO
Enter value for deptlocation: CHENNAI
Insert is Successfull
PL/SQL procedure successfully completed.
SQL> SELECT * FROM MyAudit;
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

..... USERNAME MODDATE _____ MESSAGE SCOTT 22-AUG-18 Record Inserted Successfully SQL> SELECT * FROM TrappedMessages; **ERRORNUM** _____ ERRORMSG TRAPDATE ORA-00001: unique constraint (SCOTT.DEPT PRIMARY KEY) violated 22-AUG-18 -1400ORA-01400: cannot insert NULL into ("SCOTT"."DEPT"."DEPTNO") 22-AUG-18 SQL> SPOOL OFF

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

Annoucing New Batch For BIG DATA

with

Hadoop Framework

Covering Extensive

HDFS Framework, MapReduce, Pig, Hive, Java, HBase, Spark & Scala





Batch Starts on 21st Aug 2018

Sathish Yellanki

Time: 7am-8am

(Class Room and On-Line)

For Registration Contact 040-23710047, 9985798869

.....

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. 040 23710047, Mobile: 9985798869, WhatsApp:9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle11g(Weekend), Live Projects in SQL and PL/SQL,
Data Modeling, Linux/Unix, Big Data

Follow Me: https://www.facebook.com/satishkumar.yellanki

http://yellankisathish.com/