09 FEB 2021

# API Specification Documents

## UMANG Services – Service Plus API

V1.8

**Version Control**

| | |
|---|---|
| **Author** | Jatin Varshney |
| **File Name** | API Specification Document<br>Service Plus API services to be onboarded on UMANG Platform |
| **Created on** | 4 Sep 2020 |
| **Last Edited on** | 14 Aug 2023 |

**Revision History**

| Version | Revision Date | Revision Type | Revision Description | Author |
|---|---|---|---|---|
| V1.0 | 4 Sep 2020 | API Creation | Final version | Jatin Varshney |
| V1.1 | 24 Sep | Change in Response Params | Revised Version | Jatin Varshney |
| V1.2 | 6 OCT | Updated Production APIs | Updated Version for Production with Production API details | Jatin Varshney |
| V1.3 | 15 OCT | UMANG Transaction History API | UMANG Transaction History API | Jatin Varshney |
| V1.4 | 4 Nov | Updated UMANG API Sections | Service Plus Launch API Section updated with LGD Table & Category API.<br><br>Added the relevant points in remark section regarding API.<br><br>Service Plus Transaction History API section is modified with request body.<br><br>Added the relevant points in remark section regarding API request parameter with their explanation. | Jatin Varshney |
| V1.5 | 10FEB22 | New stack of api for service plus | Updated endpoints with new versions. | Jatin Varshney |
| V1.6 | 15 June 2022 | Updated host URLs | Updated Umang URLs after AWS onboarding | Rajkamal Mishra |
| V1.7 | 4 Jan 2023 | Updated variables length | Updated variables length for spDeptName<br>Department description<br>spSrvName | Ashish Kumar |
| V1.8 | 14 Aug 2023 | Updated spCat Values | Updated spCat Values | Ashish Kumar |

## Table of Contents


1 Introduction ..... 3

1.1 Document Objective ..... 3

1.2 Acronyms and Abbreviations ..... 3

2 Purpose ..... 4

2.1 Service Launch API ..... 4

2.2 Service Plus Suspension API ..... 12

# 1 Introduction

Under Digital India Program, NeGD has developed Unified Mobile Application for New-Age Governance (UMANG) which is a unified platform with a single mobile app (on Android, iOS, KaiOS and Windows) and web (www.umang.gov.in). It aims to provide single point access to major government services from the Central Government, State/UT Governments and local bodies as well as from their agencies from mobile. It was envisaged to integrate with 200 government applications to provide around 1200+ high impact services.

## 1.1 Document Objective

The API Specification Document provide an overview of the purpose of API & data provided. The goal of this document is to capture and describe behavior of all the API's. Please refer to "Acronyms" section below for a list of abbreviations and terminology that are associated with the project.

## 1.2 Acronyms and Abbreviations

The following table lists the acronyms and abbreviations used in this document.

**Table 1: Acronyms and Abbreviations**

| # | Acronyms / Abbreviations | Full Form |
|---|---|---|
| 1 | Did | Device ID |
| 2 | Lac | Location |
| 3 | Lang | Language from App |
| 4 | Lon | Longitude |
| 5 | Mode | Mode |
| 6 | Pltfrm | Platform |
| 7 | Srvid | Service ID |
| 8 | Tkn | Token |
| 9 | Trkr | Tracker |
| 10 | P. No. | Page Number |
| 11 | Pt. No. | Point Number |
| 12 | DeptId | Department Id (Department onboarded on DB) |

# 2 Purpose

This document provided the list of APIs available in Umang Platform for functionalities/Services provided by Service Plus.

## 2.1 Service Launch API

The following API is used to push the service plus data for Umang Platform, refer request with below parameters:

<table>
<tr><td colspan="2">HTTP Method</td><td>POST</td></tr>
<tr><td rowspan="2">URL</td><td>Staging</td><td>https://app.umang.gov.in/t/negd.gov.in/depttapi/spApi/2.0/spLaunchApi</td></tr>
<tr><td>Productio n</td><td>https://apigw.umangapp.in/SPApi/3.0/spLaunchApi</td></tr>
<tr><td colspan="2">Request Header Staging UMANG_CORE</td><td>Authorization:Bearer f410bcb9-c874-32ab-b502-7b01561e9b2f<br>Content-Type:application/json</td></tr>
<tr><td colspan="2">Request Header Production UMANG_CORE</td><td>x-api-key: VKE9PnbY5k1ZYapR5PyYQ33I26sXTX569Ed7eqyg<br>Content-Type:application/json</td></tr>
<tr><td colspan="2">Request Body (JSON Body)</td><td>{<br>"spLogo":"Logo",<br>"spDeptName":"Service Plus-1",<br>"spSrvName":"Test 2 Service",<br>"spSrvDesc":"Apply Service Data ",<br>"spInstanceID":"99",<br>"spSrvOwner":"3027",<br>"spSrvID":"3028",<br>"spCat":"1,13",<br>"spFAQ":"FAQ",<br>"spInstAPI":"https://serviceonline.gov.in/prod/invokeSST",<br>"spTinyURL":"https://serviceonline.gov.in/prod/ty/141505iO827zfD802unR",<br>"spSecKey":"PD0952UGD59DGt9798id",<br>"spIsActive":"Y",<br>"spAddInfo1":"2",<br>"spAddInfo2":"2",<br>"spVersion":"1",<br>"spDeptMultiLingualData":"",<br>"spSrvAliases":"youth, registrtation, apply, faq,test",<br>"spSrvMultiLingualData":"2",<br>"spDynamicKeyValuePair":"32"<br>}</td></tr>
<tr><td colspan="2">Response</td><td>{<br>"mRefId": "9",<br>"spSrvID": "2028",<br>"mCreatedOn": "2020-10-05 23:38:04.317796",<br>"mResCode": "200",</td></tr>
</table>

| | |
|---|---|
| | <pre>"rs": "S",<br>"rd": "SUCCESS",<br>"msg": "Data Inserted Successfully"<br>}</pre> |
| Remark | 1. Umang data would be captured as unique combination for following values:<br>spInstanceID<br>spSrvOwner<br>spSrvID<br>2. There is check enabled to validate the combination of these values before insertion. If data is not present, then data will be inserted.<br>3. Refer the LGD code table to onboard the State specific services on UMANG platform. The request parameter spInstanceID value would be changed as per the Table 2.<br>4. For Central specific service the value of request parameter spInstanceID would be 99.<br>5. Refer the category API details in same section to get the actual category id for service onboarding on UMANG platform.<br>The spCat parameter support multi category option to onboard service, it means service plus services can be onboarded in two categories on UMANG, so one category id can be picked from primary category object and one category id can be picked from secondary category object.<br>Refer the response for primary & secondary category value.<br>6. The primary category id would be pass as first value in spCat parameter and secondary category id would be passed as second id in spCat parameter.<br>Ex "spCat":"13,145"<br>7. In case, the service only belongs to one category then pass one value to spCat parameter.<br>Ex: "spCat":"13" |
| NOTE | Once the Launch API is invoked, Service Plus team needs to inform Umang team about the data inserted. |

**Table -2 State LGD Code**

| lgd_code | lgd_code_State Name |
|---|---|
| 1 | JAMMU AND KASHMIR |
| 2 | HIMACHAL PRADESH |
| 3 | PUNJAB |
| 4 | CHANDIGARH |
| 5 | UTTARAKHAND |
| 6 | HARYANA |
| 7 | DELHI |

| lgd_code | lgd_code_State Name |
|---|---|
| 8 | RAJASTHAN |
| 9 | UTTAR PRADESH |
| 10 | BIHAR |
| 11 | SIKKIM |
| 12 | ARUNACHAL PRADESH |
| 13 | NAGALAND |
| 14 | MANIPUR |
| 15 | MIZORAM |
| 16 | TRIPURA |
| 17 | MEGHALAYA |
| 18 | ASSAM |
| 19 | WEST BENGAL |
| 20 | JHARKHAND |
| 21 | ODISHA |
| 22 | CHHATTISGARH |
| 23 | MADHYA PRADESH |
| 24 | GUJARAT |
| 27 | MAHARASHTRA |
| 28 | ANDHRA PRADESH |
| 29 | KARNATAKA |
| 30 | GOA |
| 31 | LAKSHADWEEP |
| 32 | KERALA |
| 33 | TAMIL NADU |
| 34 | PUDUCHERRY |
| 35 | ANDAMAN AND NICOBAR ISLANDS |
| 36 | TELANGANA |
| 37 | LADAKH |
| 38 | THE DADRA AND NAGAR HAVELI AND DAMAN AND DIU |
| 38 | THE DADRA AND NAGAR HAVELI AND DAMAN AND DIU |
| 99 | Centre |

**Table -3 Categor Code**

| SpCat | Category |
|---|---|
| 1 | Education, Skills & Employment |
| 3 | Health & Wellness |
| 4 | Farmers |
| 6 | Youth. Skills and Employment |
| 9 | Transport |
| 13 | Utility & Bill Payments |
| 47 | BFSI |
| 85 | Public Grievance |

| | |
|---|---|
| 87 | Police and Legal |
| 143 | e-District Services |
| 144 | Women, Child & Senior Citizens |
| 145 | Direct Benefit Transfer (DBT) |
| 148 | General |
| 151 | Social Security & Pensioners |
| 158 | Mera Ration |
| SpCat | Category |
| 1 | Education, Skills & Employment |
| 3 | Health & Wellness |
| 4 | Farmers |

**UMANG Category API**

| | | |
|---|---|---|
| HTTP Method | | GET |
| URL | Production | https://apigw.umangapp.in/SPApi/3.0/category |
| Response | | {<br>"Primary Category": [<br>{<br>"id": 1,<br>"desc": "Students"<br>},<br>{<br>"id": 3,<br>"desc": "Health"<br>},<br>{<br>"id": 4,<br>"desc": "Farmers"<br>},<br>{<br>"id": 5,<br>"desc": "Housing"<br>},<br>{<br>"id": 6,<br>"desc": "Youth. Skills and Employment"<br>},<br>{<br>"id": 9,<br>"desc": "Transport"<br>},<br>{<br>"id": 13,<br>"desc": "Utility"<br>}, |

```
{
        "id": 47,
        "desc": "Finance and Banking"
},
{
        "id": 38,
        "desc": "Energy"
},
{
        "id": 84,
        "desc": "Revenue"
},
{
        "id": 85,
        "desc": "Public Grievance"
},
{
        "id": 86,
        "desc": "Ministry of Road Transport and Highways"
},
{
        "id": 87,
        "desc": "Police and Legal"
},
{
        "id": 89,
        "desc": "Ministry of Home Affairs, Govt. of India"
},
{
        "id": 90,
        "desc": "Armed Forces"
},
{
        "id": 143,
        "desc": "Certificates"
},
{
        "id": 144,
        "desc": "Women & Children"
},

{
        "id": 148,
        "desc": "General"
```

```
                    },
                    {
                        "id": 149,
                        "desc": "Education"
                    },
                    {
                        "id": 151,
                        "desc": "Social Security & Pensioners"
                    },
                    {
                        "id": 152,
                        "desc": "Tourism and Culture"
                    }
                ],
                "Secondary Category": [

                    {
                        "id": 145,
                        "desc": "Direct Benefit Transfer (DBT)"
                    }
                ]
            }
```


**Request Body Parameters: -**

| S No. | Parameter Name | Data Type Details | Description | Mandatory [Y/N] |
|---|---|---|---|---|
| 1 | spLogo | Text | Logo to be displayed on Mobile App | Y |
| 2 | spSrvName | Text Max 128 Characters | Service Name to be displayed on the Mobile. | Y |
| 3 | spSrvDesc | Text Max. 512 Characters | Description of the Service. This may be shown prominently or as a message on 'info symbol' (i) | Y |
| 4 | spInstanceID | Numeric Max number of digits: 4 | A code to identify the Service Plus instance. | Y |

| | | | | |
|---|---|---|---|---|
| 5 | spSrvOwner | Numeric | Service Owner Code refers to the LGD code of Service Definers Department. | Y |
| 6 | spSrvID | Numeric | Service ID of the service to be made available on Mobile APP | Y |
| 7 | spCat | AlphaNumeric<br>Max. Number<br>of Characters:<br>500 | The Categor(y)/(ies) under which the service can be classified. Possible values separated by comma, may be collected from the Mobile App Service Provider | Y |
| 8 | spFAQ | Alpha Numeric<br>Max. Number of Characters: 5000 | The FAQs related to the Service Each FAQ should be separated by double pipe (\|\|) symbol. | Y |
| 9 | spInstAPI | https://< instanceURL> /invokeSST | The API URL which needs to be called to generate Service Session Token | Y |
| 10 | spTinyURL | URL | The URL which points to individual Service | Y |
| 11 | spSecKey | AlphaNumeric<br>Max. Number<br>of<br>Characters:50 | The secret key assigned to Mobile App Service Provider | Y |
| 12 | spIsActive | Single Character: Y or N | A Flag which specifies the status of Service | Y |
| 13 | spAddInfo1 | | For future use | N |

| | | | | |
|---|---|---|---|---|
| 14 | spAddInfo2 | | For future use | N |
| 15 | spVersion | Numeric | Minor & Major Version Codes | Y |
| 16 | spDeptName | Text Max 128 Characters | Department Name for onboarded service plus application | Y |
| 17 | spDeptMultiLingualData | Json Array | To get all the information in multilingual, if data is not available in multilingual, provide data in English for rest of the lang codes. | N |
| 18 | spSrvAliases | Text | To enable the search with given keywords on Umang Platform | Y |
| 19 | spSrvMultiLingualData | Json Array | To showcase services information in multilingual, if data is not available in multilingual, provide data in English for rest of the lang codes | N |
| 20 | spDynamicKeyValuePair | JsonString | | N |

**Response Parameter -Success**

| # | Parameter Name | Description | Data Type | Expected Values |
|---|---|---|---|---|
| 1 | Rs | Request Status | String | S |
| 2 | mResCode | Response Code | String | 200 |
| 3 | Rd | Response Description | String | SUCCESS |
| 4 | Msg | Response Msg | String | Response Message |
| 5 | mRefId | Reference Id of Umang | String | 274 |
| 6 | spSrvID | SP service id | String | 2294002011 |
| 7 | mCreatedOn | Insertion Time | String | 2020-09-24 12:24:11.07843 |
| | | | | |

Response Parameter - Fail

| # | Parameter Name | Description | Data Type | Expected Values |
|---|---|---|---|---|
| 1 | Rs | Request Status | String | F |
| 2 | mResCode | Response Code | String | 200 |
| 3 | Rd | Response Description | String | FAIL |
| 4 | Msg | Response msg | String | Response Message |
| 5 | mRefId | Reference Id of Umang | String | '' |
| 6 | spSrvID | SP service id | String | '' |
| 7 | mCreatedOn | Insertion Time | String | '' |
| | | | | |

## 2.2 Service Plus Suspension API

The following API is used to suspend the Service Plus API information on UMANG platform, refer below request with below parameters:

| | | |
|---|---|---|
| HTTP Method | | POST |
| URL | Staging | https://app.umang.gov.in/t/negd.gov.in/depttapi/spApi/2.0/spSuspensionApi |
| | Production | https://apigw.umangapp.in/SPApi/3.0/spSuspensionApi |
| Request Header Staging UMANG_CORE | | Authorization:Bearer f410bcb9-c874-32ab-b502-7b01561e9b2f<br>Content-Type:application/json |
| Request Header Production UMANG_CORE | | x-api-key: VKE9PnbY5k1ZYapR5PyYQ33I26sXTX569Ed7eqyg<br>Content-Type:application/json |
| Request Body (JSON BODY) | | {<br>"spInstanceID":"99",<br>"spSrvOwner":"3027",<br>"spSrvID":"3028",<br>"spIsActive":"N",<br>"spSuspndOn":"2020-09-23 11:42:41.723",<br>"spSuspendRsn":"for temporary the service is inactive test"<br>} |
| Response | | {<br>"mRefId": "322",<br>"spSrvID": "7036",<br>"mCreatedOn": "2022-02-08 19:14:35.721891",<br>"mResCode": "200",<br>"rs": "S",<br>"rd": "SUCCESS",<br>"msg": "Data Suspended Successfully."<br>} |

Request Parameter

| # | Parameter Name | Data Type & Value | Description | Mandatory [Y/N] |
|---|---|---|---|---|
| 1 | spInstanceID | String | A code to identify the Service Plus instance. | Y |
| 2 | spSrvOwner | String | Service Owner Code refers to the LGD code of Service Definers Department. | Y |
| 3 | spSrvID | String | Service ID of the service to be made available on Mobile APP | Y |
| 4 | spSuspendRsn | String | Suspension reason | Y |
| 5 | spIsActive | Single Character [N] | A Flag which specifies the status of Service | Y |

Response Parameter -Success

| # | Parameter Name | Description | Data Type | Expected Values |
|---|---|---|---|---|
| 1 | Rs | Request Status | String | S |
| 2 | mResCode | Response Code | String | 200 |
| 3 | Rd | Response Description | String | SUCCESS |
| 4 | Msg | Response Msg | String | Response Message |
| 5 | mRefId | Reference Id of Umang | String | 274 |
| 6 | spSrvID | SP service id | String | 2294002011 |
| 7 | mCreatedOn | Insertion Time | String | 2020-09-24 12:24:11.07843 |
| | | | | |

Response Parameter - Fail

| # | Parameter Name | Description | Data Type | Expected Values |
|---|---|---|---|---|
| 1 | Rs | Request Status | String | F |
| 2 | mResCode | Response Code | String | 200 |
| 3 | Rd | Response Description | String | FAIL |
| 4 | Msg | Response msg | String | Response Message |
| 5 | mRefId | Reference Id of Umang | String | '' |
| 6 | spSrvID | SP service id | String | '' |
| 7 | mCreatedOn | Insertion Time | String | '' |
| | | | | |