

Citizen / Operator
SevaOne UI (React)
SevaOne BFF (.NET 10)
Redis Cache
PostgreSQL
WSO2 Identity Server (9443)
WSO2 APIM (Gateway 8243)
Department System (URL 1 and URL 2 caller)
Department or Sakala GSE (URL 3 Status API)
Phase 1: Login (already in place). Citizen or operator signs in through WSO2 Identity Server
1 Log in (citizen: OTP or DigiLocker, operator: franchise login)
2 POST /api/v1/auth/... or /api/v1/operator/login
3 SCIM2 find-or-create, then JWT-bearer grant (citizen, operator or admin issuer)
4 Access and refresh tokens
5 HttpOnly session cookies
Phase 2: Handoff. WSO2 Identity Server mints the Token
6 Click Apply on a department service
7 POST /api/v1/departments/{dept}/schemes/{code}/apply-token
8 Create the handoff (unique edcsApplicationRefNo, user, assistedmode, ServiceId)
9 JWT-bearer grant: signed assertion with scope dept:{code} svc:{id}
10 Opaque access token (the Token, single use, 30 min)
11 Store the Token hash against the handoff
12 Form fields: UserId, edcsApplicationRefNo, Token, assistedmode, ServiceId
13 Auto-submitting POST form to the department
Phase 3: URL 1. The department works exactly as it does with Seva Sindhu today
14 POST form to the Department URL (URL 1)
opt
[Department asks SevaOne to check the Token (method not defined yet)]
15 Token check API (Basic credentials)
16 Introspect the Token (client credentials held at the gateway)
17 {active, scope}
18 Valid or invalid
19 HTTP 200, access allowed
20 Fill the application form and pay the department fee
Phase 4: URL 2. The acknowledgement comes in through WSO2 APIM
21 Generate the final acknowledgement
22 POST /api/TokenIntegration/department-update (JSON, Authorization: Basic)
APIM checks the Basic credentials, the IP allow-list, the department's throttle tier and the payload size. It adds the department identity and the gateway secret.
23 Forward with department identity and gateway secret
24 Look up the Token verdict
alt
[Cache miss]
25 POST /oauth2/introspect
26 {active: true, scope: "dept:{code}"}
27 Cache the verdict (60 s at most)
The scope department must equal the Basic credentials' department. The Token must match the stored handoff and EdcsApplicationRefNo.
alt
[Token valid and handoff matches]
28 Save payment details and acknowledgement (idempotent on the two reference numbers)
29 Set status to SUCCESS, write the outbox event
30 Revoke the Token (single use is now complete)
31 {DepartmentApplicationUpdateId, EdcsApplicationRefNo, DepartmentApplicationRefNo}
32 200 with the same body
33 Redirect the browser back to SevaOne
34 Return to SevaOne
35 Get the acknowledgement
36 Read the saved response
37 Acknowledgement to print
[Token invalid or save failed]
38 {"Message": "Data Not Inserted"}
39 Failure body
40 Show the transaction as Failed
The department calls URL 2 again until it succeeds
Phase 5: URL 3. SevaOne checks the status through an outbound WSO2 APIM API
loop
[Whenever SevaOne needs the status]
41 GET status for the department (outbound API)
42 POST {GscNumber} (retry, timeout and throttle at the gateway)
43 Application status
44 Application status
45 Update the status timeline
Citizen / Operator
SevaOne UI (React)
SevaOne BFF (.NET 10)
Redis Cache
PostgreSQL
WSO2 Identity Server (9443)
WSO2 APIM (Gateway 8243)
Department System (URL 1 and URL 2 caller)
Department or Sakala GSE (URL 3 Status API)