React.js Component Creation

NAME :-MAMIDI SRIKANTH

EMAIL :- sreekanth1534478@gmail.com


ROLL NUMBER :- 20KH1A0452

PHONE NUMBER :- 7729882575

COLLEGE NAME: - SRI VENKATESWARA COLLEGE OF ENGINEERING, KADAPA

source code:-

CARD COMPONENT:-



BUTTON COMPONENT:-

```
刘 File Edit Selection View Go Run Terminal Help ←
                                                                                                                                                      ■ button.css ×
仚
                                                                                                                              nents > button > 🥫 button.css > ધ butto
      ∨ 📹 card
                                         import React from 'react'
import './button.css'
       > node_n
       > 🗱 public
                                                                                                                          width:90%;
        background: aqua;

✓ 

display="block" button

            utton.css
                                                                                                                          font-weight: bold:
8
                                                                                                                          margin-inline: auto;
            Button.jsx
         card.css
            Card.jsx
                                                                                                                      button:hover{
         🗸 🖷 images
           image1.jpeg
           image2.jpeg
           image3.jpeg
           image4.jpeg
           image5.jpeg
           image6.jpeg
          App.css
          JS App.is
          index.css
          JS index.js
           package-lock.json
            package.json
(2)
     > OUTLINE
253
     > TIMELINE
   $° main* ↔ ⊗ 0 🛦 0
                                                                                                                            Ln 1, Col 1 Spaces: 4 UTF-8 CRLF CSS @ Go Live
                                                                                                                                                                     II Ninja
```

APP COMPONENT:-

```
Terminal Help
🖈 File Edit Selection View Go Run
                                                                                                                                                                                         ზ 🏻 ...
0
       EXPLORER
                                             JS App.js M X
                                             card > src > JS App.js > .


✓ INTERSHIP

       ∨ d card
                                                     import (Card) from './components/card/Card';
import image1 from './images/image1.jpeg'
import image2 from './images/image2.jpeg'
         > node modules
         > 🗱 public
路
          ∨ 🗰 src
                                                     import image3 from './images/image3.jpeg
import image4 from './images/image4.jpeg
          d<sub>a</sub>
                                                     import image5 from './images/image5.jpeg
            ∨ d button
                                                     import image6 from
              J button.css

₩ Button.jsx

                                                       const cards = |
            card.css
                                                            url:image1,
               ∨ 📹 images
                                                            description: "The definition of a supercar describes an expensive car that's flashy,"
              image1.jpeg
              image2.jpeg
                                                            url:image2,
              image3.jpeg
                                                            title: "Maserati MC20", description: "The definition of a supercar describes an expensive car that's flashy"
              image4.jpeg
              image5.jpeg
              image6.jpeg
            App.css
                                                            title: "Porsche 911 GT3 RS",

description: "The definition of a supercar describes an expensive car that's flashy"
             index.css
                                                            title:"Lamborghini Huracan Tecnica",
description:"The definition of a supercar describes an expensive car that's flashy"
               package.json
             README.md
                                                            url:image5,
title:"Rimac Nevera",
                                                            url:image6,
title:"ferrari F9",
(8)
                                                            description: "The definition of a supercar describes an expensive car that's flashy"
      > OUTLINE
      > TIMELINE
   $º main* ↔ ⊗ 0 🛦 0 🐕 0
                                                                                                                                                  Ln 8, Col 42 Spaces: 2 UTF-8 LF {} JavaScript © Go Live II Ninja
```




approach:-

1 . initially taking an array of objects like below

```
const cards = [
   url:image1,
   title: "Audi R8",
   description: "The definition of a supercar describes an expensive car that's flashy,"
   url:image2,
   title: "Maserati MC20",
   description: "The definition of a supercar describes an expensive car that's flashy"
   url:image3,
   description:"The definition of a supercar describes an expensive car that's flashy"
   url:image4,
   title: "Lamborghini Huracan Tecnica",
   description: "The definition of a supercar describes an expensive car that's flashy"
   url:image5,
   description: "The definition of a supercar describes an expensive car that's flashy"
   url:image6,
   title: "ferrari F9",
    description: "The definition of a supercar describes an expensive car that's flashy"
```

- 2 . Passing this card array to child (card component) of App component by using props;
- 3 . getting data as argument like {card} in card component.
- 4 . in card component i use one state [show, setShow] to get extra info as description.
- 5. When we click the button then show becomes true by assigning setShow (!show).

OUTPUT



AFTER BUTTON CLICKS:-

