

Use of Microchip Trademarks and Brands – Guidelines for Customers, Licensees and other 3rd Parties

Microchip brand identity is a valuable asset protected by trademark law. Microchip aims to protect this asset by ensuring that its trademarks are used properly by Microchip, its customers, licensees, distributors, vendors, consultants, developers and others. You may use Microchip trademarks and product names to refer to Microchip products and services as long as you follow these Guidelines.

If you have any questions, please contact Microchip's Legal Department by sending an e-mail to legal.department@microchip.com or faxing your request to (480) 792-4112.

Basic Trademark Guidelines:

- Properly identify our trademarks, including the trademark symbol (with ®, ™ or ™) and the trademark's descriptor, to accurately refer to Microchip products and services. For example:

dsPIC® digital signal controller
KEELOQ® technology
MPLAB® integrated development environment
PIC® microcontroller

- Use trademarks as adjectives followed by appropriate descriptors (nouns):

Right: Use a PIC® microcontroller in your next design.

Wrong: Use a PIC in your next design.

- Do NOT use trademarks in the possessive form.

Right: Compare the features of PIC® microcontrollers to other microcontrollers.

Wrong: Compare PIC's features to other microcontrollers.

- Do NOT use trademarks in the plural form.

Right: Compare all PIC® microcontrollers to other microcontrollers.

Wrong: Compare all PICs to other microcontrollers.

- Do NOT use our trademarks in the title of your website or any part of your domain name.

Wrong: www.pic.com
www.mypic.com
www.pic1.com

- Do NOT use our trademarks or logos (or similar marks) in your own product names, service names, trademarks, logos or company names. Instead, you may refer to Microchip products and services to indicate your product's compatibility with a specific Microchip product or service.

Right: [Your Product Name] for use with PIC® microcontrollers.

[Your Product Name] runs on PIC® microcontrollers.

[Your Company] is experienced in designing hardware that works with PIC® microcontrollers.

Wrong: Your Product Name: "MyPIC"

Your Product Name: "YesPIC"

Your Product Name: "PICKy"

- Do NOT use our logos, symbols or icons on your marketing, promotional or packaging materials, products, or website, unless you have an express written trademark license from Microchip. If you would like to request a license, please send an e-mail to the following:

Microchip Design Partner Program send your request to: partners@microchip.com

Microchip Third-Party Tool Providers send your request to: third_party_support@microchip.com

- If you are a licensee of Microchip's trademark(s), your license agreement will specifically identify the marks that you are authorized to use and may provide special trademark usage guidelines. If so, please comply with those guidelines. If you have not been provided special trademark usage guidelines, then please comply with the guidelines described here.

Microchip Trademark Lists:

For a list of Microchip trademarks, logos and services marks, see below.

For a list of Microchip's trademarks and the suggested descriptor for each trademark, see below.

The absence of a trademark, logo or service mark from these lists does not constitute a waiver of Microchip's trademark or other intellectual property rights concerning that mark or logo.

Authorized Use of Microchip Trademarks:

Use Microchip trademarks to refer to Microchip products or services:

You may use our trademarks to refer to our products or services in accordance with these Guidelines. When doing so, include an attribution of Microchip's ownership of its trademarks within the credit notice section of your documentation or other communication. For example:

[*Trademark*] is a trademark or registered trademark of Microchip Technology Inc.

[*Trademark*] and [*Trademark*] are trademarks or registered trademarks of Microchip Technology Inc.

Use of Microchip Trademarks in Publications, Seminars and Conferences:

You may use our trademarks to refer to our products or services on the cover of magazines, in articles or periodicals, and in the title of seminars and conferences provided that you comply with these Guidelines and the following terms:

- The publication, seminar, or conference should relate to the specific Microchip product, service or technology referenced.
- Your name and logo should appear more prominently than the Microchip mark on all printed materials related to the magazine, article, periodical, seminar or conference.
- A disclaimer of sponsorship, affiliation, or endorsement by Microchip should be included on the publication and all related printed materials. For example:

"[*Title*] is an independent [*publication*] and is not affiliated with, nor has it been authorized, sponsored, or otherwise approved by Microchip."

- You should include a trademark attribution on the publication and related printed materials where Microchip trademarks appear. For example:

[*Trademark*] and [*Trademark*] are trademarks or registered trademarks of Microchip Technology Inc.

- Do not use a Microchip trademark as the leading word in (or most prominent part of) your magazine, periodical, article, seminar or conference title. You may use Microchip trademarks in a referential manner such as “XYZ Conference featuring PIC® microcontrollers.” By contrast, “PIC Conference” requires a license from Microchip.
- Do not use any Microchip logo on or in a publication or on any materials related to a publication, seminar or conference without a license from Microchip.

Microchip Design Partner Program send your request to: partners@microchip.com

Microchip Third-Party Tool Providers send your request to: third_party_support@microchip.com

- Do not use a Microchip trademark in any manner that suggests Microchip's affiliation, sponsorship or certification of the magazine, article, periodical, seminar or conference.

Linking Your Website to Our Website: You may place a text link to a Microchip web page on your website as long as: (1) the text link is not used in any way to mislead or confuse consumers; and (2) you inform the consumer that they are being directed to another website. You may refer to Microchip or its products or services as long as you follow these Guidelines.

As mentioned above, you may not use any Microchip logo to link to Microchip's website without permission.

Trademarks

Microchip Technology Incorporated's products are marketed and sold under one or more of the following trademarks belonging to Microchip or one of Microchip's subsidiaries. Questions regarding use of these trademarks should be addressed to the Microchip's Legal Department via email: legal.department@microchip.com.

The following are registered trademarks of Microchip in the U.S.A. and other countries: AnyRate, Atmel, AVR, AVR Freaks, BitCloud, CHIPKIT, CryptoMemory, CryptoRF, dsPIC, FlashFlex, flexPWR, Heldo, JukeBLOX, KEELOQ, Klear, LANCheck, LINK MD, maXStylus, maXTouch, megaAVR, MediaLB, MOST, MPLAB, OptoLyzer, PIC, picoPower, PICSTART, Prochip Designer, QTouch, RightTouch, SAM-BA, SST, SuperFlash, tinyAVR, UNI/O and XMEGA.

The following are registered trademarks of Microchip in the U.S.A: ClockWorks, ETHERSYNCH, Hyper Speed Control, HyperLight Load, IntelliMOS, KlearNet, mTouch, Precision Edge, QUIET-WIRE and The Embedded Control Solutions Company.

The following are registered trademarks of Microchip in other countries: BeaconThings, GestIC, Silicon Storage Technology.

The following are trademarks of Microchip in the U.S.A. and other countries: Adjacent Key Suppression, AKS, Analog-for-the-Digital Age, Any Capacitor, AnyIn, AnyOut, BeaconThings, BodyCom, CodeGuard, CryptoAuthentication, CryptoCompanion, CryptoController, dsPICDEM, dsPICDEM.net, Dynamic Averaged Matching, DAM, ECAN, EtherGREEN, ICSP, In-Circuit Serial Programming, Inter-Chip Connectivity, JitterBlocker, Mindi, MiWi, motorBench, MPASM, MPF, MPLIB, MPLINK, MultiTRAK, NetDetach, Omniscient Code Generation (OCG), PICDEM, PICDEM.net, PICkit, PICTail, PureSilicon, QMatrix, REAL ICE, Ripple Blocker, SAM-ICE, SMART-I.S., SQI, Serial Quad I/O, SuperSwitcher, SuperSwitcher II, Total Endurance, TSHARC, USBCheck, VariSense, ViewSpan, WiperLock, Wireless DNA and ZENA.

The following is a service mark of Microchip in the U.S.A.: SQTP.

The following are logos of Microchip in the U.S.A. and other countries:

Registered
Trademark
Logos



Trademark
Logos of
Registered
Word
Mark



Trademark
Logo



TRADEMARK	NOUN
Adjacent Key Suppression	technology
AKS	technology
Analog-for-the-Digital Age	AIPD family tagline
Any Capacitor	stable
AnyIn	feature, structure, capability
AnyOut	feature, capability
AnyRate	synthesizer, clock synthesizer
AVR	devices, microcontrollers, MCUs
AVR Freaks	forum
BeaconThings	technology
BitCloud	SDK
BodyCom	technology, system, development kit
CHIPKIT	boards, hardware, software, platform, network, I/O shields
ClockWorks	configurator, products, series, family, devices
CodeGuard	security
CryptoAuthentication	development library, library
CryptoCompanion	chip
CryptoController	solution, Trusted Platform Module (TPM)
CryptoMemory	cryptographic security ICs, ICs
CryptoRF	transponder, devices
DAM	architecture
dsPIC	digital signal controllers (DSCs)
dsPICDEM	demonstration board
dsPICDEM.net	board
Dynamic Averaged Matching	architecture
ECAN	technology, solution
EtherGREEN	platform, technology, family
EtherSynch	platform, technology, family
FlashFlex	technology
flexPWR	technology
GestIC	technology, sensing
Heldo	family, regulators
Hyper Speed Control	family, architecture
HyperLight Load	mode
ICSP	programming capability
In-Circuit Serial Programming	programming capability
IntelliMOS	family, power stage family
Inter-Chip Connectivity	Technology
JitterBlocker	family, attenuators
JukeBLOX	technology, platform
KEELOQ	security ICs, protocol, technology
Kleer	technology
KleerNet	technology
LANCheck	online design review, online review, review
LINK MD	cable diagnostics, technology family
maXStylus	Solution

TRADEMARK	NOUN
maXTouch	touchscreen controllers
MediaLB	bus, controller, device
megaAVR	devices, MCUs
Mindi	analog simulator, analog simulator tool
MiWi	wireless networking protocol
MOST	Technology, NetServices. evaluation kit, board, system, device, product, network, specification, platform, cooperation, design
motorBench	Development Suite
MPASM	assembler
MPF	Products, devices
MPLAB	Integrated Development Environment, In-circuit Debugger, In-Circuit Emulator, IDE, ICD, ICE, REAL ICE in-circuit emulator, starter kit, compiler, XC compiler, C compiler, Harmony, Integrated Programming Environment, IPE, XPress
MPLIB	object librarian or librarian
MPLINK	object linker or linker
mTouch	solution, sensing solution, evaluation kit, technology, development kit
MultiTRAK	technology
NetDetach	technology
Omniscient Code Generation (OCG)	compilation technology
OptoLyzer	tool, network analysis tool
PIC	microcontroller, MCU, device(s)
PICDEM	demonstration board
PICDEM.net	Internet/Ethernet demonstration board
PICKit	starter kit, programmer, debugger
picoPower	technology
PICSTART	development programmer
PICtail	daughter board, board
Precision Edge	family, product family
Prochip Designer	software suite
PureSilicon	oscillator, technology
QMatrix	sensor, devices
QTouch	sensor, devices, library, tools, development platform, project builder, Composer, Project Builder, board
Quiet-Wire	enhanced EMI technology, family, technology
REAL ICE	In-circuit emulator
RightTouch	technology
Ripple Blocker	technology, attenuators
SAM-BA	software
SAM-ICE	emulator
Serial Quad I/O	family, flash device, product
SMART-I.S.	technology
SQL	technology
SuperFlash	technology, kit
SuperSwitcher	family, regulator, buck regulator
SuperSwitcher II	family
tinyAVR	microcontroller, MCU

TRADEMARK	NOUN
Total Endurance	software model
TSHARC	touch screen controller, controller
UNI/O	memory chips; bus, hardware port, communication protocol, firmware
USBCheck	design review
VanSense	technology
ViewSpan	technology
WiperLock	technology
Wireless DNA	technology
XMEGA	microcontroller, MCU, devices, Custom Logic (XCL0)
ZENA	software, analyzer or wireless adapter