

A MINI PROJECT
on
**TOUR GUIDE AND PLANNER USING JS
FRAMEWORK**

Submitted to
JAWAHARLAL NEHRU TECHNOLOGICAL UNIVERSITY,
HYDERABAD

In partial fulfilment of the requirement for the award of the degree of

BACHELOR OF TECHNOLOGY

in

COMPUTER SCIENCE AND ENGINEERING (DATA
SCIENCE)

By

G.SRI KARAN REDDY

217Y1A6757

S.PRAVALIKA

217Y1A6730

D.ROHITH

227Y5A6706

Under the Guidance of
Dr.N.PUSHPALATHA ,
PROFESSOR



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (DATA
SCIENCE)



MARRI LAXMAN REDDY
INSTITUTE OF TECHNOLOGY & MANAGEMENT

(AN AUTONOMOUS INSTITUTION)

(Approved by AICTE, New Delhi & Affiliated to JNTUH, Hyderabad)

NAAC Accredited Institution with 'A' Grade & Recognized Under Section 2(f) & 12(B) of the UGC act, 1956

AUGUST, 2024



MARRI LAXMAN REDDY INSTITUTE OF TECHNOLOGY & MANAGEMENT

(AN AUTONOMOUS INSTITUTION)

(Approved by AICTE, New Delhi & Affiliated to JNTUH, Hyderabad)

NAAC Accredited Institution with 'A' Grade & Recognized Under Section 2(f) & 12(B) of the UGC act, 1956

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING (DATA SCIENCE)

Date:

CERTIFICATE

This is to certify that the project work entitled “ **TOUR GUIDE AND PLANNER USING JS FRAMEWORK**” work done by **G.SRI KARAN REDDY (217Y1A6757)**, **S.PRAVALIKA (217Y1A6730)** and **D.ROHITH (227Y1A6706)** students of Department of Computer Science and engineering (Data Science), is a record of bonafide work carried out by the members during a period from **January, 2023** to **August, 2024** under the supervision of **DR.N.PUSHPALATHA**. This project is done as a fulfilment of obtaining Bachelor of Technology Degree to be awarded by Jawaharlal Nehru Technological University Hyderabad, Hyderabad.

The matter embodied in this project report has not been submitted by **me/us** to any other university for the award of any other degree.

G.SRI KARAN REDDY

S.PRAVALIKA

D.ROHTIH

This is to certify that the above statement made by the candidate(s) is correct to the best of my knowledge.

Date:

(DR.N.Pushpalatha)

The Viva-Voce Examination of above students, has been held on.....

Head of the Department

External Examiner

Principal/Director

ACKNOWLEDGEMENT

we would like to express my sincere gratitude to my guide Dr.N.Pushpalatha , Professor, Computer science and Engineering(Data Science), for his/her excellent guidance and invaluable support, which helped me accomplish the B.Tech degree and prepared me to achieve more life goals in the future. His/Her total support of my dissertation and countless contributions to my technical and professional development made for a truly enjoyable and fruitful experience. Special thanks are dedicated for the discussions we had on almost every working day during my project period and for reviewing my dissertation.

we am very much grateful to my Project Coordinator, Dr. M. Sunitha, Associate Professor, Computer Science and Engineering (Data Science), MLRITM, Dundigal, Hyderabad, who has not only shown utmost patience, but was fertile in suggestions, vigilant in directions of error and has been infinitely helpful.

we are extremely grateful to Dr. N. Pushpalatha ,professor and Head of Department ,Computer Science and Engineering(Data Science), MLRITM, Dundigal, Hyderabad, for the moral support and encouragement given in completing my project work.

we wish to express deepest gratitude and thanks to Dr. R. Murali Prasad, Principal, and Dr. P. Sridhar, Director for their constant support and encouragement in providing all the facilities in the college to do the project work.

we would also like to thank all our faculties, administrative staff and management of MLRITM, who helped me to completing the project.

On a more personal note, I thank my beloved parents and friends for their moral support during the course of our project.

TABLE OF CONTENTS

			Page No.
		Certificate	<i>ii</i>
		Acknowledgements	<i>iii</i>
		Table of Contents	<i>iv-v</i>
		List of Figures	<i>vi</i>
		List of Abbreviations	<i>vii</i>
		Abstract	<i>viii</i>
		Chapter 1: Introduction	9-10
	1.1	General overview	9
	1.2	Objective of the project	10
	1.3	Problem statement of project	10
		Chapter 2: Literature Survey	11-12
	2.1	Project survey	11
	2.2	Existing System	12
	2.2.1	Disadvantages of existing system	12
		CHAPTER 3:Analaysis	13-19
	3.1	Proposed system and methodology	13
	3.2	System specifications	14
	3.2.1	Hardware requirements	14
	3.2.2	Software requirements	14
	3.3	Uml diagrams	15
	3.3.1	Use case Diagram	16
	3.3.2	Sequence Diagram	17
	3.3.3	Data Flow Diagram	18
	3.3.4	Class Diagram	19
		CHAPTER 4: Coding	20-31
	4.1	Proposed code	20
	4.1.1	Code for tour guide and planner using js Framework	20-31

CHAPTER 5: Implementation			32-33
CHAPTER 6: Result			34-39
	6.1	Output	34-39
CHAPTER 7: Conclusion			40
	7.1	Future scope	40
CHAPTER 8: References			41

LIST OF FIGURES

Figure No.	Name of the Figure	Page No.
Figure 3.1.1	Use case Diagram	16
Figure 3.1.2	Sequence Diagram	17
Figure 3.1.3	Data Flow Diagram	18
Figure 3.1.4	Class Diagram	19
Figure 5.1	Validating Code	32
Figure 5.2	Creation of webpage	32
Figure 5.3	Registration Process	33
Figure 5.4	Login Process	33
Figure 5.5	Home Page	33
Figure 6.1	Login Page	34
Figure 6.2	New Page	34
Figure 6.3	Tour package details	35
Figure 6.4	Package Options	36
Figure 6.5	Hotel Details	37
Figure 6.6	Kochi	38
Figure 6.7	Munnar	38
Figure 6.8	Kumarakom	38
Figure 6.9	Thekkady	39
Figure 6.10	Palakand	39

LIST OF ABBREVIATIONS

JS	Java Script
HTML	Hyper Text Markup Language
CSS	Cascading style sheets
SPA	Single Page Application
API	Application Program Interface

ABSTRACT

Recommender systems are using in many different domains. We mainly focuses on the applications of tourisms A widely searched of the conferences since many years has been made. We provides a detailed and up to-date survey of this field, considering the different kinds of ways, the and diversity of recommendation algorithms, the functionalities offered by these systems and their use of Artificial Intelligence techniques.

Our survey also provides some guidelines for the tourism recommenders and suggests the most promising areas of work in this field for the upcoming years. For the access to easy and accurate information is the heart of our system, so in this era of the Internet information overload has become a common phenomenon and as such a serious issue for those searching for appropriate information. Furthermore, various researches have been carried out on how to get information on tourism website more effective.

So smart intelligent tourism management system tries to overcome the gap by noting what a tourist perceives as relevant, in terms of connecting to tourism products in tourism websites. This study focuses mainly on content because it is seen as the major factor associated with an effective and smart website.

CHAPTER1

INTRODUCTION

1.1 GENERAL OVERVIEW

Tour guide and planner is a professional who helps travelers explore new destinations and make the most of their trips. They provide information about local attractions, historical and cultural context, and facilitate the smooth execution of the itinerary. Tour guides and planners are knowledgeable about the destinations they cover and can offer recommendations, organize activities, and handle logistical aspects to ensure a memorable and hassle-free travel experience. Whether you're looking to discover a new city, explore the great outdoors, or embark on an international adventure, a tour guide and planner can be your go-to resource for an enriching travel experience.

A tour guide is a knowledgeable and enthusiastic professional who plays a pivotal role in enhancing your travel experience. These individuals are experts in the destinations they cover, providing insightful information about local history, culture, and landmarks. With their engaging commentary and guidance, they bring the places you visit to life, making your journey more informative and enjoyable.

Tour guides possess a deep understanding of the locations they operate in, ensuring you don't miss out on the hidden gems and must-see attractions. Whether you're exploring a historic city, embarking on a nature adventure, or immersing yourself in a new culture, a tour guide is your trusted companion, enriching your travel experience with their expertise and passion.

1.2 OBJECTIVE OF THE PROJECT

Our objective of the project is to create a website that provides a user-friendly and efficient tool that gives memorable and enjoyable experiences for individual or groups. The project aims to deliver the compressive tour guide and planner application that enhances the user ability to explore and plan, book tours effectively.

1.3 PROBLEM STATEMENT OF THE PROJECT

This problem statement outlines the key challenges and solutions for your project, providing a clear direction for development and ensuring that the application meets user needs effectively. To address these challenges, we propose developing an interactive tour guide and planner application using a modern JavaScript framework. This application will provide a comprehensive, user-centric solution for planning and booking tours.

CHAPTER 2

LITERATURE SURVEY

2.1 PROJECT SURVEY

A literature survey for tour guiding and planning could involve exploring various academic and non-academic sources related to the field of tourism, travel, and hospitality. Here are some key areas to consider in your literature review. Research often explores the role of tour guides in conveying cultural and historical knowledge to tourists.

Studies examine the impact of guided tours on cultural heritage preservation and visitor experiences. Scholars investigate the ethical responsibilities of tour guides in promoting sustainable tourism practices. The role of guides educating tourists about responsible travel is a common theme.

Language proficiency and communication skills of tour guides are frequently researched. Studies analyze the effectiveness of multilingual guiding and its impact on the tourist experience. Recent literature considers the integration of technology into guided tours, such as the use of audio guides and mobile app.

The impact of technology on guiding quality and visitor engagement is a topic of interest. Research delves into the factors influencing tourists' decisions to use tour guides or plan their trips independently. Studies explore how tourists weigh the benefits of guided tours against self-guided experiences. Literature on AI-driven travel planning discusses the development and applications of AI tools in the travel industry.

2.2 EXISTING SYSTEM

While existing tour guide and planner AI systems offer many benefits, they also come with some disadvantages and limitations:

AI may not fully understand the cultural nuances and context of a destination, leading to recommendations that might not align with a traveler's expectations or values.

Language translation capabilities may not be perfect, leading to potential miscommunications in foreign countries.

AI systems may struggle to handle complex or unexpected situations that travelers might encounter.

Traveler data collected by AI systems may raise privacy concerns, especially when it involves sensitive information like travel itineraries and preferences.

Time consuming- Tour planning involves hours of research and coordination, resulting in wasted Time that could be better spent exploring.

High-quality tour guide and planner AI services may come with subscription fees or costs for booking services, adding to the overall cost of the trip. Guidebooks and travel websites may not provide up-to-date Information on attractions, restaurants, and events.

2.2.1 DISADVANTGES OF EXISTING SYSTEM

- Language translation capabilities are low.
- high quality may required
- Time consuming

CHAPTER 3

ANALYSIS

3.1 PROPOSED SYSTEM AND METHODOLOGY

Creating a system for tour guiding can involve various components, including mobile apps, websites, and databases. Here's a high-level proposal: Develop user-friendly mobile apps for both Android and iOS platforms, Create a web application for users who prefer desktop access, Design an intuitive and visually appealing interface for easy navigation, Implement a secure registration and login system for users. Allow users to create and manage their profiles.

Allow users to search for tour guides based on location, language, expertise, and availability. Implement a recommendation system to suggest guides based on user preferences. Tour guides should have profiles with their qualifications, reviews, ratings, and languages spoken. Include a scheduling system for guides to update their availability. Enable users to book tours and make payments securely. Implement a payment gateway for processing transactions.

Use GPS to provide real-time location tracking during the tour, Integrate Guides can bridge language barriers, helping travelers communicate with locals and navigate the destination more effectively. maps for navigation and to display points of interest.

Guides are familiar with the safest routes, neighborhoods, and can provide assistance in case of emergencies.

METHODOLOGY

The methodology for developing a tour guide and planner involves several steps, including data collection, algorithm development, user interface design, and testing. Here's a high-level overview of the typical methodology: Gather data from various sources, including destination databases, user profiles, real-time data feeds (weather, events), and external APIs (flight, hotel bookings). Create a user-friendly interface, such as a mobile app or website, that allows users to input their preferences, view recommendations, interact with the system, and make bookings. Thoroughly test the system for usability, functionality, and performance. This includes user testing to gather feedback and make improvements.

3.2 SYSTEM SPECIFICATIONS:

3.2.1 Hardware Requirements:

Computer hardware is a collective term used to describe any of the physical components of an analogue or digital computer. Computer hardware can be categorized as being either internal or external components. Generally, internal hardware components are those necessary for the proper functioning of the computer, while external hardware components are attached to the computer to add or enhance functionality. A list of hardware required is given below.

Processor: Any Update Processor

RAM: Min 4GBHard

Disk: Min 150GB

3.2.2 Software Requirements:

Frontend: Html, css, reactjs

Backend:nodejs,expressjs,MongoDb

Operating system:Window 11

IDE:Anoconda or vs code

3.4 UML DIAGRAMS:

UML is a method for describing the system architecture in detail using the blueprint. UML represents a collection of best engineering practices that have proven successful in the modeling of large and complex systems. UML is a very important part of developing objects oriented software and the software development process. UML uses mostly graphical notations to express the design of software projects.

Using the UML helps project teams communicate, explore potential designs, and validate the architectural design of the software. UML (Unified Modeling Language) diagrams can be used to visually represent the different components and interactions in a multi disease prediction project using machine learning and Streamlit. Some commonly used UML diagrams for this type of project are:

1. Use Case Diagram: This diagram illustrates the various interactions between the actors (users) and the system. It identifies the different use cases or functionalities that the system provides, such as entering patient data, predicting diseases, or displaying results.
2. Sequence Diagram: Sequence diagrams depict the flow of interactions between different objects or components in a system over time.
3. Data Flow Diagrams (DFD): DFDs represent the flow of data within a system. They illustrate how data moves from one component to another, the processes that manipulate the data, and the storage locations.
3. Entity-Relationship (ER) Diagrams: ER diagrams are used to model the entities, attributes.

3.4. USE CASE DIAGRAM:




fig 3.4.1 Use case
Diagram

3.4.2 SEQUENCE DIAGRAM:




fig 3.4.2 Sequence Diagram

Sequence diagrams in UML show how objects interact with each other and the order those interactions occur. It's important to note that they show the interactions for a particular scenario. The processes are represented vertically and interactions are shown as arrows. This article explains the purpose and the basics of Sequence diagrams.

3.4.3 DATA FLOW DIAGRAM:




fig 3.4.3 Data Flow Diagram

3.4.4 CLASS DIAGRAM:




fig 3.4.4 Class Diagram

CHAPTER 4

CODING

4.1 **PROPOSED CODE**

4.1.1 **CODE FOR TOUR GUIDE AND PLANNER USING JS FRAMEWORK**

SOURCECODE:

```
<!DOCTYPE html>

<html>
<head>
<style>
body{ background-image:url("https://wallpaperbat.com/img/865104-tourist-wallpaper-top-free-tourist-
background.jpg");
background-repeat:no-repeat;
background-size:cover;
background-attachment:fixed;
text-align:center;
}
h1,h2,label{
text-shadow: 2px 1px 25px rgb(98, 98, 231);
</head.><body>
<h1>TOUR GUIDER AND PLANNER</h1>
<h2></h2>
<br>
<br>
<form>
<label><b>USER NAME:</b></label><input type="email">
<br>
<br>
<label><b>PASSWORD:</b></label><input type="password">
<br><br>
<INPUT TYPE="SUBMIT" VALUE="SUBMIT">
```

```
<input type="RESET" VALUE="RESET">
<ahref="file:///C:/Users/Dell/Downloads/create%20new%20account..html?+=&+=&+=&+=&+=CREA
TE">Create new account</a>
</body>
```

```
</html>
```

BACKENDCODE:

Controllers:

Authcontrollers.js

```
import User from "../models/User.js";
import bcrypt from 'bcryptjs'
import jwt from 'jsonwebtoken'
// user register
export const register = async (req, res) => {
  try {
    //hashing password
    const salt = bcrypt.genSaltSync(10)
    const hash = bcrypt.hashSync(req.body.password, salt)
    const newUser = new User({
      username: req.body.username,
      email: req.body.email,
      password: hash,
      photo: req.body.photo
    })
    await newUser.save()
    res.status(200).json({ success: true, message: "Successfully created!" })
  } catch (error) {
    res.status(500).json({ success: false, message: "Failed to create! Try again." })
  }
}
// user login
export const login = async (req, res) => {
  try {
    const email = req.body.email
```

```

const user = await User.findOne({ email })
// if user doesn't exist

if (!user) {

  return res.status(404).json({ success: false, message: 'User not found!' })

}
// if user is exist then check the password or compare the password

const checkCorrectPassword = await bcrypt.compare(req.body.password, user.password)
// if password incorrect

if (!checkCorrectPassword) {

  return res.status(401).json({ success: false, message: 'Incorrect email or password!' })

}
const { password, role, ...rest } = user._doc
// create jwt token

const token = jwt.sign({ id: user._id, role: user.role }, process.env.JWT_SECRET_KEY, {
  expiresIn: '15d' })
// set token in the browser cookies and send the response to the client

res.cookie('accessToken', token, {

  httpOnly: true,

  expires: token.expiresIn

}).status(200).json({ token, data: { ...rest }, role })
} catch (error) {

  res.status(500).json({ success: false, message: 'Failed to login' })

}
}

```

Bookingcontroller.js

```

import Booking from '../models/Booking.js'
// create new booking

export const createBooking = async(req,res) => {

  const newBooking = new Booking(req.body)
  try {

    const savedBooking = await newBooking.save()
    res.status(200).json({success:true, message:"Your tour is booked!", data:savedBooking})

  } catch (error) {

    res.status(500).json({success:true, message:"Internal server error!"})

  }

}

// get single booking

```

```

export const getBooking = async(req,res) => {
  const id = req.params.id
  try { const book = await Booking.findById(id)
    res.status(200).json({success:true, message:"Successful!", data:book})
    res.status(404).json({success:true, message:"Not Found!"})  }

// get all booking
export const getAllBooking = async(req,res) =>
  try {
    const books = await Booking.find
    res.status(200).json({success:true, message:"Successful!", data:books})
  }
  const savedUser = await newUser.save()
res.status(200).json({ success: true, message: 'Successfully created', data: savedUser })
  } catch (error) {
    res.status(500).json({ success: true, message: 'Failed to create. Try again!' })
  }
}
//Update User
export const updateUser = async (req, res) => {
  const id = req.params.id
  try {
    const updatedUser = await User.findByIdAndUpdate(id, {
      $set: req.body
    }, { new: true })
    res.status(200).json({ success: true, message: 'Successfully updated', data: updatedUser })
  } catch (error) {
    res.status(500).json({ success: false, message: 'Failed to update' })
  }
}
//Delete User
export const deleteUser = async (req, res) => {
  const id = req.params.id
  const user = await User.findById(id)
  res.status(200).json({ success: true, message: 'Successfully', data: user })
}

```

```
    } catch (error) {  
      res.status(404).json({ success: false, message: 'Not Found' })  
    }  
const tourSchema = new mongoose.Schema(  
  {  
    title: {  
      type: String,  
      required: true,  
      unique: true,  
    },  
    city: {  
      type: String,  
      required: true,  
    },  
    address: {(  
      {  
        username: {  
          type: String,  
          required: true,  
          unique: true,  
        },  
        email: {  
          type: String,  
          required: true,  
          unique: true,  
        },  
        password: {  
          type: String,  
          required: true,  
        },  
        photo: {  
          type: String,
```

```
    },
    role: {
      type: String,
      default: "user",
    },
  },
  { timestamps: true }
);
export default mongoose.model("User", userSchema);

Node_modules
. Bin
}

const callback = function(xmlData) {
  let output = "";
  if (validate) {
    const parser = new XMLParser(options);
    output = parser.parse(xmlData, validate);
  } else if (validateOnly) {
    output = XMLValidator.validate(xmlData);
    process.exitCode = output === true ? 0 : 1
  } else {
    const parser = new XMLParser(options);
    output = JSON.stringify(parser.parse(xmlData, validate), null, 4);
  }
  if (outputFileName) {
    writeToFileSync(outputFileName, output);
  } else {
    console.log(output);
  }
};

try {
```

```
if (!fileName) {
  readToEnd(process.stdin, function(err, data) {
    if (err) {
      throw err;
    }
    callback(data.toString());
  });
} else {
  fs.readFile(fileName, function(err, data) {
    if (err) {
      throw err;
    }
    callback(data.toString());
  });
}
} catch (e) {
  console.log('Seems an invalid file or stream.' + e);
}
}

function writeToFile(fileName, data) {
  fs.writeFile(fileName, data, function(err) {
    if (err) {
      throw err;
    }
    console.log('JSON output has been written to ' + fileName);
  });
}
```

Utils

verifyToken.js

```
import jwt from 'jsonwebtoken'
export const verifyToken = (req, res, next) => {
```

```
const token = req.cookies.accessToken
if (!token) {

  return res.status(401).json({ success: false, message: "You are not authorize!" })

}
// if token is exist then verify the token
jwt.verify(token, process.env.JWT_SECRET_KEY, (err, user) => {
  if (err) {
    return res.status(401).json({ success: false, message: "Token is invalid" })
  }
  req.user = user
  next()
})
}
```

Routes:

Auth.js

```
import express from 'express'
import { login, register } from '../Controllers/authController.js'
// import bcrypt from 'bcryptjs'
// import jwt from 'jsonwebtoken'
const router = express.Router()
router.post('/register', register)
router.post('/login', login)
export default router
```

Reviews.js

```
import express from 'express'
import { createReview } from '../Controllers/reviewController.js'
import { verifyUser } from '../utils/verifyToken.js'
const router = express.Router()
router.post('/:tourId', verifyUser, createReview)
export default router
```

Tours.js

```
import express from 'express'

import { createTour, deleteTour, getAllTour, getFeaturedTour, getSingleTour, getTourBySearch,
getTourCount, updateTour } from '../Controllers/tourControllers.js'
```

```
import { verifyAdmin } from '../utils/verifyToken.js'
const router = express.Router()
//Create new tour
router.post('/', verifyAdmin, createTour)
//Update tour
router.put('/:id', verifyAdmin, updateTour)
app.use(cors(corsOptions))
app.use(cookieParser())
app.use("/api/v1/auth", authRoute)
app.use("/api/v1/tours", tourRoute)
app.use("/api/v1/users", userRoute)
app.use("/api/v1/review", reviewRoute)
app.use("/api/v1/booking", bookingRoute)
app.listen(port, () => {
  connect()
  console.log('server listening on port', port)
})
```

Package-lock.json

```
{
  "name": "backend",
  "version": "1.0.0",
  "lockfileVersion": 2,
  "requires": true,
  "packages": {
    "": {
      "name": "backend",
      "version": "1.0.0",
      "license": "ISC",
      "dependencies": {
        "bcryptjs": "^2.4.3",
        "cookie-parser": "^1.4.6",
        "cors": "^2.8.5",
        "dotenv": "^16.0.3",
```

```

    "express": "^4.18.2",
    "jsonwebtoken": "^9.0.0",
    "mongodb": "^5.1.0",
    "mongoose": "^6.10.0",
    "nodemon": "^2.0.20"
  },
},
"node_modules/@aws-crypto/ie11-detection": {
  "version": "3.0.0",
  "resolved": "https://registry.npmjs.org/@aws-crypto/ie11-detection/-/ie11-detection-3.0.0.tgz",
  "dependencies": {
    "tslib": "^2.3.1"
  },
  "engines": {
    "node": ">=14.0.0"
  }
},
"node_modules/@aws-sdk/util-defaults-mode-browser": {
  "version": "3.261.0",
  "resolved": "https://registry.npmjs.org/@aws-sdk/util-defaults-mode-browser/-/util-defaults-mode-browser-3.261.0.tgz",
  "integrity": "sha512-lX3X1NfzQVV6cakepGV24uRcqevlDnQ8VgaCV8dhnw1FVThueFigyoFaUA02+uRXbV9KIbNWkEvweNt m2wvyDw==",
  "optional": true,
  "dependencies": {
    "@aws-sdk/property-provider": "3.257.0",
    "@aws-sdk/types": "3.257.0",
    "bowser": "^2.11.0",
    "tslib": "^2.3.1"
  },
  "engines": {
    "node": ">= 10.0.0"
  }
},
"node_modules/@aws-sdk/util-defaults-mode-node": {
  "version": "3.261.0",
  "resolved": "https://registry.npmjs.org/@aws-sdk/util-defaults-mode-node/-/util-defaults-mode-node-3.261.0.tgz",
  "integrity": "sha512-4AK6yu4bOmHSocUdbGoEHbNXB09UA58ON2HBHY4NxMBuFBA9XB2tYiyhce+Cm+o+IHbS8oQnw0 VZw16WMzzew==",
  "optional": true,

```

```

"dependencies": {
  "@aws-sdk/config-resolver": "3.259.0",
  "@aws-sdk/credential-provider-imds": "3.259.0",
  "@aws-sdk/node-config-provider": "3.259.0",
  "@aws-sdk/property-provider": "3.257.0",
  "@aws-sdk/types": "3.257.0",
  "tslib": "^2.3.1"
},
"engines": {
  "node": ">= 10.0.0"
}
},
"resolved": "https://registry.npmjs.org/encodeurl/-/encodeurl-1.0.2.tgz",
  "integrity": "sha512-TPJXq8JqFaVYm2CWmPvnP2Iyo4ZSM7/QKcSmuMLDObfpH5fi7RUGmd/rTDf+rut/saiDiQEeVTNgAmJEdAOx0w=="
},
"escape-html": {
  "version": "1.0.3",
  "resolved": "https://registry.npmjs.org/escape-html/-/escape-html-1.0.3.tgz",
  "integrity": "sha512-NiSupZ4OeuGwr68IGIeym/ksIZMJodUGOSCZ/FSnTxcrekbvqrgdUxlJOMpijaKZVjAJrWrGs/6Jy8OMuyj9ow=="
},
"etag": {
  "version": "1.8.1",
  "resolved": "https://registry.npmjs.org/etag/-/etag-1.8.1.tgz",
  "integrity": "sha512-aIL5Fx7mawVa300a12BnEE4iNvo1qETxLrPI/o05L7z6go7fCw1J6EQmbK4FmJ2AS7kgVF/KEZWufBfdClMcPg=="
},
"express": {
  "version": "4.18.2",
  "resolved": "https://registry.npmjs.org/express/-/express-4.18.2.tgz",
  "integrity": "sha512-5/PSL6iGPdfQ/lKM1UuielYgv3BUoJfz1aUwU9vHZ+J7gyvwdQXFEBIEIaxeGf0GIcreATNyBExtalisDbuMqQ==",
  "requires": {

```

```
"accepts": "~1.3.8",  
"array-flatten": "1.1.1",  
"body-parser": "1.20.1",  
"content-disposition": "0.5.4",  
"content-type": "~1.0.4",  
"cookie": "0.5.0",  
"  
"parseurl": "~1.3.3",
```

CHAPTER 5

IMPLEMENTATION




Fig 5.1 : Validating code




Fig 5.2 : Creation of webpage




Fig 5.3 :Registration Process




Fig 5.4 :Login Process




Fig 5.5 :Home Page

CHAPTER6

RESULTS

6.1 OUTPUT



Fig6.1:Loginpage



Fig6.2:new page





ITINERARY

Kerala 4N5D Tour Package

https://www.youtube.com/watch?v=NPT_sLNj4e8

SUMMARY

Destination : Kerala, Munnar, Thekkady, Alleppey

No of pax : 2

Duration : 4Nights /5 Days

Total Package Cost: 17999/-INR Only all inclusive

INCLUSIONS

- ✓ Destination
- ✓ Hotels
- ✓ Transfers

Living up to its sobriquet, the state is laden with multitudinous attraction that wins the heart of every tourist. Be it a honeymoon couple, adventure enthusiast, leisure wayfarers, pilgrim devotees or tourists wanting to experience exotic holidays, Kerala packages has something to suffice all. The lustrous state is blessed with long stretches of golden beaches, unnerving backwater for houseboat cruising, romantic honeymoon destinations, fragrant spice and tea gardens and plethora of flora and fauna in the ious wildlife parks. Kerala has them all!

Holiday Global Savers Contact: 9818300772

Fig6.3 Tour PackageDetails




Fig 6.4: Package Options

Hotel Details

	SPICE JUNGLE ★★★★★			
	Address	Check In	Check Out	Room Type
	Munnar	01-Mar-2020 At 14:00 PM	03-Mar-2020 At 12:00 PM	Standard Room ,Breakfast (Veg) only

	Seasons ★★★★★			
	Address	Check In	Check Out	Room Type
	Thekkady	03-Mar-2020 At 14:00 PM	04-Mar-2020 At 12:00 PM	Standard Room ,Breakfast (Veg) only

	AJ PARK ★★★★★			
	Address	Check In	Check Out	Room Type
	Alleppey	04-Mar-2020 At 14:00 PM	05-Mar-2020 At 12:00 PM	Standard Room ,Breakfast (Veg) only

Holiday Global Savers Contact: 9818300772

Fig 6.5: Hotel details

Certainly! Kerala offers a variety of places that can be visited on a budget. Here's a list of locations in Kerala that are popular and can accommodate 10 people within a budget of 10,000 rupees:

1. **Kochi (Cochin):**

- Explore Fort Kochi, Marine Drive, and local markets.
- Visit Mattancherry Palace and Jewish Synagogue.



Fig 6.6: Kochi

2. **Munnar:**

- Enjoy the tea gardens and scenic viewpoints.
- Visit the Tea Museum and Eravikulam National Park (entry fee applicable).



Fig 6.7: Munnar

3. **Kumarakom:**

- Visit Kumarakom Bird Sanctuary (minimal entry fee).
- Enjoy a boat ride in Vembanad Lake.



Fig 6.7: Kumarakom

4. Thekkady:

- **Aladdin Cafe:** Offers affordable Indian and Kerala dishes.



Fig 6.9:Thekkady

5. Palakkad:

- **Hotel Fort Palace:** Provides a variety of South Indian and Kerala dishes at affordable rates.
- **Sreeragam Restaurant:** Offers Kerala meals and snacks within a reasonable budget.



Fig 6.10: Palakand

CHAPTER 7

CONCLUSION

In conclusion, tour guiding and AI-driven travel planning offer complementary solutions. For travelers, providing a balance between the human touch and technological efficiency. Tour guides offer travelers personalized, culturally rich, and insightful experiences. They provide historical context, local expertise, and facilitate cultural interactions.

Guide's bridge language barriers and ensure safety, security, and convenience. They bring a human element to travel, making trips memorable and engaging. AI travel planners use data and algorithms to optimize itineraries and make recommendations.

They can efficiently handle logistics, such as booking accommodations, flights, and tickets. AI-driven tools offer convenience and customization based on user preferences. They are valuable for independent travelers who prefer self-guided exploration. Ultimately, the choice between tour guides and AI travel planners depends on individual preferences and the type of travel experience one seeks.

Travelers may opt for a tour guide when desiring a more immersive and culturally rich journey or choose AI travel planners for streamlined, self-directed adventures. In many cases, a combination of both can offer the best of both worlds, enhancing the travel experience in a variety of ways.

7.1 FUTURE SCOPE

We are developing the project which has the future scope involves several exciting possibilities such as expansion to mobile platforms, Integration with internet of things(IOT) and many more things and etc.

By focusing on these areas, the project can evolve from a basic tour guide and planner application into a comprehensive travel platform that meets the diverse needs of modern travelers. These enhancements can significantly improve user engagement, increase market reach, and ensure long-term success.

CHAPTER 8

REFERENCES

Frameworks and Libraries

- React.js: React Documentation
- Vue.js: Vue Documentation
- Angular.js: Angular Documentation
- Node.js and Express.js: Node.js Docs, Express Guide

Database

- MongoDB: [MongoDB Documentation](#)
- PostgreSQL: [PostgreSQL Documentation](#)
- Mongoose (MongoDB): Mongoose Guide
- Sequelize (PostgreSQL): [Sequelize](#)

APIs and Tools

- Google Maps API: Google Maps API Docs
- Leaflet.js (Map alternative): [Leaflet Documentation](#)
- Passport.js (Authentication): [Passport.js](#)

Tutorials and Courses

- React: [React for Beginners](#)
- Vue: Vue Mastery
- MERN Stack: MERN Stack Front To Back