

MongoDB PRACTICAL

```
1 use studentDB
2
```

STDIN

Input for the program (Optional)

Output:

switched to db studentDB

```
db.createCollection("students")
```

STDIN

Input for the program (Optional)

Output:

{ ok: 1 }

```
b.students.insertMany([
  { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
  { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
  { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
  { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
  { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
  { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
  { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
  { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
])
```

STDIN

Input for the program (Optional)

Output:

```
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6a8e5913198c5846b78ce5af'),
    '1': ObjectId('6a8e5913198c5846b78ce5b0'),
    '2': ObjectId('6a8e5913198c5846b78ce5b1'),
    '3': ObjectId('6a8e5913198c5846b78ce5b2'),
    '4': ObjectId('6a8e5913198c5846b78ce5b3'),
    '5': ObjectId('6a8e5913198c5846b78ce5b4'),
    '6': ObjectId('6a8e5913198c5846b78ce5b5'),
    '7': ObjectId('6a8e5913198c5846b78ce5b6'),
    '8': ObjectId('6a8e5913198c5846b78ce5b7'),
    '9': ObjectId('6a8e5913198c5846b78ce5b8')
  }
}
```

JS script.js × +

```
1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12]);
13
14 console.log("CSE Students:");
15 console.log(db.students.find({ department: "CSE" }).toArray());
```

I/O AI Agent 1.6s

STDIN

Input for the program (Optional)

Output:

```
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6a8e5befc4595658478ce5af'),
    '1': ObjectId('6a8e5befc4595658478ce5b0'),
    '2': ObjectId('6a8e5befc4595658478ce5b1'),
    '3': ObjectId('6a8e5befc4595658478ce5b2'),
    '4': ObjectId('6a8e5befc4595658478ce5b3'),
    '5': ObjectId('6a8e5befc4595658478ce5b4'),
    '6': ObjectId('6a8e5befc4595658478ce5b5'),
    '7': ObjectId('6a8e5befc4595658478ce5b6'),
    '8': ObjectId('6a8e5befc4595658478ce5b7'),
    '9': ObjectId('6a8e5befc4595658478ce5b8')
  }
}
```

CSE Students:

```
[
  {
    _id: ObjectId('6a8e5befc4595658478ce5af'),
    rollNo: 101,
    name: 'John',
    age: 20,
    department: 'CSE'
```

JS script.js × +

```
1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12]);
13
14 console.log("Students with marks greater than 85:");
15 console.log(db.students.find({ marks: { $gt: 85 } }).toArray());
```

I/O AI Agent

STDIN

Input for the program (Optional)

Output:

```
{
  _id: ObjectId('6a8e5c5d29b6f2663e8ce5b6'),
  rollNo: 108,
  name: 'Sita',
  age: 21,
  department: 'CSE',
  marks: 91,
  city: 'Hyderabad'
},
{
  _id: ObjectId('6a8e5c5d29b6f2663e8ce5b7'),
  rollNo: 109,
  name: 'Arun',
  age: 22,
  department: 'AI&DS',
  marks: 87,
  city: 'Kurnool'
},
{
  _id: ObjectId('6a8e5c5d29b6f2663e8ce5b8'),
  rollNo: 110,
  name: 'Meena',
  age: 20,
  department: 'AI&DS',
  marks: 93,
```

JS script.js × +

```
1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12]);
13
14 console.log("Students with marks between 70 and 90:");
15 console.log(
16   db.students.find(
17     { marks: { $gte: 70, $lte: 90 } }
18   ).toArray()
19 );
```

I/O AI Agent 1.3s

STDIN

Input for the program (Optional)

Output:

Students with marks between 70 and 90:

```
[
  {
    _id: ObjectId('6a8e5ca6e9e57a7f3b8ce5af'),
    rollNo: 101,
    name: 'John',
    age: 20,
    department: 'CSE',
    marks: 85,
    city: 'Hyderabad'
  },
  {
    _id: ObjectId('6a8e5ca6e9e57a7f3b8ce5b0'),
    rollNo: 102,
    name: 'Alice',
    age: 21,
    department: 'CSE',
    marks: 90,
    city: 'Vijayawada'
  },
  {
    _id: ObjectId('6a8e5ca6e9e57a7f3b8ce5b1'),
    rollNo: 103,
```

```

1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12 ]);
13
14 console.log("Students from CSE or IT:");
15 console.log(
16   db.students.find(
17     { $or: [
18       { department: "CSE" },
19       { department: "IT" }
20     ] }
21   ).toArray()
22 );

```

STDIN
Input for the program (Optional)

Output:
Students from CSE or IT:

```

[
  {
    _id: ObjectId('6a8e5ce68109f15c258ce5af'),
    rollNo: 101,
    name: 'John',
    age: 20,
    department: 'CSE',
    marks: 85,
    city: 'Hyderabad'
  },
  {
    _id: ObjectId('6a8e5ce68109f15c258ce5b0'),
    rollNo: 102,
    name: 'Alice',
    age: 21,
    department: 'CSE',
    marks: 90,
    city: 'Vijayawada'
  },
  {
    _id: ObjectId('6a8e5ce68109f15c258ce5b2'),
    rollNo: 104,
    name: 'Priya'
  }
]

```

```

db.students.insertMany([
  { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
  { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
  { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
  { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
  { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
  { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
  { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
  { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
]);

db.students.updateOne(
  { rollNo: 101 },
  { $set: { marks: 92 } }
);

console.log("Updated student:");
console.log(db.students.find({ rollNo: 101 }).toArray());

```

STDIN
Input for the program (Optional)

Output:

```

{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}

```

Updated student:

```

[
  {
    _id: ObjectId('6a8e5d2732899edfb78ce5af'),
    rollNo: 101,
    name: 'John',
    age: 20,
    department: 'CSE',
    marks: 92,
    city: 'Hyderabad'
  }
]

```

```

1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12 ]);
13
14 db.students.updateMany(
15   { department: "CSE" },
16   { $set: { status: "Active" } }
17 );
18
19 console.log("Updated CSE Students:");
20 console.log(
21   db.students.find({ department: "CSE" }).toArray()
22 );

```

STDIN
Input for the program (Optional)

Output:
Updated CSE Students:

```

[
  {
    _id: ObjectId('6a8e5d789e812148c48ce5af'),
    rollNo: 101,
    name: 'John',
    age: 20,
    department: 'CSE',
    marks: 85,
    city: 'Hyderabad',
    status: 'Active'
  },
  {
    _id: ObjectId('6a8e5d789e812148c48ce5b0'),
    rollNo: 102,
    name: 'Alice',
    age: 21,
    department: 'CSE',
    marks: 90,
    city: 'Vijayawada',
    status: 'Active'
  },
  {
    _id: ObjectId('6a8e5d789e812148c48ce5b2'),
    rollNo: 104,
    name: 'Priya',
    age: 22,
    department: 'IT',
    marks: 88,
    city: 'Warangal'
  }
]

```

```

db.students.insertMany([
  { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
  { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
  { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
  { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
  { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
  { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
  { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
  { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
]);

db.students.updateOne(
  { rollNo: 101 },
  { $inc: { marks: 5 } }
);

console.log("Student after increasing marks:");
console.log(db.students.find({ rollNo: 101 }).toArray());

```

STDIN

Input for the program (Optional)

Output:

```

}
}

{
  acknowledged: true,
  insertedId: null,
  matchedCount: 1,
  modifiedCount: 1,
  upsertedCount: 0
}

```

Student after increasing marks:

```

[
  {
    _id: ObjectId('6a8e5e483399869ffc8ce5af'),
    rollNo: 101,
    name: 'John',
    age: 20,
    department: 'CSE',
    marks: 90,
    city: 'Hyderabad'
  }
]

```

STDIN

Input for the program (Optional)

Output:

Students after deleting rollNo 103:

```

[
  {
    _id: ObjectId('6a8e5f28cbdf2bb48ce5af'),
    rollNo: 101,
    name: 'John',
    age: 20,
    department: 'CSE',
    marks: 85,
    city: 'Hyderabad'
  },
  {
    _id: ObjectId('6a8e5f28cbdf2bb48ce5b0'),
    rollNo: 102,
    name: 'Alice',
    age: 21,
    department: 'CSE',
    marks: 90,
    city: 'Vijayawada'
  },
  {
    _id: ObjectId('6a8e5f28cbdf2bb48ce5b2'),
    rollNo: 104,
    name: 'Priya'
  }
]

```

```

db.students.insertMany([
  { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
  { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
  { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
  { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
  { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
  { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
  { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
  { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
]);

db.students.deleteOne({ rollNo: 103 });

console.log("Students after deleting rollNo 103:");
console.log(db.students.find().toArray());

```

```

db.students.insertMany([
  { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
  { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
  { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
  { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
  { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
  { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
  { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
  { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
]);

db.students.deleteMany({
  marks: { $lt: 40 }
});

console.log("Students after deleting marks below 40:");
console.log(db.students.find().toArray());

```

STDIN

Input for the program (Optional)

Output:

Students after deleting marks below 40:

```

[
  {
    _id: ObjectId('6a8e5f7c0536313da88ce5af'),
    rollNo: 101,
    name: 'John',
    age: 20,
    department: 'CSE',
    marks: 85,
    city: 'Hyderabad'
  },
  {
    _id: ObjectId('6a8e5f7c0536313da88ce5b0'),
    rollNo: 102,
    name: 'Alice',
    age: 21,
    department: 'CSE',
    marks: 90,
    city: 'Vijayawada'
  },
  {
    _id: ObjectId('6a8e5f7c0536313da88ce5b1'),
    rollNo: 103,
    name: 'Rahul'
  }
]

```

js scriptjs × +

```
1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12]);
13
14 console.log("Students sorted by marks (Highest to Lowest);");
15 console.log(
16   db.students.find().sort({ marks: -1 }).toArray()
17 );
```

I/O AI Agent 1.

STDIN

Input for the program (Optional)

Output:

Students sorted by marks (Highest to Lowest):

[
 {
 _id: ObjectId('6a8e5fc99afbc12a548ce5b3'),
 rollNo: 105,
 name: 'Kiran',
 age: 21,
 department: 'CSE',
 marks: 95,
 city: 'Hyderabad'
 },
 {
 _id: ObjectId('6a8e5fc99afbc12a548ce5b8'),
 rollNo: 110,
 name: 'Meena',
 age: 20,
 department: 'AI&DS',
 marks: 93,
 city: 'Hyderabad'
 },
 {
 _id: ObjectId('6a8e5fc99afbc12a548ce5b6'),
 ...
 }
]

js scriptjs × +

```
1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12]);
13
14 console.log(
15   db.students.find().sort({ marks: -1 }).limit(3).toArray()
16 );
```

I/O AI Agent 1.

STDIN

Input for the program (Optional)

Output:

[
 {
 _id: ObjectId('6a8e6089e46b09c7de8ce5b3'),
 rollNo: 105,
 name: 'Kiran',
 age: 21,
 department: 'CSE',
 marks: 95,
 city: 'Hyderabad'
 },
 {
 _id: ObjectId('6a8e6089e46b09c7de8ce5b8'),
 rollNo: 110,
 name: 'Meena',
 age: 20,
 department: 'AI&DS',
 marks: 93,
 city: 'Hyderabad'
 },
 {
 _id: ObjectId('6a8e6089e46b09c7de8ce5b6'),
 rollNo: 108,
 name: 'Sita',
 age: 21,
 ...
 }
]

js scriptjs × +

```
1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12]);
13
14 console.log(
15   db.students.find().skip(2).limit(3).toArray()
16 );
```

I/O AI Agent 1.

STDIN

Input for the program (Optional)

Output:

[
 {
 _id: ObjectId('6a8e60cb38f94bc4848ce5b1'),
 rollNo: 103,
 name: 'Rahul',
 age: 20,
 department: 'ECE',
 marks: 75,
 city: 'Hyderabad'
 },
 {
 _id: ObjectId('6a8e60cb38f94bc4848ce5b2'),
 rollNo: 104,
 name: 'Priya',
 age: 22,
 department: 'IT',
 marks: 88,
 city: 'Warangal'
 },
 {
 _id: ObjectId('6a8e60cb38f94bc4848ce5b3'),
 rollNo: 105,
 name: 'Kiran',
 age: 21,
 ...
 }
]

JSscriptjs × +

```
1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12]);
13
14 console.log(
15   db.students.find(
16     {},
17     { _id: 0, name: 1, department: 1, marks: 1 }
18   ).toArray()
19 );
```

I/O AI Agent 1.0

STDIN

Input for the program (Optional)

Output:

```
'1': ObjectId('6a8e610b3ebd4aa4698ce5b0'),
'2': ObjectId('6a8e610b3ebd4aa4698ce5b1'),
'3': ObjectId('6a8e610b3ebd4aa4698ce5b2'),
'4': ObjectId('6a8e610b3ebd4aa4698ce5b3'),
'5': ObjectId('6a8e610b3ebd4aa4698ce5b4'),
'6': ObjectId('6a8e610b3ebd4aa4698ce5b5'),
'7': ObjectId('6a8e610b3ebd4aa4698ce5b6'),
'8': ObjectId('6a8e610b3ebd4aa4698ce5b7'),
'9': ObjectId('6a8e610b3ebd4aa4698ce5b8')
}
}
[
  { name: 'John', department: 'CSE', marks: 85 },
  { name: 'Alice', department: 'CSE', marks: 90 },
  { name: 'Rahul', department: 'ECE', marks: 75 },
  { name: 'Priya', department: 'IT', marks: 88 },
  { name: 'Kiran', department: 'CSE', marks: 95 },
  { name: 'Anu', department: 'IT', marks: 82 },
  { name: 'Ravi', department: 'ECE', marks: 68 },
  { name: 'Sita', department: 'CSE', marks: 91 },
  { name: 'Arun', department: 'AI&DS', marks: 87 },
  { name: 'Meena', department: 'AI&DS', marks: 93 }
]
```

JSscriptjs × +

```
1 db.students.insertMany([
2   { rollNo: 101, name: "John", age: 20, department: "CSE", marks: 85, city: "Hyderabad" },
3   { rollNo: 102, name: "Alice", age: 21, department: "CSE", marks: 90, city: "Vijayawada" },
4   { rollNo: 103, name: "Rahul", age: 20, department: "ECE", marks: 75, city: "Hyderabad" },
5   { rollNo: 104, name: "Priya", age: 22, department: "IT", marks: 88, city: "Warangal" },
6   { rollNo: 105, name: "Kiran", age: 21, department: "CSE", marks: 95, city: "Hyderabad" },
7   { rollNo: 106, name: "Anu", age: 20, department: "IT", marks: 82, city: "Guntur" },
8   { rollNo: 107, name: "Ravi", age: 23, department: "ECE", marks: 68, city: "Nellore" },
9   { rollNo: 108, name: "Sita", age: 21, department: "CSE", marks: 91, city: "Hyderabad" },
10  { rollNo: 109, name: "Arun", age: 22, department: "AI&DS", marks: 87, city: "Kurnool" },
11  { rollNo: 110, name: "Meena", age: 20, department: "AI&DS", marks: 93, city: "Hyderabad" }
12]);
13
14 console.log(db.students.getIndexes());
```

I/O AI Agent 1.1s

STDIN

Input for the program (Optional)

Output:

```
{
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6a8e613768d6fab95b8ce5af'),
    '1': ObjectId('6a8e613768d6fab95b8ce5b0'),
    '2': ObjectId('6a8e613768d6fab95b8ce5b1'),
    '3': ObjectId('6a8e613768d6fab95b8ce5b2'),
    '4': ObjectId('6a8e613768d6fab95b8ce5b3'),
    '5': ObjectId('6a8e613768d6fab95b8ce5b4'),
    '6': ObjectId('6a8e613768d6fab95b8ce5b5'),
    '7': ObjectId('6a8e613768d6fab95b8ce5b6'),
    '8': ObjectId('6a8e613768d6fab95b8ce5b7'),
    '9': ObjectId('6a8e613768d6fab95b8ce5b8')
  }
}

[ { v: 2, key: { _id: 1, name: '_id' } } ]
```