

Input two numbers.py > ...

```
1  # Input two numbers from the user
2  num1 = float(input("Enter first number: "))
3  num2 = float(input("Enter second number: "))
4
5  # Calculate sum
6  total_sum = num1 + num2
7
8  # Print the result
9  print(f"The sum of {num1} and {num2} is: {total_sum}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sri\Downloads\Ten Tech\day 9,10> & 'C:\Users\sri\Downloads\Ten Tech\day 9,10\venv\Scripts\python.exe' C:\Users\sri\Downloads\Ten Tech\day 9,10\venv\Scripts\python.exe C:\Users\sri\Downloads\Ten Tech\day 9,10\Input two numbers.py'
```

```
Enter first number: 12.5
```

```
Enter second number: 7.5
```

```
The sum of 12.5 and 7.5 is: 20.0
```

```
PS C:\Users\sri\Downloads\Ten Tech\day 9,10> █
```

```
cmd-i-search: _
```

length and width.py > ...

```
1  # Input length and width
2  length = float(input("Enter the length of the rectangle: "))
3  width = float(input("Enter the width of the rectangle: "))
4
5  # Calculate area
6  area = length * width
7
8  # Print the result
9  print(f"The area of the rectangle is: {area}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> & 'C:\Users\sрила\AppData\Local\Microsoft\Windows\apps\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\python\python.exe' C:\Users\sрила\Downloads\Ten Tech\day 9,10\length and width.py
Enter the length of the rectangle: 5
Enter the width of the rectangle: 4
The area of the rectangle is: 20.0
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> |
```



1

```
# Input Principal, Rate, and Time
```

```
principal = float(input("Enter the principal amount: "))
```

```
rate = float(input("Enter the annual interest rate (in %): "))
```

```
time = float(input("Enter the time (in years): "))
```

```
# Calculate Simple Interest
```

```
simple interest = (principal * rate * time) / 100
```

```
# Print the result
```

```
print(f"The calculated Simple Interest is: {simple_interest}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Microsoft\WindowsApps\Microsoft.VisualStudio.Code.exe' --path C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundle\libs\debugpy\python\python310\python.exe --file C:\Users\snila\Downloads\Ten Tech\day 9,10\Principal, Rate, and Time.py'
```

Enter the principal amount: 10000

Enter the annual interest rate (in %): 5

Enter the time (in years): 2

The calculated Simple Interest is: 1000.0

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10>
```


Principi

```
1 # Input temperature in Celsius
2 celsius = float(input("Enter temperature in Celsius: "))
3
4 # Conversion formula: (C * 9/5) + 32
5 fahrenheit = (celsius * 9/5) + 32
6
7 # Print the result
8 print(f"{celsius}°C is equal to {fahrenheit}°F")
```

PORTS

```
PS C:\Users\srla\Downloads\Ten Tech\day 9,10> & 'C:\Users\srla\AppData\Local\Microsoft\WindowsApps\PythonSoftwareFoundation.Python.3.11_x-ww72267d5e\python.exe' -c 'import sys; sys.path.append('C:\\Users\\srla\\.vscode\\extensions\\ms-python.debugpy-2026.6.0-win32-x64\\bundled\\libs\\python311\\python.exe'); import temperature_in_celsius as temp; print(temp.c_to_f(37))'
```

Ten Tech\day 9,10\temperature in Celsius.py'

Enter temperature in Celsius: 37

37.0°C is equal to 98.6°F

```
PS C:\Users\srla\Downloads\Ten Tech\day 9,10>
```

it two numbers.py

length and width.py

Principal, Rate, and Time.py

temperature in

basic salary.py > ...

```
1  # Input basic salary
2  basic_salary = float(input("Enter the basic salary of the employee: "))
3
4  # Calculate HRA and DA
5  hra = 0.20 * basic_salary
6  da = 0.10 * basic_salary
7  gross_salary = basic_salary + hra + da
8
9  # Print the breakdown
10 print(f"HRA (20%): {hra}")
11 print(f"DA (10%): {da}")
12 print(f"Gross Salary: {gross_salary}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Programs\Microsoft VS Code\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher.exe' C:\Users\snila\Downloads\Ten Tech\day 9,10\basic salary.py'
```

```
Enter the basic salary of the employee: 50000
```

```
HRA (20%): 10000.0
```

```
DA (10%): 5000.0
```

```
Gross Salary: 65000.0
```

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> 
```

length and width.py

Principal, Rate, and Time.py

te

number.py > ...

```
1  # Input a number
2  number = float(input("Enter a number: "))
3
4  # Check conditions
5  if number > 0:
6      print("The number is Positive.")
7  elif number < 0:
8      print("The number is Negative.")
9  else:
10     print("The number is Zero.")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\Ten Tech\day 9,10\number.py'
```

```
Enter a number: -15
```

```
The number is Negative.
```

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> █
```


two numbers.py > ...

```
1  # Input two numbers
2  a = float(input("Enter first number: "))
3  b = float(input("Enter second number: "))
4
5  # Check which is larger
6  if a > b:
7      print(f"{a} is the largest number.")
8  elif b > a:
9      print(f"{b} is the largest number.")
10 else:
11     print("Both numbers are equal.")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sri1a\Downloads\Ten Tech\day 9,10> & 'C:\Use
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x
Ten Tech\day 9,10\two numbers.py'
```

```
Enter first number: 45
```

```
Enter second number: 89
```

```
89.0 is the largest number.
```

```
PS C:\Users\sri1a\Downloads\Ten Tech\day 9,10> █
```

d Time.py temperature in Celsius.py basic salary.py number.py two number

three numbers.py > ...

```
1  # Input three numbers
2  num1 = float(input("Enter first number: "))
3  num2 = float(input("Enter second number: "))
4  num3 = float(input("Enter third number: "))
5
6  # Find the largest using logical operators
7  if num1 >= num2 and num1 >= num3:
8      largest = num1
9  elif num2 >= num1 and num2 >= num3:
10     largest = num2
11 else:
12     largest = num3
13
14 print(f"The largest number among {num1}, {num2}, and {num3} is: {largest}")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Programs\Microsoft VS Code\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher
Ten Tech\day 9,10\three numbers.py'
Enter first number: 23
Enter second number: 74
Enter third number: 41
The largest number among 23.0, 74.0, and 41.0 is: 74.0
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> |
```


number from the user.py > ...

```
1  # Input a number from the user
2  num = int(input("Enter an integer: "))
3
4  # Check if remainder is 0 when divided by 2
5  if num % 2 == 0:
6      print(f"{num} is an Even number.")
7  else:
8      print(f"{num} is an Odd number.")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\
.vscod\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundl
Ten Tech\day 9,10\number from the user.py'
```

```
Enter an integer: 7
```

```
7 is an Odd number.
```

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> █
```

year.py > ...

```
1  # Input a year
2  year = int(input("Enter a year: "))
3
4  # Leap year logic: divisible by 4, but if divisible by 100, it must also be divisible by 400
5  if (year % 4 == 0 and year % 100 != 0) or (year % 400 == 0):
6      print(f"{year} is a Leap Year.")
7  else:
8      print(f"{year} is not a Leap Year.")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

 Python Debug Console

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Programs\Python\Python311\
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher' '56570' '--' 'c
Ten Tech\day 9,10\year.py'
```

Enter a year: 2024

2024 is a Leap Year.

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> s
```

loop.py > ...

```
1 for i in range(1, 101):
2     print(i, end=" ")
3 print()
```

Jupyter

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python Debug Console + ▾ [] [X] ... | [] [X]

```
PS C:\Users\srla\Downloads\Ten Tech\day 9,10> & 'C:\Users\srla\AppData\Local\Programs\Python\Python311\python.exe' 'c:\Users\srla\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher' '51203' '--' 'c:\Users\srla\Downloads\Ten Tech\day 9,10\loop.py'
```

```
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 4
7 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90
91 92 93 94 95 96 97 98 99 100
```

```
PS C:\Users\srla\Downloads\Ten Tech\day 9,10>
```


skip.py > ...

```
1  ✓ for i in range(2, 101, 2):  
2      print(i, end=" ")  
3      print()
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python Debug Console + ▾ [] [X] ... | [] [X]

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Programs\Python\Python311\python.exe' 'c:\Users\snila\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher' '65399' '--' 'c:\Users\snila\Downloads\Ten Tech\day 9,10\skip.py'
```

```
2 4 6 8 10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50 52 54 56 58 60 62 64 66 68 70 72 74 76 78 80 82 84 86 88 90  
92 94 96 98 100
```

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10>
```

```
total.py > ...
1  # Input N
2  n = int(input("Enter the value of N: "))
3
4  total_sum = 0
5  for i in range(1, n + 1):
6      total_sum += i
7
8  print(f"The sum of the first {n} natural numbers is: {total_sum}")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> & 'C:\Users\sрила\AppData\Local\Microsoft\Windows\apps\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\python.exe' C:\Users\sрила\Downloads\Ten Tech\day 9,10\total.py
Enter the value of N: 10
The sum of the first 10 natural numbers is: 55
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> █
```

bers.py number from the user.py year.py loop.py skip.py

multi.py > num

```
1 num = int(input("Enter a number for its multiplication table: "))
2
3 for i in range(1, 11):
4     print(f"{num} x {i} = {num * i}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Enter a number for its multiplication table: 5

5 x 1 = 5

5 x 2 = 10

5 x 3 = 15

5 x 4 = 20

5 x 5 = 25

5 x 6 = 30

5 x 7 = 35

5 x 8 = 40

5 x 9 = 45

5 x 10 = 50

PS C:\Users\srla\Downloads\Ten Tech\day 9,10> |

 skip.py

```
12 print(f"The factorial of {num} is: {factorial}")
```

PORTS

```
PS C:\Users\sri1a\Downloads\Ten Tech\day 9,10>
```

```
driver.py > find_square
1 def find_square(n):
2     return n * n
3 num = float(input("Enter a number to square: "))
4 result = find_square(num)
5 print(f"The square of {num} is: {result}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\
.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bin\python
Ten Tech\day 9,10\driver.py'
Enter a number to square: 6
The square of 6.0 is: 36.0
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> |
```

test.py > find_maximum

```
1 def find_maximum(a, b):  
2     if a > b:  
3         return a  
4     else:  
5         return b  
6 num1 = float(input("Enter first number: "))  
7 num2 = float(input("Enter second number: "))  
8 mx = find_maximum(num1, num2)  
9 print(f"The maximum number is: {mx}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-  
Ten Tech\day 9,10\test.py'
```

```
Enter first number: 14.5
```

```
Enter second number: 27.2
```

```
The maximum number is: 27.2
```

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> █
```


float.py > calculate_si

```
1 def calculate_si(p, r, t):  
2     return (p * r * t) / 100  
3 p = float(input("Enter principal: "))  
4 r = float(input("Enter rate of interest: "))  
5 t = float(input("Enter time in years: "))  
6  
7 interest = calculate_si(p, r, t)  
8 print(f"Simple Interest: {interest}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> & 'C:\Users\sрила\vscode\extensions\ms-python.debugpy-2026.6.0-win32\Ten Tech\day 9,10\float.py'
```

Enter principal: 5000

Enter rate of interest: 4

Enter time in years: 3

Simple Interest: 600.0

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> 
```

total.py multi.py factor.py

evwn.py > is_even

```
1 def is_even(n):
2     return n % 2 == 0
3 num = int(input("Enter an integer: "))
4 if is_even(num):
5     print("Even")
6 else:
7     print("Odd")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sri1a\Downloads\Ten Tech\day 9,10> &
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-
Ten Tech\day 9,10\evwn.py'
Enter an integer: 12
Even
PS C:\Users\sri1a\Downloads\Ten Tech\day 9,10> |
```

math.py > calculate_circle_area

```
1 import math
```

2

```
3 def calculate_circle_area(radius):
```

```
4  💡 return math.pi * (radius ** 2)
```

```
5 r = float(input("Enter the radius of the circle: "))
```

```
6 area = calculate_circle_area(r)
```

```
7 print(f"The area of the circle is: {area:.2f}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sri\Downloads\Ten Tech\day 9,10> & 'C:\Users\sri  
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bun  
Ten Tech\day 9,10\math.py'
```

```
Enter the radius of the circle: 7
```

The area of the circle is: 153.94

```
PS C:\Users\sri\Downloads\Ten Tech\day 9,10>
```


list containing 10 numbers.py > ...

```
1  numbers = [10, 20, 30, 40, 50, 60, 70, 80, 90, 100]
2
3  print("Elements in the list:")
4  ✓ for item in numbers:
5      print(item, end=" ")
6  print()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> & 'C:\Users\sрила\
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundle
Ten Tech\day 9,10\list containing 10 numbers.py'
```

```
Elements in the list:
```

```
10 20 30 40 50 60 70 80 90 100
```

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10>
```

mylist.py > ...

```
1 my_list = [23, 89, 45, 12, 76, 55]
2
3 largest = max(my_list)
4
5 print(f"The list is: {my_list}")
6 print(f"The largest element is: {largest}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\Ten Tech\day 9,10\mylist.py'
The list is: [23, 89, 45, 12, 76, 55]
The largest element is: 89
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10>
```

```
my_list.py > my_list
1 my_list = [5, 10, 15, 20, 25]
2
3 total_sum = sum(my_list)
4 (variable) my_list: list[int]
5 print(f"The list is: {my_list}")
6 print(f"The sum of all elements is: {total_sum}")
```



```
mylist = .py > ...  
1 my_list = [12, 7, 19, 24, 30, 5, 8]  
2 even_count = 0  
3 for num in my_list:  
4     if num % 2 == 0:  
5         even_count += 1  
6  
7 print(f"The list is: {my_list}")  
8 print(f"Count of even numbers: {even_count}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-  
Ten Tech\day 9,10\mylist = .py'  
The list is: [12, 7, 19, 24, 30, 5, 8]  
Count of even numbers: 4  
PS C:\Users\snila\Downloads\Ten Tech\day 9,10>
```

original.py > [🔍] unique_list

```
1 original_list = [1, 2, 2, 3, 4, 4, 4, 5, 1]
2 
3 unique_list = list(set(original_list))
4
5 print(f"Original List: {original_list}")
6 print(f"List after removing duplicates: {unique_list}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> & 'C:\Users\sрила\AppData\Local\Microsoft\Windows\Apps\python.exe' C:\Users\sрила\AppData\Local\Microsoft\Windows\Apps\python.exe C:\Users\sрила\Downloads\Ten Tech\day 9,10\original.py
```

```
Original List: [1, 2, 2, 3, 4, 4, 4, 5, 1]
```

```
List after removing duplicates: [1, 2, 3, 4, 5]
```

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10>
```

version.py > ...

```
1  num = int(input("Enter an integer to reverse: "))
2  reversed_num = 0
3  original_num = num
4  while num > 0:
5      digit = num % 10
6      reversed_num = (reversed_num * 10) + digit
7      num //= 10
8
9  print(f"The reversed version of {original_num} is: {reversed_num}")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Microsoft\Windows\apps\python\python.exe' C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\venv\Scripts\python.exe C:\Users\snila\Downloads\Ten Tech\day 9,10\version.py
Enter an integer to reverse: 12345
The reversed version of 12345 is: 54321
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> █
```



```
palindrome.py > ...
1  num = int(input("Enter a number: "))
2  original = num
3  reversed_num = 0
4
5  while num > 0:
6      digit = num % 10
7      reversed_num = (reversed_num * 10) + digit
8      num //= 10
9
10 if original == reversed_num:
11     print(f"{original} is a Palindrome number.")
12 else:
13     print(f"{original} is not a Palindrome number.")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundle\Ten Tech\day 9,10\palindrome.py'
Enter a number: 12321
12321 is a Palindrome number.
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> |
```

```
one.py > ...  
1  num = int(input("Enter a number: "))  
2  count = 0  
3  temp = abs(num)  
4  
5  if temp == 0:  
6      count = 1  
7  else:  
8      while temp > 0:  
9          count += 1  
10         temp //= 10  
11  
12  print(f"The total number of digits is: {count}")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\srila\Downloads\Ten Tech\day 9,10> & 'C:\Users\srila\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64'  
Ten Tech\day 9,10\one.py'  
Enter a number: 987654  
The total number of digits is: 6  
PS C:\Users\srila\Downloads\Ten Tech\day 9,10> █
```

digit.py > ...

```
1  num = int(input("Enter a number: "))
2  digit_sum = 0
3  temp = abs(num)
4
5  while temp > 0:
6      digit = temp % 10
7      digit_sum += digit
8      temp //= 10
9
10 print(f"The sum of the digits is: {digit_sum}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\Ten Tech\day 9,10\digit.py'
```

```
Enter a number: 456
```

```
The sum of the digits is: 15
```

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> █
```


abc.py > ...

```
1  n = int(input("Enter the number of terms: "))
2
3  a, b = 0, 1
4  count = 0
5
6  if n <= 0:
7      print("Please enter a positive integer.")
8  elif n == 1:
9      print(f"Fibonacci series up to {n} term: [0]")
10 else:
11     print("Fibonacci series:")
12     while count < n:
13         print(a, end=" ")
14         nth = a + b
15         a = b
16         b = nth
17         count += 1
18     print()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> & 'C:\Users\sрила\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bu
Ten Tech\day 9,10\abc.py'
```

```
Enter the number of terms: 7
```

```
Fibonacci series:
```

```
0 1 1 2 3 5 8
```

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> █
```

prime.py > ...

```
1  num = int(input("Enter a positive integer: "))
2  is_prime = True
3
4  if num <= 1:
5      is_prime = False
6  else:
7      for i in range(2, int(num ** 0.5) + 1):
8          if num % i == 0:
9              is_prime = False
10             break
11
12  if is_prime:
13      print(f"{num} is a Prime number.")
14  else:
15      print(f"{num} is not a Prime number.")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-Ten Tech\day 9,10\prime.py'
```

```
Enter a positive integer: 17
```

```
17 is a Prime number.
```

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> █
```

```
nend.py > ...
1  print("Prime numbers between 1 and 100 are:")
2
3  for num in range(2, 101):
4      is_prime = True
5      for i in range(2, int(num ** 0.5) + 1):
6          if num % i == 0:
7              is_prime = False
8              break
9      if is_prime:
10         print(num, end=" ")
11 print()
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Microsoft\Windows\apps\python\python.exe' C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\python\python.exe C:\Users\snila\Downloads\Ten Tech\day 9,10\nend.py'
```

Prime numbers between 1 and 100 are:

2 3 5 7 11 13 17 19 23 29 31 37 41 43 47 53 59 61 67 71 73 79 83 89 97

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10>
```


text.py > ...

```
1 text = input("Enter a string: ")
2 vowels = "aeiouAEIOU"
3 vowel_count = 0
4
5 for char in text:
6     if char in vowels:
7         vowel_count += 1
8
9 print(f"Number of vowels in the string: {vowel_count}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> & 'C:\Users\sрила\A
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled'
Ten Tech\day 9,10\text.py'
Enter a string: Hello World
Number of vowels in the string: 3
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> |
```

```
string.py > [🔍] reversed_string
1  user_string = input("Enter a string to reverse: ")
2  
3  reversed_string = user_string[::-1]
4
5  print(f"Original string: {user_string}")
6  print(f"Reversed string: {reversed_string}")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bin\python.exe' C:\Users\snila\Downloads\Ten Tech\day 9,10\string.py
Enter a string to reverse: python programming
Original string: python programming
Reversed string: gnimmargorp nohtyp
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> |
```

student.py > [🔍] file

```
1 file = open("student.txt", "w")
2 
3 print("Enter 5 student names:")
4
5 for i in range(1, 6):
6     name = input(f"Student {i}: ")
7
8     file.write(name + "\n")
9 file.close()
10 print("File 'student.txt' created successfully.")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\Ten Tech\day 9,10\student.py'
```

Enter 5 student names:

Student 1: Alice

Student 2: Bob

Student 3: Charlie

Student 4: David

Student 5: Emma

File 'student.txt' created successfully.

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> |
```


close.py > [🔍] file

```
1 file = open("student.txt", "r")
2
3 file_contents = file.read()
4
5 print("Contents of 'student.txt':")
6 print(file_contents)
7
8 file.close()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\srla\Downloads\Ten Tech\day 9,10> &
C:\Users\srla\Downloads\Ten Tech\day 9,10> cd C:\Users\srla\Downloads\Ten Tech\day 9,10
C:\Users\srla\Downloads\Ten Tech\day 9,10> python close.py
Contents of 'student.txt':
Alice
Bob
Charlie
David
Emma
```

```
PS C:\Users\srla\Downloads\Ten Tech\day 9,10>
```

day9,10 file(3).py > file

```
1 file = open("student.txt", "r")
2
3 data = file.read()
4
5 total_characters = len(data)
6
7 print(f"Total characters present in the file: {total_characters}")
8
9 file.close()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Microsoft\Windows\apps\python\python.exe' -c 'import sys; sys.path.append('C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy'); import subprocess; subprocess.run('python C:\Users\snila\Downloads\Ten Tech\day 9,10\day9,10 file(3).py')'
Total characters present in the file: 29
PS C:\Users\snila\Downloads\Ten Tech\day 9,10>
```

lines.py > [🔍] file

```
1 file = open("student.txt", "r")
2
3 lines = file.readlines()
4
5 total_lines = len(lines)
6
7 print(f"Total number of lines in the file: {total_lines}")
8
9 file.close()
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\sri\Downloads\Ten Tech\day 9,10> & 'C:\Users\sri\AppData\Local\Programs\Python\Python38-64\python.exe' -c "import sys; sys.path.append('C:\\Users\\sri\\.vscode\\extensions\\ms-python.debugpy-2026.6.0-win32-x64\\bundled\\libs\\python38-win32'); import ten_tech.day_9_10.lines.py"
```

```
Total number of lines in the file: 5
```

```
PS C:\Users\sri1a\Downloads\Ten Tech\day 9,10>
```


words.py > [📄] file

```
1 file = open("student.txt", "r")
2
3 data = file.read()
4
5 words = data.split()
6
7 total_words = len(words)
8
9 print(f"Total words present in the file: {total_words}")
10
11 file.close()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

[illegible]

```
Total words present in the file: 5
```

```
PS C:\Users\sri1a\Downloads\Ten Tech\day 9,10>
```

content.py > [🔍] file

```
1 file = open("student.txt", "r")
2 
3 print("Reading file contents line by line:")
4 while True:
5     line = file.readline()
6 
7     if line == "":
8         break
9 
10    print(line.strip())
11 
12 file.close()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\python.exe' C:\Users\sriila\Downloads\Ten Tech\day 9,10\content.py'
```

```
Reading file contents line by line:
```

```
Alice
```

```
Bob
```

```
Charlie
```

```
David
```

```
Emma
```

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10>
```

day9,10 file(7).py > [🔗] file

```
1 file = open("student.txt", "a")
2
3 print("Enter 3 new student names to append:")
4 for i in range(1, 4):
5     new_name = input(f"New Student {i}: ")
6
7     file.write(new_name + "\n")
8
9 file.close()
10 print("3 new records appended successfully.")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\Ten Tech\day 9,10\day9,10 file(7).py'
```

```
Enter 3 new student names to append:
```

```
New Student 1: Frank
```

```
New Student 2: Grace
```

```
New Student 3: Henry
```

```
3 new records appended successfully.
```

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> █
```


search.py > [🔗] file

```
1 file = open("student.txt", "r")
2 
3 data = file.read()
4 
5 search_word = input("Enter the word to search for: ")
6 
7 if search_word in data:
8     print(f"Success! '{search_word}' exists in the file.")
9 else:
10    print(f"Sorry, '{search_word}' does not exist in the file.")
11 
12 file.close()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Microsoft\Windows\apps\python\python.exe' -c 'import sys; sys.argv[1:] = sys.argv[1:].split(' '); exec(open('C:\Users\snila\Downloads\Ten Tech\day 9,10\search.py').read())'
Enter the word to search for: Charlie
Success! 'Charlie' exists in the file.
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> |
```

day9,10 file(10).py > file

```
1 file = open("student.txt", "r")
2 data = file.read()
3
4 upper_count = 0
5 lower_count = 0
6
7 for char in data:
8
9     if char.isupper():
10         upper_count += 1
11     elif char.islower():
12         lower_count += 1
13
14 print(f"Total Uppercase characters: {upper_count}")
15 print(f"Total Lowercase characters: {lower_count}")
16
17 file.close()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundl
Ten Tech\day 9,10\day9,10 file(10).py'
```

```
Total Uppercase characters: 8
```

```
Total Lowercase characters: 31
```

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10>
```

store.py > ...

```
1 file = open("student.txt", "r")
2 |
3 lines = file.readlines()
4
5 longest_line = ""
6
7 for line in lines:
8 |
9 |     if len(line.strip()) > len(longest_line.strip()):
10 |         longest_line = line
11
12 print("The longest line in the file is:")
13 print(longest_line.strip())
14
15 file.close()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\
.vscod\extensions\ms-python.debugpy-2026.6.0-win32-x64\bund
Ten Tech\day 9,10\store.py'
```

The longest line in the file is:

Charlie

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10>
```



```
copied.py > [🔍] source_file
1 source_file = open("student.txt", "r")
2 content = source_file.read()
3 source_file.close()
4
5 destination_file = open("student_copy.txt", "w")
6 destination_file.write(content)
7 destination_file.close()
8
9 print("Content copied successfully to 'student_copy.txt'.")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Microsoft\Windows\apps\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\lib\python\python.exe' C:\Users\snila\Downloads\Ten Tech\day 9,10\copied.py
Content copied successfully to 'student_copy.txt'.
PS C:\Users\snila\Downloads\Ten Tech\day 9,10>
```

```
convert.py > [🔍] file
1  file = open("student.txt", "r")
2  content = file.read()
3  file.close()
4
5  modified_content = content.replace("Python", "Programming")
6
7  file = open("student.txt", "w")
8  file.write(modified_content)
9  file.close()
10
11 print("Replacement complete. All occurrences of 'Python' replaced with 'Programming'.")
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python Debug Console +

```
PS C:\Users\srla\Downloads\Ten Tech\day 9,10> & 'C:\Users\srla\AppData\Local\Programs\Python\Python311\python.exe' 'c:\Users\srla\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher' '53987' '--' 'c:\Users\srla\Downloads\Ten Tech\day 9,10\convert.py'
Replacement complete. All occurrences of 'Python' replaced with 'Programming'.
PS C:\Users\srla\Downloads\Ten Tech\day 9,10> ^C
PS C:\Users\srla\Downloads\Ten Tech\day 9,10>
PS C:\Users\srla\Downloads\Ten Tech\day 9,10> c::; cd 'c:\Users\srla\Downloads\Ten Tech\day 9,10'; & 'C:\Users\srla\AppData\Local\Programs\Python\Python311\python.exe' 'c:\Users\srla\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher' '54022' '--' 'c:\Users\srla\Downloads\Ten Tech\day 9,10\convert.py'
Replacement complete. All occurrences of 'Python' replaced with 'Programming'.
PS C:\Users\srla\Downloads\Ten Tech\day 9,10>
```

```
ch.py  days9_to_me(9).py  days9_to_me(10).py  store.py  copied.py  conve
```

readline.py > ...

```

1 file = open("marks.txt", "w")
2 sample_data = [
3     "Rahul, 82\n", "Aman, 67\n", "Alice, 90\n", "Bob, 55\n", "Charlie, 78\n",
4     "David, 73\n", "Emma, 88\n", "Frank, 60\n", "Grace, 95\n", "Henry, 70\n"
5 ]
6 file.writelines(sample_data)
7 file.close()
8 print("Student records saved successfully.")
9 file = open("marks.txt", "r")
10 print("Students Marks")
11 while True:
12     line = file.readline()
13     if line == "\n":
14         break
15     parts = line.split(',')
16     if len(parts) == 2:
17         name = parts[0]
18         marks = int(parts[1].strip())
19         if marks > 75:
20             print(f"Student {name} has a mark greater than 75")
21
22 file.close()

```

```
class int(
```

```
x: ConvertibleToInt = 0,
```

)

```
int([x]) -> integer
```

`int(x, base=10) -> integer`

Convert a number or string to an integer, or return 0 if no arguments are given. If x is a number, return `x.__int__()`. For floating point numbers, this truncates towards zero.

If x is not a number or if base is given, then x must be a string, bytes, or bytearray instance representing an integer literal in the given base. The literal can be preceded by '+' or '-' and be surrounded

PROBLEMS OUTPUT DEBUG CONSOLE **TERMINAL** PORTS

 Python

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\AppData\Local\Programs\Python\Python310\python.exe' 'C:\Users\sriila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher' '54321' 'C:\Users\sriila\Downloads\Ten Tech\day 9,10\readline.py'
Student records successfully stored in 'marks.txt'.
```

Students who scored more than 75:

- Rahul: 82
- Alice: 90
- Charlie: 78
- Emma: 88
- Grace: 95

```
PS C:\Users\sri1a\Downloads\Ten Tech\day 9,10>
```



```

import pickle.py > ...
1  import pickle
2  with open("employees.dat", "wb") as file:
3      employee_data = [
4          {"EmpID": "101", "Name": "Alice", "Department": "HR"},
5          {"EmpID": "102", "Name": "Bob", "Department": "IT"},
6          {"EmpID": "103", "Name": "Charlie", "Department": "Finance"}
7      ]
8      pickle.dump(employee_data, file)
9  print("Employee records saved to binary file successfully.")
10 search_id = input("Enter EmpID to search: ")
11 found = False
12 with open("employees.dat", "rb") as file:
13     records = pickle.load(file)
14     for emp in records:
15         if emp["EmpID"] == search_id:
16             print("\nRecord Found:")
17             print(f"ID: {emp['EmpID']}\nName: {emp['Name']}\nDepartment: {emp['Department']}")
18             found = True
19             break
20 if not found:
21     print("Employee record not found.")

```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

Python Debug Console +

```

PS C:\Users\srla\Downloads\Ten Tech\day 9,10> & 'C:\Users\srla\AppData\Local\Programs\Python\Python311\python.exe' 'C:\Users\srla\AppData\Local\Programs\Python\Python311\python.exe' -c 'import pickle.py'
Employee records saved to binary file successfully.
Enter EmpID to search: 102

```

Employee records saved to binary file successfully.

Enter EmpID to search: 102

Record Found:

ID: 102

Name: Bob

Department: IT

```
PS C:\Users\srla\Downloads\Ten Tech\day 9,10> 
```



```
1 with open("sample_text.txt", "w") as file:
```

```
2 file.write("Hello World\n")
```

```
3 file.write("\n")
```

```
4 file.write("Python Programming\n")
```

```
5 file.write("\n")
```

```
6 file.write("End of File\n")
```

```
7 blank_line_count = 0
```

```
8 with open("sample_text.txt", "r") as file:
```

```
9 for line in file:
```

10

```
11 if line.strip() == "":
```

```
12         blank_line_count += 1
```

13

```
14 print(f"Total blank lines in the file: {blank_line_count}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Microsoft\Windows\Temporary Internet Files\Content.IE5\...
```

```
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\lib
```

```
Ten Tech\day 9,10\strip.py'
```

```
Total blank lines in the file: 2
```

```
PS C:\Users\srla\Downloads\Ten Tech\day 9,10>
```

format.py > ...

```
1  digits = 0
2  alphabets = 0
3  special_chars = 0
4  with open("sample_text.txt", "r") as file:
5      data = file.read()
6
7      for char in data:
8
9
10         if char.isdigit():
11             digits += 1
12         elif char.isalpha():
13             alphabets += 1
14         elif char not in ["\n", " ", "\t"]:
15             special_chars += 1
16 print(f"Alphabets: {alphabets}")
17 print(f"Digits: {digits}")
18 print(f"Special Characters: {special_chars}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\User
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x6
Ten Tech\day 9,10\format.py'
```

Alphabets: 36

Digits: 0

Special Characters: 0

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10>
```


copied.py convert.py readline.py import pickle.py strip.py

sample.py > ...

```
1 vowels = ("a", "e", "i", "o", "u", "A", "E", "I", "O", "U")
2
3 with open("sample_text.txt", "r") as file:
4     print("Lines starting with a vowel:")
5     |
6     for line in file:
7
8         stripped_line = line.strip()
9         if stripped_line and stripped_line[0].startswith(vowels):
10            print(line.strip())
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> & 'C:\Users\sрила\AppData\Local\Microsoft\Windows\apps\vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\python.exe' C:\Users\sрила\Downloads\Ten Tech\day 9,10\sample.py
Lines starting with a vowel:
End of File
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10>
```

open.py > ...

```
1 target_word = input("Enter the word to count: ").lower()
2 word_frequency = 0
3
4 with open("sample_text.txt", "r") as file:
5
6     data = file.read()
7
8     lowercase_data = data.lower()
9
10    words_list = lowercase_data.split()
11
12    word_frequency = words_list.count(target_word)
13
14 print(f"The word '{target_word}' appears {word_frequency} times in the file.")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Py

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\AppData\Local\Programs\Python\Python311\python.exe' C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundled\libs\debugpy\launcher
Ten Tech\day 9,10\open.py'
Enter the word to count: python
The word 'python' appears 1 times in the file.
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> |
```

test.py > find_maximum

```
1 def find_maximum(a, b):
2     if a > b:
3         return a
4     else:
5         return b
6 num1 = float(input("Enter first number: "))
7 num2 = float(input("Enter second number: "))
8 mx = find_maximum(num1, num2)
9 print(f"The maximum number is: {mx}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> & 'C:\Users\snila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-  
Ten Tech\day 9,10\test.py'
```

```
Enter first number: 14.5
```

```
Enter second number: 27.2
```

```
The maximum number is: 27.2
```

```
PS C:\Users\snila\Downloads\Ten Tech\day 9,10> █
```


list containing 10 numbers.py > ...

```
1  numbers = [10, 20, 30, 40, 50, 60, 70, 80, 90, 100]
2
3  print("Elements in the list:")
4  ✓ for item in numbers:
5      print(item, end=" ")
6  print()
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10> & 'C:\Users\sрила\
ila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32-x64\bundle
Ten Tech\day 9,10\list containing 10 numbers.py'
```

```
Elements in the list:
```

```
10 20 30 40 50 60 70 80 90 100
```

```
PS C:\Users\sрила\Downloads\Ten Tech\day 9,10>
```

🔗 day9,10 day5(35).py > ...

```
1 user_string = input("Enter a string: ")
2 frequency_dict = {}
3 for char in user_string:
4     if char in frequency_dict:
5         frequency_dict[char] += 1
6     else:
7         frequency_dict[char] = 1
8
9 print("Character frequencies:")
10 for char, count in frequency_dict.items():
11     print(f"'{char}': {count}")
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> & 'C:\Users\sriila\.vscode\extensions\ms-python.debugpy-2026.6.0-win32\bin\python.exe' C:\Users\sriila\Downloads\Ten Tech\day 9,10\day9,10 day5(35).py'
```

```
Enter a string: hello
```

```
Character frequencies:
```

```
'h': 1
```

```
'e': 1
```

```
'l': 2
```

```
'o': 1
```

```
PS C:\Users\sriila\Downloads\Ten Tech\day 9,10> █
```