

3.Data Science(Week 5-7) - Set -3

Total points 14/15

Email *

jsrilekha.17@gmail.com

✓ Which statistical method is used to find the direction and strength of the relationship between two variables? *1/1

☐ A) Variance

☒ B) Correlation



☐ C) IQR

✓ In a skewed dataset, which measure is generally preferred as a measure of central tendency? *1/1

☐ A) Mean

☒ B) Median



☐ C) Mode



✓ If two variables have a correlation coefficient of -0.85, what can be inferred? *1/1

- ☒ A) Strong negative correlation ✓
- ☐ B) No correlation
- ☐ C) Strong positive correlation

✓ Which plot is ideal to show the frequency of categorical variables? * 1/1

- ☐ A) Scatter Plot
- ☒ B) Bar Plot ✓
- ☐ C) Violin Plot

✗ Which visualization is suitable to observe the relationship between two continuous variables? *0/1

- ☐ A) Pie Chart
- ☐ B) Scatter Plot
- ☒ C) Bar Chart ✗

Correct answer

- ☒ B) Scatter Plot

✓ Which type of plot is most suitable to visualize the distribution of numerical data?

*1/1

☒ A) Box Plot



☐ B) Line Plot

☐ C) Pie Chart

✓ What is the primary use of a Pair Plot? *

1/1

☒ A) To visualize the relationship between multiple variables



☐ B) To show missing data

☐ C) To predict categorical values

✓ In a normal distribution, what percentage of data falls within one standard deviation from the mean?

*1/1

☐ A) 50%

☒ B) 68%



☐ C) 95%

✓ What does a strong positive correlation value indicate? *

1/1

☒ A) Both variables increase together



☐ B) One variable increases, the other decreases

☐ C) No relationship between variables



✓ **What is the key purpose of Bivariate Analysis? ***

1/1

- ☐ A) To predict future values
- ☒ B) To study the relationship between two variables ✓
- ☐ C) To clean the dataset

✓ **What does a wide IQR in a Box Plot indicate? ***

1/1

- ☒ A) Data is spread out widely ✓
- ☐ B) Data is closely clustered
- ☐ C) There are no outliers

✓ **What is used to detect outliers in a Box Plot? ***

1/1

- ☒ A) Whiskers ✓
- ☐ B) Line Chart
- ☐ C) Histogram

✓ **Which measure is best to analyze the spread of data in Univariate Analysis?**

*1/1

- ☐ A) Median
- ☒ B) Standard Deviation ✓
- ☐ C) Mode

✓ What is the main advantage of using a Heatmap? *

1/1

☒ A) To compare correlation between variables ✓

☐ B) To plot time series data

☐ C) To display categorical data

✓ What kind of plot is used to compare distributions of data across multiple categories?

*1/1

☒ A) Violin Plot ✓

☐ B) Scatter Plot

☐ C) Histogram

This form was created inside of Hope Artificial Intelligence Training Institute. - [Contact form owner](#)

Does this form look suspicious? [Report](#)

Google Forms

