

KAIROS -- Personalized Weather Intelligence

PERSON 1: SURVEY & ONBOARDING FULL CODEBASE

Complete Production Implementation for Frontend, AI Engine Stub & Open-Meteo Integration

Team: 5 Builders + 1 Pitch Lead | Framework: React + Tailwind CSS + Open-Meteo API

Executive Architectural Overview

Traditional weather applications display identical, generic forecasts to every visitor.

KAIROS fundamentally reinvents weather delivery by answering: 'What matters to THIS user right now?'

Person 1 owns the foundational gateway: Onboarding Survey -> AI Vectoring -> Profile Confirmation.

Core Responsibilities of Person 1 included in this Document:

1. WelcomeScreen.jsx: Value proposition, hero interface, and 4 one-click hackathon test presets.
2. 6-Step Dynamic Survey Flow (Personas -> Routine -> Sensitivities -> Micro-Questions -> Location -> Prefs).
3. Open-Meteo Geocoding Search: Real-time search autocomplete & GPS auto-detection (free, no API key).
4. Dynamic Micro-Questions: Sowing stage & crops for farmers, thermal limit for runners, commute times.
5. LoadingScreen.jsx: Multi-stage atmospheric radar animation with real-time status cycling.
6. ProfileConfirmation.jsx: Persona weights (% breakdown) and calibrated smart alert triggers review.
7. mockAiEngine.js: 1.5s simulated Person 2 AI inference stub enabling 100% parallel independent testing.
8. standalone.html: Zero-install, single-file browser demo for instant review on any machine.

Technical Contracts Output:

Survey Answers (Person 1) -> generateProfile() (Person 2) -> Profile -> getReading() (Person 3) -> Homepage (Person 4)

CONFIDENTIAL & READY FOR JUDGES EVALUATION -- KAIROS TEAM

Generated for Person 1 (Survey & Onboarding Lead). All source code files are printed below.

FILE: README.md

Lines: 73 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/README.md

```

1  # [WEATHER] KAIROS -- Person 1 (Survey & Onboarding UI)
2
3  This package contains the complete, production-ready implementation of **Person 1 (Survey & Onboarding...
4
5  ---
6
7  ## [GPS] What Person 1 Builds & Delivers
8
9  1. **'WelcomeScreen.jsx'**: Hero branding, value proposition, and 4 **Quick-Start Demo Presets** (Farm...
10 2. **'SurveyProgressBar.jsx'**: Responsive 6-step progress indicator and backward navigation.
113. **'Step1Personas.jsx'**: Multi-select chips for all 8 target personas with auto-prioritization (Pri...
124. **'Step2Routine.jsx'**: Active time-of-day slots, outdoor activity badges, commute departure times ...
135. **'Step3Sensitivities.jsx'**: Calibrated threshold inputs (Heat sensitivity slider, AQI sensitivity...
146. **'Step4MicroQuestions.jsx'**: Dynamic conditional questions (Crop type & growth stage for Agricult...
157. **'Step5Location.jsx'**: Real-time city search powered by the free Open-Meteo Geocoding API + GPS A...
168. **'Step6Preferences.jsx'**: Language selection ('en', 'hi', 'ta', 'te', 'es'), unit system ('metric...
179. **'LoadingScreen.jsx'**: Futuristic radar pulse animation with cycling status messages while AI pro...
1810. **'ProfileConfirmation.jsx'**: Comprehensive profile breakdown with persona weight percentages, ca...
1911. **'mockAiEngine.js'**: A built-in fallback/stub simulating Person 2's AI profile generation with a...
20
21 ---
22
23 ## [LAUNCH] How to Run Standalone
24
25 '''bash
26 cd /Users/admin/.gemini/antigravity/scratch/kairos-onboarding
27 npm install
28 npm run dev
29 '''
30
31 ---
32
33 ## ? Integration with the Team
34
35 ### 1. Connecting with Person 2 (AI Personalization Engine)
36 When Person 2 finishes 'aiEngine.js', simply pass their 'generateProfile' function to '<OnboardingFlow...
37
38 '''jsx
39 import { OnboardingFlow } from './onboarding';
40 import { generateProfile } from './aiEngine'; // Person 2
41
42 function App() {
43   return (
44     <OnboardingFlow
45       generateProfileFn={generateProfile}
46       onComplete={(profile, surveyAnswers) => {
47         // Hand off to Person 4 (Homepage)
48       }}
49     />
50   );
51 }
52 '''
53
54 ### 2. Passing Data to Person 4 (Homepage & Integration Lead)
55 When the user finishes the survey and confirms their profile, 'onComplete(profile, surveyAnswers)' is ...
56
57 Person 4 receives:
58 - 'profile.primary_persona': ''fitness'' | ''agriculture'' | ''health'' | ''parent'' ...
59 - 'profile.personas': ' [{ id: 'fitness', percentage: 65 }, { id: 'health', percentage: 35 } ]'
60 - 'profile.thresholds': ' { aqi_alert: 55, uv_alert: 6, max_temp_alert: 33, rain_prob_alert: 45 }'
61 - 'profile.location': ' { city: 'Chennai', latitude: 13.0827, longitude: 80.2707, timezone: 'Asia/Kolka...
62 - 'profile.language': ''en'' or ''hi''
63 - 'profile.ai_summary': AI generated advisory context
64
65 ---
66
67 ## ? Testing Presets (For Person 5 QA & Person 6 Pitch)

```

```
68 On the Welcome Screen, you can click any of the 4 quick demo cards to instantly populate and test:
69 - **? Farmer**: Wheat sowing in Punjab, high rain alert sensitivity, frost warning.
70 - **[RUN] Runner**: Morning 10k in Chennai, 32°C heat cutoff, UV >= 6 alert.
71 - **[HEALTH] Asthma / Health**: Delhi NCR, AQI threshold 50, humidity/dust allergen triggers.
72 - **[FAMILY] Commuter Parent**: Bengaluru, 7:30 AM scooter commute, rain radar priority.
73
```

FILE: src/types/surveySchema.js

Lines: 149 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/types/surveySchema.js

```

1  /**
2   * KAIROS Data Types & Schema Definition for Person 1 (Survey & Onboarding)
3   *
4   * Shared contracts between Person 1 (Survey), Person 2 (AI Engine),
5   * Person 3 (Weather API), and Person 4 (Homepage).
6   */
7
8  export const PERSONA_TYPES = {
9    FITNESS: 'fitness',
10   AGRICULTURE: 'agriculture',
11   HEALTH: 'health',
12   PARENT: 'parent',
13   COMMUTER: 'commuter',
14   BEACH_MARINE: 'beach_marine',
15   TRAVELER: 'traveler',
16   EVENT_PLANNER: 'event_planner'
17 };
18
19 export const PERSONA_METADATA = {
20   [PERSONA_TYPES.FITNESS]: {
21     id: PERSONA_TYPES.FITNESS,
22     label: 'Fitness & Athletics',
23     icon: '[RUN]',
24     tagline: 'Running windows, heat index, wind & UV alerts',
25     accentColor: 'from-emerald-500 to-teal-600',
26     borderColor: 'border-emerald-500/30 hover:border-emerald-500',
27     bgColor: 'bg-emerald-500/10'
28   },
29   [PERSONA_TYPES.AGRICULTURE]: {
30     id: PERSONA_TYPES.AGRICULTURE,
31     label: 'Farming & Agriculture',
32     icon: '[FARM]',
33     tagline: 'Soil moisture, rain probability, frost & sowing conditions',
34     accentColor: 'from-lime-500 to-emerald-600',
35     borderColor: 'border-lime-500/30 hover:border-lime-500',
36     bgColor: 'bg-lime-500/10'
37   },
38   [PERSONA_TYPES.HEALTH]: {
39     id: PERSONA_TYPES.HEALTH,
40     label: 'Health & Sensitivities',
41     icon: '[HEALTH]',
42     tagline: 'AQI alerts, pollen count, humidity, allergens & UV',
43     accentColor: 'from-rose-500 to-pink-600',
44     borderColor: 'border-rose-500/30 hover:border-rose-500',
45     bgColor: 'bg-rose-500/10'
46   },
47   [PERSONA_TYPES.PARENT]: {
48     id: PERSONA_TYPES.PARENT,
49     label: 'Parent & Family',
50     icon: '[FAMILY]',
51     tagline: 'School commute weather, rain timing & outdoor play safety',
52     accentColor: 'from-amber-500 to-orange-600',
53     borderColor: 'border-amber-500/30 hover:border-amber-500',
54     bgColor: 'bg-amber-500/10'
55   },
56   [PERSONA_TYPES.COMMUTER]: {
57     id: PERSONA_TYPES.COMMUTER,
58     label: 'Daily Commuter',
59     icon: '[COMMUTER]',
60     tagline: 'Route visibility, commute-hour rain & fog delays',
61     accentColor: 'from-blue-500 to-indigo-600',
62     borderColor: 'border-blue-500/30 hover:border-blue-500',
63     bgColor: 'bg-blue-500/10'
64   },
65   [PERSONA_TYPES.BEACH_MARINE]: {
66     id: PERSONA_TYPES.BEACH_MARINE,
67     label: 'Beach, Surf & Marine',

```

```

68     icon: '[BEACH]',
69     tagline: 'Wave height, tide cycles, wind & water temperature',
70     accentColor: 'from-cyan-500 to-blue-600',
71     borderColor: 'border-cyan-500/30 hover:border-cyan-500',
72     bgColor: 'bg-cyan-500/10'
73   },
74   [PERSONA_TYPES.TRAVELER]: {
75     id: PERSONA_TYPES.TRAVELER,
76     label: 'Frequent Traveler',
77     icon: '[TRAVEL]',
78     tagline: 'Packing suggestions, flight weather & destination storm alerts',
79     accentColor: 'from-indigo-500 to-purple-600',
80     borderColor: 'border-indigo-500/30 hover:border-indigo-500',
81     bgColor: 'bg-indigo-500/10'
82   },
83   [PERSONA_TYPES.EVENT_PLANNER]: {
84     id: PERSONA_TYPES.EVENT_PLANNER,
85     label: 'Event & Outdoor Planner',
86     icon: '[EVENT]',
87     tagline: 'Hourly rain probability, comfort index & wind gusts',
88     accentColor: 'from-purple-500 to-pink-600',
89     borderColor: 'border-purple-500/30 hover:border-purple-500',
90     bgColor: 'bg-purple-500/10'
91   }
92 };
93
94 export const INITIAL_SURVEY_ANSWERS = {
95   // Step 1: Selected Personas (multi-select)
96   selectedPersonas: ['fitness', 'health'],
97
98   // Step 2: Daily routine & activity timings
99   activities: ['Running / Jogging', 'Morning Commute'],
100  activityTimes: ['early_morning', 'morning'],
101  commuteTime: '07:30',
102  commuteMode: 'two_wheeler',
103
104  // Step 3: Sensitivities & Threshold preferences
105  sensitivities: {
106    heatSensitivity: 2, // 1: Low, 2: Moderate, 3: High
107    aqiSensitivity: 'sensitive', // 'sensitive' (<60), 'moderate' (<100), 'resilient' (<150)
108    rainTolerance: 'medium', // 'low', 'medium', 'high'
109    uvAlertThreshold: 6, // 3, 6, 8, 10
110    allergens: ['dust', 'humidity']
111  },
112
113  // Step 4: Persona-specific micro-answers
114  personaDetails: {
115    // Agriculture micro-answers
116    cropType: 'wheat',
117    cropStage: 'Sowing',
118    irrigationType: 'Drip / Tube-well',
119
120    // Fitness micro-answers
121    fitnessType: 'Running / Jogging',
122    targetWorkoutWindow: '06:00 - 07:30',
123    maxHeatToleranceC: 33,
124
125    // Beach/Marine micro-answers
126    waterSport: 'Surfing',
127    maxWaveHeightM: 1.8,
128
129    // Parent micro-answers
130    childrenSchoolDeparture: '07:30',
131    strollerWalkPreferredTime: '17:00'
132  },
133
134  // Step 5: Location
135  location: {
136    city: 'Chennai',
137    region: 'Tamil Nadu',
138    country: 'India',

```

```
139     latitude: 13.0827,  
140     longitude: 80.2707,  
141     timezone: 'Asia/Kolkata'  
142   },  
143  
144   // Step 6: Preferences & Free text  
145   language: 'en',  
146   unitSystem: 'metric',  
147   freeformNotes: ''  
148 };  
149
```

FILE: src/presets/demoPresets.js

Lines: 184 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/presets/demoPresets.js

```

1  /**
2   * Quick-fill Demo Presets for KAIROS
3   * Perfect for quick hackathon demos, judge walkthroughs, and QA testing.
4   */
5
6  export const DEMO_PRESETS = [
7    {
8      id: 'farmer',
9      name: '[FARM] Farmer / Agriculture',
10     subtitle: 'Wheat sowing in Punjab / North India',
11     badge: 'Agromet Focus',
12     color: 'border-lime-500/40 bg-lime-500/10 text-lime-400',
13     data: {
14       selectedPersonas: ['agriculture', 'parent'],
15       activities: ['Field Irrigation', 'Pesticide Spraying', 'School Drop'],
16       activityTimes: ['early_morning', 'morning'],
17       commuteTime: '06:30',
18       commuteMode: 'two_wheeler',
19       sensitivities: {
20         heatSensitivity: 1,
21         aqiSensitivity: 'moderate',
22         rainTolerance: 'high',
23         uvAlertThreshold: 8,
24         allergens: ['dust']
25       },
26       personaDetails: {
27         cropType: 'wheat',
28         cropStage: 'Sowing / Germination',
29         irrigationType: 'Canal & Tube-well',
30         fitnessType: 'Walking',
31         targetWorkoutWindow: '05:30 - 07:00',
32         maxHeatToleranceC: 38,
33         waterSport: 'None',
34         maxWaveHeightM: 1.0,
35         childrenSchoolDeparture: '07:30',
36         strollerWalkPreferredTime: '17:30'
37       },
38       location: {
39         city: 'Ludhiana',
40         region: 'Punjab',
41         country: 'India',
42         latitude: 30.9010,
43         longitude: 75.8573,
44         timezone: 'Asia/Kolkata'
45       },
46       language: 'hi',
47       unitSystem: 'metric',
48       freeformNotes: 'Sowing wheat this week. Need early frost alerts and heavy rain warnings before f...
49     }
50   },
51   {
52     id: 'fitness',
53     name: '[RUN] Fitness Runner',
54     subtitle: 'Morning 10k runner in coastal Chennai',
55     badge: 'Heat & UV Sensitive',
56     color: 'border-emerald-500/40 bg-emerald-500/10 text-emerald-400',
57     data: {
58       selectedPersonas: ['fitness', 'health'],
59       activities: ['Road Running (10K)', 'Cycling', 'Outdoor Stretch'],
60       activityTimes: ['early_morning'],
61       commuteTime: '08:45',
62       commuteMode: 'car',
63       sensitivities: {
64         heatSensitivity: 3,
65         aqiSensitivity: 'sensitive',
66         rainTolerance: 'low',
67         uvAlertThreshold: 6,

```

```

68     allergens: ['humidity', 'dust']
69 },
70 personaDetails: {
71   cropType: '',
72   cropStage: '',
73   irrigationType: '',
74   fitnessType: 'Marathon Training (Running)',
75   targetWorkoutWindow: '05:30 - 07:00',
76   maxHeatToleranceC: 32,
77   waterSport: 'Swimming',
78   maxWaveHeightM: 1.2,
79   childrenSchoolDeparture: '08:00',
80   strollerWalkPreferredTime: '18:00'
81 },
82 location: {
83   city: 'Chennai',
84   region: 'Tamil Nadu',
85   country: 'India',
86   latitude: 13.0827,
87   longitude: 80.2707,
88   timezone: 'Asia/Kolkata'
89 },
90 language: 'en',
91 unitSystem: 'metric',
92 freeformNotes: 'High humidity makes running dangerous above 30°C. Need the ideal morning running...',
93 }
94 },
95 {
96   id: 'health_sensitive',
97   name: '[HEALTH] Health & Asthma Care',
98   subtitle: 'Air quality sensitive in Delhi NCR',
99   badge: 'AQI & Pollen Priority',
100  color: 'border-rose-500/40 bg-rose-500/10 text-rose-400',
101  data: {
102    selectedPersonas: ['health', 'commuter'],
103    activities: ['Office Commute', 'Evening Walk'],
104    activityTimes: ['morning', 'evening'],
105    commuteTime: '08:30',
106    commuteMode: 'metro',
107    sensitivities: {
108      heatSensitivity: 2,
109      aqiSensitivity: 'sensitive', // Alert if AQI > 50
110      rainTolerance: 'medium',
111      uvAlertThreshold: 5,
112      allergens: ['pollen', 'dust', 'humidity', 'cold']
113    },
114    personaDetails: {
115      cropType: '',
116      cropStage: '',
117      irrigationType: '',
118      fitnessType: 'Brisk Walking',
119      targetWorkoutWindow: '18:00 - 19:00',
120      maxHeatToleranceC: 34,
121      waterSport: 'None',
122      maxWaveHeightM: 1.0,
123      childrenSchoolDeparture: '08:00',
124      strollerWalkPreferredTime: '17:00'
125    },
126    location: {
127      city: 'New Delhi',
128      region: 'Delhi',
129      country: 'India',
130      latitude: 28.6139,
131      longitude: 77.2090,
132      timezone: 'Asia/Kolkata'
133    },
134    language: 'en',
135    unitSystem: 'metric',
136    freeformNotes: 'Severe pollen allergy and asthma trigger when PM2.5/AQI exceeds 80 or sudden tem...'
137  }
138 },

```

```
139 {
140   id: 'parent_commuter',
141   name: '[FAMILY] Parent & Daily Commuter',
142   subtitle: 'School drop & rain route planning in Bengaluru',
143   badge: 'Commute & Safety',
144   color: 'border-amber-500/40 bg-amber-500/10 text-amber-400',
145   data: {
146     selectedPersonas: ['parent', 'commuter', 'event_planner'],
147     activities: ['School Drop-off', 'Motorcycle Commute', 'Weekend Kids Playground'],
148     activityTimes: ['morning', 'evening', 'afternoon'],
149     commuteTime: '07:30',
150     commuteMode: 'two_wheeler',
151     sensitivities: {
152       heatSensitivity: 2,
153       aqiSensitivity: 'moderate',
154       rainTolerance: 'low',
155       uvAlertThreshold: 7,
156       allergens: ['cold', 'dust']
157     },
158     personaDetails: {
159       cropType: '',
160       cropStage: '',
161       irrigationType: '',
162       fitnessType: 'Walking',
163       targetWorkoutWindow: '06:30 - 07:15',
164       maxHeatToleranceC: 35,
165       waterSport: 'None',
166       maxWaveHeightM: 1.0,
167       childrenSchoolDeparture: '07:30',
168       strollerWalkPreferredTime: '16:30'
169     },
170     location: {
171       city: 'Bengaluru',
172       region: 'Karnataka',
173       country: 'India',
174       latitude: 12.9716,
175       longitude: 77.5946,
176       timezone: 'Asia/Kolkata'
177     },
178     language: 'en',
179     unitSystem: 'metric',
180     freeformNotes: 'Ride a scooter with a 6-year-old at 7:30 AM. Need rain radar and sudden downpour...'
181   }
182 }
183 ];
184
```

FILE: src/mock/mockAiEngine.js

Lines: 119 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/mock/mockAiEngine.js

```

1  /**
2   * Mock AI Personalization Engine (Person 2 Integration Stub)
3   *
4   * Person 1 uses this stub during parallel development with a 1.5s delay.
5   * When Person 2 delivers 'aiEngine.js', this stub can easily be swapped!
6   */
7
8  export async function generateProfile(surveyAnswers) {
9    // Simulate 1.5-second AI inference delay
10   await new Promise((resolve) => setTimeout(resolve, 1500));
11
12   const selected = surveyAnswers.selectedPersonas && surveyAnswers.selectedPersonas.length > 0
13     ? surveyAnswers.selectedPersonas
14     : ['fitness', 'health'];
15
16   // Calculate persona weights dynamically based on order & count
17   const weights = {};
18   const personasList = [];
19
20   if (selected.length === 1) {
21     weights[selected[0]] = 1.0;
22     personasList.push({ id: selected[0], weight: 1.0, percentage: 100 });
23   } else if (selected.length === 2) {
24     weights[selected[0]] = 0.65;
25     weights[selected[1]] = 0.35;
26     personasList.push({ id: selected[0], weight: 0.65, percentage: 65 });
27     personasList.push({ id: selected[1], weight: 0.35, percentage: 35 });
28   } else {
29     // 3 or more personas: distribute intelligently
30     const primary = selected[0];
31     const secondary = selected[1];
32     const remainingWeight = 0.20 / (selected.length - 2);
33
34     weights[primary] = 0.50;
35     weights[secondary] = 0.30;
36     personasList.push({ id: primary, weight: 0.50, percentage: 50 });
37     personasList.push({ id: secondary, weight: 0.30, percentage: 30 });
38
39     for (let i = 2; i < selected.length; i++) {
40       weights[selected[i]] = parseFloat(remainingWeight.toFixed(2));
41       personasList.push({
42         id: selected[i],
43         weight: parseFloat(remainingWeight.toFixed(2)),
44         percentage: Math.round(remainingWeight * 100)
45       });
46     }
47   }
48
49   // Derive customized smart thresholds from user sensitivities
50   const heatSens = surveyAnswers.sensitivities?.heatSensitivity || 2;
51   const maxTempAlert = heatSens === 3 ? 31 : heatSens === 2 ? 34 : 38;
52
53   const aqiMap = { sensitive: 55, moderate: 90, resilient: 140 };
54   const aqiAlert = aqiMap[surveyAnswers.sensitivities?.aqiSensitivity] || 85;
55
56   const rainMap = { low: 30, medium: 50, high: 75 };
57   const rainAlert = rainMap[surveyAnswers.sensitivities?.rainTolerance] || 45;
58
59   const uvAlert = surveyAnswers.sensitivities?.uvAlertThreshold || 6;
60
61   // Build AI Summary text based on profile
62   const primaryPersona = selected[0] || 'fitness';
63   let aiSummary = '';
64   if (primaryPersona === 'agriculture') {
65     aiSummary = 'Prioritizing soil moisture, precipitation radar, and frost warnings for ${surveyAnswere...
66   } else if (primaryPersona === 'fitness') {
67     aiSummary = 'Optimizing for peak outdoor training windows (${surveyAnswers.personaDetails?.targetW...

```

```

68     } else if (primaryPersona === 'health') {
69         aiSummary = 'Monitoring high-precision AQI (threshold ${aqiAlert}), airborne allergen spikes, and ...
70     } else if (primaryPersona === 'parent' || primaryPersona === 'commuter') {
71         aiSummary = 'Tracking commute weather, visibility conditions, and sudden downpours for safe school...
72     } else {
73         aiSummary = 'Customized weather intelligence tuned for ${selected.join(', ')} priorities.';
74     }
75
76     // Construct complete normalized Profile object
77     const profile = {
78         id: 'user_${Date.now()}',
79         createdAt: new Date().toISOString(),
80         primary_persona: primaryPersona,
81         personas: personasList,
82         persona_weights: weights,
83         thresholds: {
84             aqi_alert: aqiAlert,
85             uv_alert: uvAlert,
86             max_temp_alert: maxTempAlert,
87             rain_prob_alert: rainAlert,
88             wind_speed_alert: 25, // km/h
89             visibility_min_alert: 2500 // meters
90         },
91         persona_details: {
92             commute_time: surveyAnswers.commuteTime || '07:30',
93             commute_mode: surveyAnswers.commuteMode || 'two_wheeler',
94             workout_window: surveyAnswers.personaDetails?.targetWorkoutWindow || '06:00 - 07:30',
95             max_heat_tolerance_c: maxTempAlert,
96             crop: surveyAnswers.personaDetails?.cropType || 'wheat',
97             crop_stage: surveyAnswers.personaDetails?.cropStage || 'Sowing',
98             irrigation_type: surveyAnswers.personaDetails?.irrigationType || 'Drip',
99             water_sport: surveyAnswers.personaDetails?.waterSport || 'Surfing',
100            allergens: surveyAnswers.sensitivities?.allergens || []
101        },
102        location: surveyAnswers.location || {
103            city: 'Chennai',
104            region: 'Tamil Nadu',
105            country: 'India',
106            latitude: 13.0827,
107            longitude: 80.2707,
108            timezone: 'Asia/Kolkata'
109        },
110        language: surveyAnswers.language || 'en',
111        unit_system: surveyAnswers.unitSystem || 'metric',
112        freeform_notes: surveyAnswers.freeformNotes || '',
113        ai_summary: aiSummary,
114        raw_survey: surveyAnswers
115    };
116
117    return profile;
118 }
119

```

FILE: src/utlis/geocoding.js

Lines: 89 | Encoding: UTF-8 | Path: /Users/admin/gemini/antigravity/scratch/kairos-onboarding/src/utlis/geocoding.js

```

1  /**
2   * Geocoding Utility for KAIROS
3   * Connects to Open-Meteo Geocoding API (free, no API key needed).
4   */
5
6  export const POPULAR_CITIES = [
7    { city: 'Chennai', region: 'Tamil Nadu', country: 'India', latitude: 13.0827, longitude: 80.2707, ti...
8    { city: 'Bengaluru', region: 'Karnataka', country: 'India', latitude: 12.9716, longitude: 77.5946, t...
9    { city: 'New Delhi', region: 'Delhi', country: 'India', latitude: 28.6139, longitude: 77.2090, timez...
10   { city: 'Mumbai', region: 'Maharashtra', country: 'India', latitude: 19.0760, longitude: 72.8777, ti...
11   { city: 'Hyderabad', region: 'Telangana', country: 'India', latitude: 17.3850, longitude: 78.4867, t...
12   { city: 'Kolkata', region: 'West Bengal', country: 'India', latitude: 22.5726, longitude: 88.3639, t...
13   { city: 'Ludhiana', region: 'Punjab', country: 'India', latitude: 30.9010, longitude: 75.8573, timez...
14   { city: 'London', region: 'Greater London', country: 'United Kingdom', latitude: 51.5074, longitude:...
15   { city: 'San Francisco', region: 'California', country: 'United States', latitude: 37.7749, longitud...
16 ];
17
18 export async function searchCities(query) {
19   if (!query || query.trim().length < 2) return [];
20
21   try {
22     const url = 'https://geocoding-api.open-meteo.com/v1/search?name=${encodeURIComponent(query)}&coun...
23     const res = await fetch(url);
24     if (!res.ok) throw new Error('Geocoding search failed');
25     const data = await res.json();
26
27     if (!data.results || data.results.length === 0) {
28       // Fallback to filtering popular cities locally
29       return POPULAR_CITIES.filter((c) =>
30         c.city.toLowerCase().includes(query.toLowerCase())
31       );
32     }
33
34     return data.results.map((r) => ({
35       city: r.name,
36       region: r.admin1 || r.country || '',
37       country: r.country || '',
38       latitude: r.latitude,
39       longitude: r.longitude,
40       timezone: r.timezone || 'UTC'
41     }));
42   } catch (err) {
43     console.warn('Live geocoding error, falling back to local list:', err);
44     return POPULAR_CITIES.filter((c) =>
45       c.city.toLowerCase().includes(query.toLowerCase())
46     );
47   }
48 }
49
50 export async function detectCurrentLocation() {
51   return new Promise((resolve, reject) => {
52     if (!navigator.geolocation) {
53       reject(new Error('Geolocation is not supported by your browser'));
54       return;
55     }
56
57     navigator.geolocation.getCurrentPosition(
58       async (pos) => {
59         const { latitude, longitude } = pos.coords;
60         try {
61           // Open-Meteo reverse search via nominatim or elevation/timezone fallback
62           const tz = Intl.DateTimeFormat().resolvedOptions().timeZone;
63           resolve({
64             city: 'My Location',
65             region: 'Detected GPS',
66             country: 'Current Area',
67             latitude: parseFloat(latitude.toFixed(4)),

```

```
68         longitude: parseFloat(longitude.toFixed(4)),
69         timezone: tz
70     });
71 } catch {
72     resolve({
73         city: 'My Location',
74         region: 'GPS Coords',
75         country: '',
76         latitude: parseFloat(latitude.toFixed(4)),
77         longitude: parseFloat(longitude.toFixed(4)),
78         timezone: 'Asia/Kolkata'
79     });
80 }
81 },
82 (error) => {
83     reject(error);
84 },
85 { timeout: 8000 }
86 );
87 });
88 }
89 }
```

FILE: src/components/OnboardingFlow.jsx

Lines: 200 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/components/OnboardingFlow.jsx

```

1  import React, { useState } from 'react';
2  import { INITIAL_SURVEY_ANSWERS } from '../types/surveySchema';
3  import { generateProfile as defaultGenerateProfile } from '../mock/mockAiEngine';
4
5  import { WelcomeScreen } from './WelcomeScreen';
6  import { SurveyProgressBar } from './SurveyProgressBar';
7  import { Step1Personas } from './Step1Personas';
8  import { Step2Routine } from './Step2Routine';
9  import { Step3Sensitivities } from './Step3Sensitivities';
10 import { Step4MicroQuestions } from './Step4MicroQuestions';
11 import { Step5Location } from './Step5Location';
12 import { Step6Preferences } from './Step6Preferences';
13 import { LoadingScreen } from './LoadingScreen';
14 import { ProfileConfirmation } from './ProfileConfirmation';
15
16 /**
17  * OnboardingFlow -- Master Person 1 Controller Component
18  *
19  * Props:
20  * @param {Function} onComplete - Callback invoked with '(profile, surveyAnswers)' when user confirms
21  * @param {Function} [generateProfileFn] - Optional Person 2 AI profile generator override
22  */
23 export function OnboardingFlow({ onComplete, generateProfileFn = defaultGenerateProfile }) {
24   // Navigation stage: 'welcome' | 'survey' | 'processing' | 'confirm'
25   const [stage, setStage] = useState('welcome');
26   const [surveyStep, setSurveyStep] = useState(1);
27   const [surveyAnswers, setSurveyAnswers] = useState(INITIAL_SURVEY_ANSWERS);
28   const [generatedProfile, setGeneratedProfile] = useState(null);
29
30   // Helper to partially update survey state
31   const updateAnswers = (patch) => {
32     setSurveyAnswers((prev) => ({
33       ...prev,
34       ...patch
35     }));
36   };
37
38   // Start manual 6-step survey
39   const handleStartCustom = () => {
40     setSurveyStep(1);
41     setStage('survey');
42   };
43
44   // Handle Quick-Start Demo Presets
45   const handleSelectPreset = async (presetData) => {
46     setSurveyAnswers(presetData);
47     setStage('processing');
48     try {
49       const profile = await generateProfileFn(presetData);
50       setGeneratedProfile(profile);
51       setStage('confirm');
52     } catch (err) {
53       console.error('Failed to generate profile from preset:', err);
54       // Fallback
55       setGeneratedProfile(await defaultGenerateProfile(presetData));
56       setStage('confirm');
57     }
58   };
59
60   // Submit completed survey & trigger AI Generation
61   const handleSurveySubmit = async () => {
62     setStage('processing');
63     try {
64       const profile = await generateProfileFn(surveyAnswers);
65       setGeneratedProfile(profile);
66       setStage('confirm');
67     } catch (err) {

```

```

68     console.error('AI Profile generation failed, using fallback engine:', err);
69     const fallback = await defaultGenerateProfile(surveyAnswers);
70     setGeneratedProfile(fallback);
71     setStage('confirm');
72   }
73 };
74
75 // Step Navigation
76 const handleNextStep = () => {
77   if (surveyStep < 6) {
78     setSurveyStep((prev) => prev + 1);
79   } else {
80     handleSurveySubmit();
81   }
82 };
83
84 const handlePrevStep = () => {
85   if (surveyStep > 1) {
86     setSurveyStep((prev) => prev - 1);
87   } else {
88     setStage('welcome');
89   }
90 };
91
92 // Final confirmation to pass profile to Person 4 (Homepage)
93 const handleFinalConfirm = (finalProfile) => {
94   if (onComplete) {
95     onComplete(finalProfile, surveyAnswers);
96   }
97 };
98
99 return (
100   <div className="min-h-screen bg-slate-950 text-slate-100 flex flex-col justify-center px-4 py-8 se...
101     /* Background ambient lighting */
102     <div className="fixed inset-0 overflow-hidden pointer-events-none -z-10">
103       <div className="absolute top-1/3 left-1/2 -translate-x-1/2 -translate-y-1/2 w-[700px] h-[700px]...
104     </div>
105
106     <div className="max-w-4xl w-full mx-auto">
107       /* STAGE 1: Welcome Screen */
108       {stage === 'welcome' && (
109         <WelcomeScreen
110           onStartCustom={handleStartCustom}
111           onSelectPreset={handleSelectPreset}
112         />
113       )}
114
115       /* STAGE 2: 6-Step Survey Flow */
116       {stage === 'survey' && (
117         <div className="bg-slate-900/60 border border-slate-800 rounded-3xl p-6 sm:p-10 shadow-2xl b...
118           <SurveyProgressBar
119             currentStep={surveyStep}
120             totalSteps={6}
121             onBack={handlePrevStep}
122             canGoBack={true}
123           />
124
125           {surveyStep === 1 && (
126             <Step1Personas
127               selectedPersonas={surveyAnswers.selectedPersonas}
128               onChange={({personas}) => updateAnswers({ selectedPersonas: personas })}
129               onNext={handleNextStep}
130             />
131           )}
132
133           {surveyStep === 2 && (
134             <Step2Routine
135               answers={surveyAnswers}
136               onChange={updateAnswers}
137               onNext={handleNextStep}
138             />

```

```

139         })
140
141         {surveyStep === 3 && (
142           <Step3Sensitivities
143             sensitivities={surveyAnswers.sensitivities}
144             onChange={({sens}) => updateAnswers({ sensitivities: sens })}
145             onNext={handleNextStep}
146           />
147         )}
148
149         {surveyStep === 4 && (
150           <Step4MicroQuestions
151             selectedPersonas={surveyAnswers.selectedPersonas}
152             details={surveyAnswers.personaDetails}
153             onChange={({details}) => updateAnswers({ personaDetails: details })}
154             onNext={handleNextStep}
155           />
156         )}
157
158         {surveyStep === 5 && (
159           <Step5Location
160             location={surveyAnswers.location}
161             onChange={({loc}) => updateAnswers({ location: loc })}
162             onNext={handleNextStep}
163           />
164         )}
165
166         {surveyStep === 6 && (
167           <Step6Preferences
168             answers={surveyAnswers}
169             onChange={updateAnswers}
170             onSubmit={handleSurveySubmit}
171           />
172         )}
173       </div>
174     )}
175
176     {/* STAGE 3: Processing & AI Generation */}
177     {stage === 'processing' && (
178       <div className="bg-slate-900/60 border border-slate-800 rounded-3xl p-10 shadow-2xl backdrop...
179         <LoadingScreen locationName={surveyAnswers.location?.city || 'your location'} />
180       </div>
181     )}
182
183     {/* STAGE 4: Profile Confirmation */}
184     {stage === 'confirm' && generatedProfile && (
185       <div className="bg-slate-900/60 border border-slate-800 rounded-3xl p-6 sm:p-10 shadow-2xl b...
186         <ProfileConfirmation
187           profile={generatedProfile}
188           onConfirm={handleFinalConfirm}
189           onEditSurvey={() => {
190             setStage('survey');
191             setSurveyStep(1);
192           }}
193         />
194       </div>
195     )}
196   </div>
197 </div>
198 );
199 }
200

```

FILE: src/components/WelcomeScreen.jsx

Lines: 94 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/components/WelcomeScreen.jsx

```

1  import React from 'react';
2  import { DEMO_PRESETS } from '../presets/demoPresets';
3
4  export function WelcomeScreen({ onStartCustom, onSelectPreset }) {
5    return (
6      <div className="min-h-screen bg-slate-950 text-slate-100 flex flex-col justify-center items-center...
7        /* Background ambient glowing gradient orbs */
8        <div className="fixed inset-0 overflow-hidden pointer-events-none -z-10">
9          <div className="absolute top-1/4 left-1/2 -translate-x-1/2 -translate-y-1/2 w-[600px] h-[600px]...
10         <div className="absolute bottom-10 right-10 w-[400px] h-[400px] bg-blue-600/10 rounded-full bl...
11       </div>
12
13       <div className="max-w-4xl w-full mx-auto text-center space-y-8">
14         /* Brand Badge */
15         <div className="inline-flex items-center gap-2 px-3.5 py-1.5 rounded-full bg-slate-800/80 bord...
16           <span className="w-2 h-2 rounded-full bg-cyan-400 animate-ping" />
17           [WEATHER] KAIROS WEATHER INTELLIGENCE
18         </div>
19
20         /* Hero Title & Value Proposition */
21         <div className="space-y-4">
22           <h1 className="text-4xl sm:text-6xl font-extrabold tracking-tight text-white">
23             Weather tailored to <br />
24             <span className="bg-clip-text text-transparent bg-gradient-to-r from-cyan-400 via-teal-300...
25               who you are & what you do.
26             </span>
27           </h1>
28           <p className="text-slate-400 text-lg sm:text-xl max-w-2xl mx-auto leading-relaxed">
29             Traditional weather apps give everyone the same generic numbers.
30             <strong className="text-slate-200 font-semibold"> KAIROS </strong>
31             prioritizes what matters to <em>your</em> routine, crops, workouts, and health.
32           </p>
33         </div>
34
35         /* Primary CTA Button */
36         <div className="pt-2 flex flex-col sm:flex-row items-center justify-center gap-4">
37           <button
38             onClick={onStartCustom}
39             className="w-full sm:w-auto px-8 py-4 rounded-xl font-bold text-base bg-gradient-to-r from...
40           >
41             <span>Start 6-Step Onboarding</span>
42             <svg className="w-5 h-5 text-slate-950" fill="none" viewBox="0 0 24 24" stroke="currentCol...
43               <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5} d="M13 7l5 5m0 0l-5...
44             </svg>
45           </button>
46         </div>
47
48         /* Divider / Hackathon Quick Demo Presets */
49         <div className="pt-8 border-t border-slate-800/80">
50           <div className="flex items-center justify-center gap-2 mb-6">
51             <span className="text-xs font-semibold uppercase tracking-wider text-slate-500">
52               [FAST] Quick-Start Demo Presets (1-Click Evaluation)
53             </span>
54           </div>
55
56           <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4 text-left">
57             {DEMO_PRESETS.map((preset) => (
58               <button
59                 key={preset.id}
60                 onClick={() => onSelectPreset(preset.data)}
61                 className={`p-4 rounded-2xl border transition-all text-left bg-slate-900/60 hover:bg-s...
62               >
63                 <div className="flex items-center justify-between mb-2">
64                   <span className="text-xl">{preset.name.split(' ')[0]}</span>
65                   <span className="text-[10px] uppercase font-bold tracking-wider px-2 py-0.5 rounded-...
66                     {preset.badge}
67                   </span>

```

```
68         </div>
69         <div className="font-semibold text-slate-200 text-sm group-hover:text-white transition...
70             {preset.name.replace(/^[^\s]+\s/, '')}
71         </div>
72         <div className="text-xs text-slate-400 mt-1 line-clamp-2">
73             {preset.subtitle}
74         </div>
75         <div className="mt-3 flex items-center gap-1 text-xs font-medium text-cyan-400 opacity...
76             <span>Load Profile</span>
77             <span>-></span>
78         </div>
79     </button>
80     )}}
81 </div>
82 </div>
83
84 { /* Feature pillars info footer */}
85 <div className="grid grid-cols-3 gap-2 pt-6 text-center text-xs text-slate-500 border-t border...
86     <div>[AI] <strong>AI Persona Weights</strong></div>
87     <div>[WEATHER] <strong>Open-Meteo Live API</strong></div>
88     <div>[ALERT] <strong>Smart Actionable Alerts</strong></div>
89 </div>
90 </div>
91 </div>
92 );
93 }
94
```

FILE: src/components/SurveyProgressBar.jsx

Lines: 83 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/components/SurveyProgressBar.jsx

```

1  import React from 'react';
2
3  const STEP_LABELS = [
4    'Personas',
5    'Routine',
6    'Sensitivities',
7    'Details',
8    'Location',
9    'Preferences'
10 ];
11
12 export function SurveyProgressBar({ currentStep, totalSteps = 6, onBack, canGoBack = true }) {
13   const percentage = Math.round((currentStep / totalSteps) * 100);
14
15   return (
16     <div className="w-full max-w-3xl mx-auto mb-8 space-y-4">
17       {/* Header bar with Back button and Step Counter */}
18       <div className="flex items-center justify-between">
19         {canGoBack ? (
20           <button
21             onClick={onBack}
22             className="inline-flex items-center gap-1.5 text-xs font-semibold text-slate-400 hover:tex...
23           >
24             <span><-</span>
25             <span>Back</span>
26           </button>
27         ) : (
28           <div />
29         )}
30
31         <div className="flex items-center gap-2">
32           <span className="text-xs uppercase tracking-wider font-bold text-cyan-400">
33             Step {currentStep} of {totalSteps}
34           </span>
35           <span className="text-xs text-slate-500 font-medium">
36             ({STEP_LABELS[currentStep - 1]})
37           </span>
38         </div>
39       </div>
40
41       {/* Progress Track */}
42       <div className="w-full bg-slate-800/80 h-2 rounded-full overflow-hidden border border-slate-700/...
43       <div
44         className="h-full bg-gradient-to-r from-cyan-500 via-teal-400 to-emerald-400 rounded-full tr...
45         style={{ width: `${percentage}%` }}
46       />
47     </div>
48
49     {/* Step dot indicators on larger screens */}
50     <div className="hidden sm:flex justify-between items-center px-1">
51       {STEP_LABELS.map((label, idx) => {
52         const stepNum = idx + 1;
53         const isCompleted = stepNum < currentStep;
54         const isCurrent = stepNum === currentStep;
55
56         return (
57           <div key={label} className="flex flex-col items-center gap-1">
58             <div
59               className={`w-5 h-5 rounded-full flex items-center justify-center text-[10px] font-bol...
60               isCompleted
61                 ? 'bg-emerald-500 text-slate-950'
62                 : isCurrent
63                 ? 'bg-cyan-400 text-slate-950 ring-4 ring-cyan-500/20'
64                 : 'bg-slate-800 text-slate-500'
65             >
66             {isCompleted ? '[v]' : stepNum}
67

```

```
68         </div>
69         <span
70           className={'text-[10px] tracking-wide font-medium ${
71             isCurrent ? 'text-cyan-300 font-bold' : isCompleted ? 'text-slate-300' : 'text-slate...
72           }'}
73         >
74           {label}
75         </span>
76       </div>
77     );
78   }}}
79 </div>
80 </div>
81 );
82 }
83
```

FILE: src/components/Step1Personas.jsx

Lines: 102 | Encoding: UTF-8 | Path: /Users/admin/gemini/antigravity/scratch/kairos-onboarding/src/components/Step1Personas.jsx

```

1  import React from 'react';
2  import { PERSONA_METADATA, PERSONA_TYPES } from '../types/surveySchema';
3
4  export function Step1Personas({ selectedPersonas, onChange, onNext }) {
5    const togglePersona = (personaId) => {
6      if (selectedPersonas.includes(personaId)) {
7        // Don't allow deselecting if it's the only selected persona
8        if (selectedPersonas.length === 1) return;
9        onChange(selectedPersonas.filter((id) => id !== personaId));
10     } else {
11       onChange([...selectedPersonas, personaId]);
12     }
13   };
14
15   const hasSelection = selectedPersonas.length > 0;
16
17   return (
18     <div className="space-y-6">
19       {/* Step Header */}
20       <div className="text-center space-y-2">
21         <h2 className="text-2xl sm:text-3xl font-bold text-white tracking-tight">
22           What describes your lifestyle & needs?
23         </h2>
24         <p className="text-sm sm:text-base text-slate-400 max-w-xl mx-auto">
25           Select one or more personas. KAIROS uses these to build your multi-dimensional weather prior...
26         </p>
27       </div>
28
29       {/* Persona Cards Grid */}
30       <div className="grid grid-cols-1 sm:grid-cols-2 gap-3.5 pt-2">
31         {Object.values(PERSONA_METADATA).map((meta) => {
32           const isSelected = selectedPersonas.includes(meta.id);
33           const selectionIndex = selectedPersonas.indexOf(meta.id);
34
35           return (
36             <div
37               key={meta.id}
38               onClick={() => togglePersona(meta.id)}
39               className={`relative p-4 rounded-2xl border transition-all cursor-pointer select-none fl...
40                 isSelected
41                   ? 'bg-slate-900 border-cyan-400/70 shadow-lg shadow-cyan-950/40 ring-1 ring-cyan-400...
42                   : 'bg-slate-900/50 border-slate-800 hover:border-slate-700 hover:bg-slate-900/80'
43             >
44               <div className="text-3xl p-2 rounded-xl bg-slate-800/80 border border-slate-700/60 shrin...
45                 {meta.icon}
46               </div>
47
48               {/* Persona Text */}
49               <div className="flex-1 min-w-0">
50                 <div className="flex items-center justify-between gap-2">
51                   <h3 className="font-semibold text-sm sm:text-base text-slate-100">
52                     {meta.label}
53                   </h3>
54                   {isSelected && (
55                     <span className="text-[10px] uppercase font-bold tracking-wider px-2 py-0.5 rounde...
56                       {selectionIndex === 0 ? 'Primary' : 'Priority #${selectionIndex + 1}'}
57                     </span>
58                   )}
59                 </div>
60                 <p className="text-xs text-slate-400 mt-1 leading-relaxed">
61                   {meta.tagline}
62                 </p>
63               </div>
64
65               {/* Checkbox indicator */}

```

```

68         <div
69             className={`w-5 h-5 rounded-lg flex items-center justify-center text-xs font-bold shri...
70             isSelected ? 'bg-cyan-400 text-slate-950' : 'border border-slate-700'
71             `}
72         >
73             {isSelected ? '[v]' : ''}
74         </div>
75     </div>
76     );
77     }}}
78 </div>
79
80 /* Selected Counter & Next CTA */
81 <div className="pt-4 flex items-center justify-between border-t border-slate-800">
82     <div className="text-xs text-slate-400">
83         Selected: <strong className="text-cyan-400">{selectedPersonas.length}</strong> persona{selec...
84     </div>
85
86     <button
87         disabled={!hasSelection}
88         onClick={onNext}
89         className={`px-6 py-3 rounded-xl font-bold text-sm flex items-center gap-2 transition-all cu...
90         hasSelection
91             ? 'bg-gradient-to-r from-cyan-500 to-blue-600 hover:from-cyan-400 hover:to-blue-500 text...
92             : 'bg-slate-800 text-slate-500 cursor-not-allowed'
93         `}
94     >
95         <span>Continue to Routine</span>
96         <span>-></span>
97     </button>
98 </div>
99 </div>
100 );
101 }
102

```

FILE: src/components/Step2Routine.jsx

Lines: 178 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/components/Step2Routine.jsx

```

1  import React from 'react';
2
3  const TIME_WINDOWS = [
4    { id: 'early_morning', label: 'Early Morning', time: '5:00 AM - 8:00 AM', icon: '?' },
5    { id: 'morning', label: 'Morning & Rush', time: '8:00 AM - 11:30 AM', icon: '[SUN]' },
6    { id: 'afternoon', label: 'Mid-day / Afternoon', time: '12:00 PM - 4:00 PM', icon: '[HEAT]' },
7    { id: 'evening', label: 'Evening', time: '4:30 PM - 8:00 PM', icon: '?' },
8    { id: 'night', label: 'Night', time: '8:00 PM - Midnight', icon: '?' }
9  ];
10
11  const COMMON_ACTIVITIES = [
12    '[RUN] Running / Jogging',
13    '? Cycling',
14    '? Field & Farm Work',
15    '? School Drop-off',
16    '? Office Commute',
17    '? Walking Dog / Stroll',
18    '[BEACH] Water Sports / Beach',
19    '[EVENT] Outdoor Event / Sports'
20  ];
21
22  const COMMUTE_MODES = [
23    { id: 'two_wheeler', label: 'Motorcycle / Scooter', icon: '[BIKE]' },
24    { id: 'car', label: 'Car / Cab', icon: '[COMMUTER]' },
25    { id: 'bicycle', label: 'Bicycle', icon: '?' },
26    { id: 'walking', label: 'Walking / Foot', icon: '?' },
27    { id: 'metro', label: 'Metro / Public Bus', icon: '?' }
28  ];
29
30  export function Step2Routine({ answers, onChange, onNext }) {
31    const { activityTimes = [], activities = [], commuteTime = '07:30', commuteMode = 'two_wheeler' } = ...
32
33    const toggleTimeWindow = (id) => {
34      if (activityTimes.includes(id)) {
35        onChange({ activityTimes: activityTimes.filter((t) => t !== id )});
36      } else {
37        onChange({ activityTimes: [...activityTimes, id] });
38      }
39    };
40
41    const toggleActivity = (act) => {
42      if (activities.includes(act)) {
43        onChange({ activities: activities.filter((a) => a !== act )});
44      } else {
45        onChange({ activities: [...activities, act] });
46      }
47    };
48
49    return (
50      <div className="space-y-6">
51        /* Step Header */
52        <div className="text-center space-y-2">
53          <h2 className="text-2xl sm:text-3xl font-bold text-white tracking-tight">
54            When are you most active outdoors?
55          </h2>
56          <p className="text-sm sm:text-base text-slate-400 max-w-xl mx-auto">
57            KAIROS monitors hyper-local conditions during these specific windows instead of drowning you...
58          </p>
59        </div>
60
61        /* Time of Day Windows */
62        <div className="space-y-3">
63          <label className="text-xs uppercase font-bold tracking-wider text-slate-400">
64            Primary Outdoor Windows (Select all that apply)
65          </label>
66          <div className="grid grid-cols-2 sm:grid-cols-3 lg:grid-cols-5 gap-2.5">
67            {TIME_WINDOWS.map((w) => {

```

```

68     const isSelected = activityTimes.includes(w.id);
69     return (
70       <button
71         key={w.id}
72         type="button"
73         onClick={() => toggleTimeWindow(w.id)}
74         className={`p-3 rounded-xl border text-center transition-all cursor-pointer flex flex-...
75           isSelected
76             ? 'bg-cyan-500/15 border-cyan-400 text-cyan-200 shadow-md shadow-cyan-950/30'
77             : 'bg-slate-900/60 border-slate-800 text-slate-400 hover:border-slate-700 hover:te...
78           `}
79       >
80         <span className="text-2xl">{w.icon}</span>
81         <span className="text-xs font-semibold">{w.label}</span>
82         <span className="text-[10px] text-slate-500">{w.time}</span>
83       </button>
84     );
85   }}
86 </div>
87 </div>
88
89 {/ * Activity Types Chips */}
90 <div className="space-y-3 pt-2">
91   <label className="text-xs uppercase font-bold tracking-wider text-slate-400">
92     Your Typical Outdoor Activities
93   </label>
94   <div className="flex flex-wrap gap-2">
95     {COMMON_ACTIVITIES.map((act) => {
96       const isSelected = activities.includes(act);
97       return (
98         <button
99           key={act}
100           type="button"
101           onClick={() => toggleActivity(act)}
102           className={`px-3.5 py-2 rounded-xl text-xs font-medium border transition-all cursor-po...
103             isSelected
104               ? 'bg-emerald-500/20 border-emerald-400 text-emerald-300 font-semibold'
105               : 'bg-slate-900/60 border-slate-800 text-slate-400 hover:border-slate-700 hover:te...
106             `}
107         >
108           <span>{act}</span>
109           {isSelected && <span className="text-xs text-emerald-400">[v]</span>}
110         </button>
111       );
112     })}
113   </div>
114 </div>
115
116 {/ * Commute departure and mode */}
117 <div className="grid grid-cols-1 sm:grid-cols-2 gap-4 pt-2">
118   <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-2">
119     <div className="flex items-center justify-between">
120       <label className="text-xs uppercase font-bold tracking-wider text-slate-300 flex items-cen...
121       <span>[TIME] Primary Morning Commute Time</span>
122     </label>
123     <span className="text-xs font-mono font-bold text-cyan-400 bg-cyan-950/60 px-2 py-0.5 roun...
124       {commuteTime}
125     </span>
126   </div>
127   <input
128     type="time"
129     value={commuteTime}
130     onChange={(e) => onChange({ commuteTime: e.target.value })}
131     className="w-full bg-slate-950 border border-slate-700 text-slate-200 px-3 py-2 rounded-xl...
132   />
133   <p className="text-[11px] text-slate-500">
134     KAIROS alerts you for rain, fog, or extreme heat 45 mins before this time.
135   </p>
136 </div>
137
138 <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-2">

```

```

139     <label className="text-xs uppercase font-bold tracking-wider text-slate-300 flex items-cente...
140       <span>[BIKE] Commute Transport Mode</span>
141     </label>
142     <div className="grid grid-cols-2 gap-1.5 pt-1">
143       {COMMUTE_MODES.map((mode) => {
144         const isSelected = commuteMode === mode.id;
145         return (
146           <button
147             key={mode.id}
148             type="button"
149             onClick={() => onChange({ commuteMode: mode.id })}
150             className={`px-2.5 py-1.5 rounded-lg border text-left text-xs font-medium transition...
151               isSelected
152                 ? 'bg-blue-500/20 border-blue-400 text-blue-300 font-semibold'
153                 : 'bg-slate-950/50 border-slate-800 text-slate-400 hover:border-slate-700'
154             `}
155           >
156             <span>{mode.icon}</span>
157             <span className="truncate">{mode.label}</span>
158           </button>
159         );
160       })}
161     </div>
162   </div>
163 </div>
164
165   { /* Navigation CTA */ }
166   <div className="pt-4 flex items-center justify-end border-t border-slate-800">
167     <button
168       onClick={onNext}
169       className="px-6 py-3 rounded-xl font-bold text-sm bg-gradient-to-r from-cyan-500 to-blue-600...
170     >
171       <span>Continue to Sensitivities</span>
172       <span>-></span>
173     </button>
174   </div>
175 </div>
176 );
177 }
178

```

FILE: src/components/Step3Sensitivities.jsx

Lines: 205 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/components/Step3Sensitivities.jsx

```

1  import React from 'react';
2
3  const ALLERGENS = [
4    { id: 'pollen', label: '[POLLEN] Pollen & Grass', desc: 'Spring/seasonal rhinitis' },
5    { id: 'dust', label: '[WIND] Dust & Smog', desc: 'Urban PM2.5/PM10 spikes' },
6    { id: 'humidity', label: '[WATER] High Humidity (>80%)', desc: 'Heavy breathing & dampness' },
7    { id: 'cold', label: '[FROST] Cold Air / Frost', desc: 'Bronchial spasms & cold shocks' }
8  ];
9
10 export function Step3Sensitivities({ sensitivities = {}, onChange, onNext }) {
11   const {
12     heatSensitivity = 2,
13     aqiSensitivity = 'sensitive',
14     rainTolerance = 'medium',
15     uvAlertThreshold = 6,
16     allergens = []
17   } = sensitivities;
18
19   const updateField = (key, val) => {
20     onChange({
21       ...sensitivities,
22       [key]: val
23     });
24   };
25
26   const toggleAllergen = (id) => {
27     if (allergens.includes(id)) {
28       updateField('allergens', allergens.filter((a) => a !== id));
29     } else {
30       updateField('allergens', [...allergens, id]);
31     }
32   };
33
34   return (
35     <div className="space-y-6">
36       { /* Header */ }
37       <div className="text-center space-y-2">
38         <h2 className="text-2xl sm:text-3xl font-bold text-white tracking-tight">
39           Your Personalized Weather Thresholds
40         </h2>
41         <p className="text-sm sm:text-base text-slate-400 max-w-xl mx-auto">
42           Instead of hardcoded rules, KAIROS calibrates alerts according to what your body and schedul...
43         </p>
44       </div>
45
46       <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
47         { /* Heat Sensitivity Slider */ }
48         <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-3">
49           <div className="flex items-center justify-between">
50             <span className="text-xs uppercase font-bold tracking-wider text-rose-300 flex items-cente...
51             <span>?? Heat Sensitivity</span>
52           </div>
53           <span className="text-xs font-semibold px-2 py-0.5 rounded bg-rose-500/10 text-rose-300 bo...
54             {heatSensitivity === 3 ? 'High (Alert > 31°C)' : heatSensitivity === 2 ? 'Normal (Alert ...
55           </span>
56         </div>
57         <input
58           type="range"
59           min="1"
60           max="3"
61           step="1"
62           value={heatSensitivity}
63           onChange={(e) => updateField('heatSensitivity', Number(e.target.value))}
64           className="w-full h-2 bg-slate-800 rounded-lg appearance-none cursor-pointer accent-rose-400"
65         />
66         <div className="flex justify-between text-[10px] text-slate-500 font-medium">
67           <span>Heat Tolerant (38°C)</span>

```

```

68         <span>Balanced (34?C)</span>
69         <span>Sensitive (31?C)</span>
70     </div>
71 </div>
72
73 {/* AQI Sensitivity */}
74 <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-3">
75     <div className="flex items-center justify-between">
76         <span className="text-xs uppercase font-bold tracking-wider text-teal-300 flex items-cente...
77         <span>? AQI Sensitivity Level</span>
78     </span>
79     <span className="text-xs font-semibold px-2 py-0.5 rounded bg-teal-500/10 text-teal-300 bo...
80     {aqiSensitivity === 'sensitive' ? 'Alert at AQI > 50' : aqiSensitivity === 'moderate' ? ...
81     </span>
82 </div>
83 <div className="grid grid-cols-3 gap-2">
84     {[
85         { id: 'sensitive', label: 'Sensitive', sub: 'Asthma/Kids (>50)' },
86         { id: 'moderate', label: 'Moderate', sub: 'Standard (>100)' },
87         { id: 'resilient', label: 'Resilient', sub: 'Smog only (>150)' }
88     ]}.map((opt) => (
89         <button
90             key={opt.id}
91             type="button"
92             onClick={() => updateField('aqiSensitivity', opt.id)}
93             className={`p-2 rounded-xl border text-center transition-all cursor-pointer ${
94                 aqiSensitivity === opt.id
95                     ? 'bg-teal-500/20 border-teal-400 text-teal-200'
96                     : 'bg-slate-950/40 border-slate-800 text-slate-400 hover:border-slate-700'
97             }`
98         >
99             <div className="text-xs font-bold">{opt.label}</div>
100             <div className="text-[10px] text-slate-500">{opt.sub}</div>
101         </button>
102     )})
103 </div>
104 </div>
105
106 {/* Rain Tolerance */}
107 <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-3">
108     <div className="flex items-center justify-between">
109         <span className="text-xs uppercase font-bold tracking-wider text-blue-300 flex items-cente...
110         <span>?? Rain Disruption Tolerance</span>
111     </span>
112 </div>
113 <div className="grid grid-cols-3 gap-2">
114     {[
115         { id: 'low', label: 'Low Tolerance', desc: 'Alert even on drizzle' },
116         { id: 'medium', label: 'Medium', desc: 'Alert on moderate rain' },
117         { id: 'high', label: 'High Tolerance', desc: 'Alert only on storms' }
118     ]}.map((r) => (
119         <button
120             key={r.id}
121             type="button"
122             onClick={() => updateField('rainTolerance', r.id)}
123             className={`p-2.5 rounded-xl border text-center transition-all cursor-pointer ${
124                 rainTolerance === r.id
125                     ? 'bg-blue-500/20 border-blue-400 text-blue-200 font-semibold'
126                     : 'bg-slate-950/40 border-slate-800 text-slate-400 hover:border-slate-700'
127             }`
128         >
129             <div className="text-xs">{r.label}</div>
130             <div className="text-[10px] text-slate-500">{r.desc}</div>
131         </button>
132     )})
133 </div>
134 </div>
135
136 {/* UV Alert Threshold */}
137 <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-3">
138     <div className="flex items-center justify-between">

```

```

139         <span className="text-xs uppercase font-bold tracking-wider text-amber-300 flex items-cent...
140         <span>[SUN] UV Index Alert Trigger</span>
141     </span>
142     <span className="text-xs font-mono font-bold text-amber-300">
143         UV >= {uvAlertThreshold}
144     </span>
145 </div>
146 <div className="grid grid-cols-4 gap-2">
147     {[3, 6, 8, 10].map((val) => (
148         <button
149             key={val}
150             type="button"
151             onClick={() => updateField('uvAlertThreshold', val)}
152             className={`py-2 rounded-xl border text-xs font-bold transition-all cursor-pointer ${
153                 uvAlertThreshold === val
154                     ? 'bg-amber-500/20 border-amber-400 text-amber-300'
155                     : 'bg-slate-950/40 border-slate-800 text-slate-400 hover:border-slate-700'
156             }`}
157         >
158             {val}+ {val <= 3 ? '(Low)' : val <= 6 ? '(Mod)' : val <= 8 ? '(High)' : '(Extreme)'}
159         </button>
160     )]}
161 </div>
162 </div>
163 </div>
164
165 /* Allergens & Special Sensitivity Triggers */
166 <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-3">
167     <label className="text-xs uppercase font-bold tracking-wider text-slate-300">
168         Environmental Triggers & Allergies (Select all that apply)
169     </label>
170     <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-2.5">
171         {ALLERGENS.map((alg) => {
172             const isSelected = allergens.includes(alg.id);
173             return (
174                 <button
175                     key={alg.id}
176                     type="button"
177                     onClick={() => toggleAllergen(alg.id)}
178                     className={`p-3 rounded-xl border text-left transition-all cursor-pointer ${
179                         isSelected
180                             ? 'bg-purple-500/20 border-purple-400 text-purple-200'
181                             : 'bg-slate-950/40 border-slate-800 text-slate-400 hover:border-slate-700'
182                         }`}
183                 >
184                     <div className="text-xs font-semibold text-slate-200">{alg.label}</div>
185                     <div className="text-[10px] text-slate-500 mt-0.5">{alg.desc}</div>
186                 </button>
187             );
188         })}
189     </div>
190 </div>
191
192 /* Navigation CTA */
193 <div className="pt-4 flex items-center justify-end border-t border-slate-800">
194     <button
195         onClick={onNext}
196         className="px-6 py-3 rounded-xl font-bold text-sm bg-gradient-to-r from-cyan-500 to-blue-600...
197     >
198         <span>Continue to Persona Details</span>
199         <span>-></span>
200     </button>
201 </div>
202 </div>
203 );
204 }
205

```

FILE: src/components/Step4MicroQuestions.jsx

Lines: 238 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/components/Step4MicroQuestions.jsx

```

1  import React from 'react';
2
3  const CROP_OPTIONS = ['Wheat', 'Rice (Paddy)', 'Cotton', 'Sugarcane', 'Mustard', 'Vegetables', 'Pulses...
4  const CROP_STAGES = ['Sowing / Germination', 'Vegetative Growth', 'Flowering / Pollination', 'Grain Fi...
5  const IRRIGATION_TYPES = ['Canal / Flood', 'Tube-well / Borewell', 'Drip / Micro-irrigation', 'Rainfed'];
6
7  export function Step4MicroQuestions({ selectedPersonas = [], details = {}, onChange, onNext }) {
8      const isFarmer = selectedPersonas.includes('agriculture');
9      const isFitness = selectedPersonas.includes('fitness');
10     const isParent = selectedPersonas.includes('parent');
11     const isBeach = selectedPersonas.includes('beach_marine');
12     const isHealth = selectedPersonas.includes('health');
13
14     const updateDetail = (key, val) => {
15         onChange({
16             ...details,
17             [key]: val
18         });
19     };
20
21     const hasAnyMicroQuestions = isFarmer || isFitness || isParent || isBeach;
22
23     return (
24         <div className="space-y-6">
25             {/* Header */}
26             <div className="text-center space-y-2">
27                 <h2 className="text-2xl sm:text-3xl font-bold text-white tracking-tight">
28                     Persona-Specific Calibration
29                 </h2>
30                 <p className="text-sm sm:text-base text-slate-400 max-w-xl mx-auto">
31                     Tailor the exact variables KAIROS computes for your selected focus areas.
32                 </p>
33             </div>
34
35             <div className="space-y-4">
36                 {/* [FARM] Agriculture Micro-Form */}
37                 {isFarmer && (
38                     <div className="p-5 rounded-2xl bg-gradient-to-br from-lime-950/40 via-slate-900 to-slate-90...
39                     <div className="flex items-center gap-2 text-lime-400 font-bold text-sm uppercase tracking...
40                     <span>[FARM] Agricultural Parameters (Agromet Advisory)</span>
41                     </div>
42
43                     <div className="grid grid-cols-1 sm:grid-cols-3 gap-3">
44                         {/* Crop Type */}
45                         <div className="space-y-1.5">
46                             <label className="text-xs font-semibold text-slate-300">Target Crop</label>
47                             <select
48                                 value={details.cropType || 'Wheat'}
49                                 onChange={(e) => updateDetail('cropType', e.target.value)}
50                                 className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounde...
51                             >
52                                 {CROP_OPTIONS.map((c) => (
53                                     <option key={c} value={c}>{c}</option>
54                                 ))}
55                             </select>
56                         </div>
57
58                         {/* Crop Stage */}
59                         <div className="space-y-1.5">
60                             <label className="text-xs font-semibold text-slate-300">Growth Stage</label>
61                             <select
62                                 value={details.cropStage || 'Sowing / Germination'}
63                                 onChange={(e) => updateDetail('cropStage', e.target.value)}
64                                 className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounde...
65                             >
66                                 {CROP_STAGES.map((s) => (
67                                     <option key={s} value={s}>{s}</option>

```

```

68         )))
69     </select>
70 </div>
71
72     {/ * Irrigation */}
73     <div className="space-y-1.5">
74         <label className="text-xs font-semibold text-slate-300">Irrigation Setup</label>
75         <select
76             value={details.irrigationType || 'Canal / Flood'}
77             onChange={(e) => updateDetail('irrigationType', e.target.value)}
78             className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounded...
79         >
80             {IRRIGATION_TYPES.map((i) => (
81                 <option key={i} value={i}>{i}</option>
82             ))}
83         </select>
84     </div>
85 </div>
86 <p className="text-[11px] text-lime-400/80">
87     KAIROS will track soil moisture fraction (0-0.5) and predict rain probability before irr...
88 </p>
89 </div>
90 ))}
91
92 {/ * [RUN] Fitness Micro-Form */}
93 {isFitness && (
94     <div className="p-5 rounded-2xl bg-gradient-to-br from-emerald-950/40 via-slate-900 to-slate...
95     <div className="flex items-center gap-2 text-emerald-400 font-bold text-sm uppercase track...
96     <span>[RUN] Outdoor Fitness & Workout Routine</span>
97 </div>
98
99     <div className="grid grid-cols-1 sm:grid-cols-3 gap-3">
100     <div className="space-y-1.5">
101         <label className="text-xs font-semibold text-slate-300">Primary Sport</label>
102         <select
103             value={details.fitnessType || 'Road Running (10K)'}
104             onChange={(e) => updateDetail('fitnessType', e.target.value)}
105             className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounded...
106         >
107             <option value="Road Running">Road Running</option>
108             <option value="Trail Running">Trail Running</option>
109             <option value="Road Cycling">Road Cycling</option>
110             <option value="Outdoor HIIT">Outdoor HIIT</option>
111             <option value="Brisk Walking">Brisk Walking</option>
112         </select>
113     </div>
114
115     <div className="space-y-1.5">
116         <label className="text-xs font-semibold text-slate-300">Target Running Window</label>
117         <select
118             value={details.targetWorkoutWindow || '05:30 - 07:00'}
119             onChange={(e) => updateDetail('targetWorkoutWindow', e.target.value)}
120             className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounded...
121         >
122             <option value="05:30 - 07:00">Early Morning (05:30 - 07:00)</option>
123             <option value="06:30 - 08:00">Morning (06:30 - 08:00)</option>
124             <option value="17:30 - 19:00">Evening Dusk (17:30 - 19:00)</option>
125             <option value="19:30 - 21:00">Night (19:30 - 21:00)</option>
126         </select>
127     </div>
128
129     <div className="space-y-1.5">
130         <label className="text-xs font-semibold text-slate-300">Heat Cutoff Limit (?C)</label>
131         <input
132             type="number"
133             min="24"
134             max="42"
135             value={details.maxHeatToleranceC || 33}
136             onChange={(e) => updateDetail('maxHeatToleranceC', Number(e.target.value))}
137             className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounded...
138         />

```

```

139         </div>
140     </div>
141 </div>
142 }}
143
144 {/* [FAMILY] Parent Micro-Form */}
145 {isParent && (
146     <div className="p-5 rounded-2xl bg-gradient-to-br from-amber-950/40 via-slate-900 to-slate-9...
147     <div className="flex items-center gap-2 text-amber-400 font-bold text-sm uppercase trackin...
148     <span>[FAMILY] Parent & Child Care Schedule</span>
149     </div>
150
151     <div className="grid grid-cols-1 sm:grid-cols-2 gap-3">
152     <div className="space-y-1.5">
153         <label className="text-xs font-semibold text-slate-300">School Departure Time</label>
154         <input
155             type="time"
156             value={details.childrenSchoolDeparture || '07:30'}
157             onChange={(e) => updateDetail('childrenSchoolDeparture', e.target.value)}
158             className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounde...
159         />
160     </div>
161
162     <div className="space-y-1.5">
163         <label className="text-xs font-semibold text-slate-300">Playground / Stroller Walk Tim...
164         <input
165             type="time"
166             value={details.strollerWalkPreferredTime || '17:00'}
167             onChange={(e) => updateDetail('strollerWalkPreferredTime', e.target.value)}
168             className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounde...
169         />
170     </div>
171 </div>
172 </div>
173 }}
174
175 {/* [BEACH] Beach & Marine Micro-Form */}
176 {isBeach && (
177     <div className="p-5 rounded-2xl bg-gradient-to-br from-cyan-950/40 via-slate-900 to-slate-90...
178     <div className="flex items-center gap-2 text-cyan-400 font-bold text-sm uppercase tracking...
179     <span>[BEACH] Beach & Coastal Water Conditions</span>
180     </div>
181
182     <div className="grid grid-cols-1 sm:grid-cols-2 gap-3">
183     <div className="space-y-1.5">
184         <label className="text-xs font-semibold text-slate-300">Water Sport</label>
185         <select
186             value={details.waterSport || 'Surfing'}
187             onChange={(e) => updateDetail('waterSport', e.target.value)}
188             className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounde...
189         >
190             <option value="Surfing">Surfing</option>
191             <option value="Swimming">Open Water Swimming</option>
192             <option value="Sailing / Kayaking">Sailing / Kayaking</option>
193             <option value="Scuba / Snorkeling">Scuba / Snorkeling</option>
194         </select>
195     </div>
196
197     <div className="space-y-1.5">
198         <label className="text-xs font-semibold text-slate-300">Max Swell / Wave Height Limit ...
199         <input
200             type="number"
201             step="0.1"
202             min="0.5"
203             max="5.0"
204             value={details.maxWaveHeightM || 1.8}
205             onChange={(e) => updateDetail('maxWaveHeightM', parseFloat(e.target.value))}
206             className="w-full bg-slate-950 border border-slate-700 text-slate-200 text-xs rounde...
207         />
208     </div>
209 </div>

```

```
210     </div>
211   )}
212
213   {/* Generic Fallback if user selected other personas */}
214   {!hasAnyMicroQuestions && (
215     <div className="p-6 rounded-2xl bg-slate-900/60 border border-slate-800 text-center space-y-2">
216       <div className="text-2xl">[MAGIC]</div>
217       <h3 className="text-sm font-semibold text-slate-200">General Routine Mode</h3>
218       <p className="text-xs text-slate-400 max-w-md mx-auto">
219         Your selected personas ({selectedPersonas.join(', ')}) will automatically receive high-p...
220       </p>
221     </div>
222   )}
223 </div>
224
225   {/* Navigation CTA */}
226   <div className="pt-4 flex items-center justify-end border-t border-slate-800">
227     <button
228       onClick={onNext}
229       className="px-6 py-3 rounded-xl font-bold text-sm bg-gradient-to-r from-cyan-500 to-blue-600...
230     >
231       <span>Continue to Location</span>
232       <span>-></span>
233     </button>
234   </div>
235 </div>
236 );
237 }
238
```

FILE: src/components/Step5Location.jsx

Lines: 187 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/components/Step5Location.jsx

```

1  import React, { useState, useEffect } from 'react';
2  import { POPULAR_CITIES, searchCities, detectCurrentLocation } from '../utils/geocoding';
3
4  export function Step5Location({ location, onChange, onNext }) {
5    const [searchQuery, setSearchQuery] = useState('');
6    const [searchResults, setSearchResults] = useState([]);
7    const [isSearching, setIsSearching] = useState(false);
8    const [isDetecting, setIsDetecting] = useState(false);
9    const [detectError, setDetectError] = useState(null);
10
11    // Debounced search
12    useEffect(() => {
13      if (!searchQuery || searchQuery.trim().length < 2) {
14        setSearchResults([]);
15        return;
16      }
17
18      const timer = setTimeout(async () => {
19        setIsSearching(true);
20        const results = await searchCities(searchQuery);
21        setSearchResults(results);
22        setIsSearching(false);
23      }, 300);
24
25      return () => clearTimeout(timer);
26    }, [searchQuery]);
27
28    const handleSelectLocation = (loc) => {
29      onChange(loc);
30      setSearchQuery('');
31      setSearchResults([]);
32      setDetectError(null);
33    };
34
35    const handleAutoDetect = async () => {
36      setIsDetecting(true);
37      setDetectError(null);
38      try {
39        const loc = await detectCurrentLocation();
40        onChange(loc);
41      } catch (err) {
42        setDetectError(err.message || 'Could not auto-detect location. Please search manually.');

```

```

68         <div className="text-xs uppercase font-bold tracking-wider text-cyan-400">
69             Selected Location
70         </div>
71         <div className="font-bold text-slate-100 text-base">
72             {location.city} {location.region ? ', ${location.region}' : ''}
73         </div>
74         <div className="text-xs text-slate-400">
75             {location.country} * Lat: {location.latitude}? Lon: {location.longitude}? * {location....
76         </div>
77     </div>
78 </div>
79     <span className="text-xs px-2.5 py-1 rounded-full bg-cyan-500/20 text-cyan-300 font-semibold...
80     Active
81 </span>
82 </div>
83 }}
84
85 {/ * Search Input & Auto-detect button */}
86 <div className="space-y-2">
87     <div className="flex flex-col sm:flex-row gap-2">
88         <div className="relative flex-1">
89             <input
90                 type="text"
91                 placeholder="Search any city or town worldwide (e.g. Chennai, Ludhiana, London)..."
92                 value={searchQuery}
93                 onChange={(e) => setSearchQuery(e.target.value)}
94                 className="w-full bg-slate-900 border border-slate-700 text-slate-100 px-4 py-3 rounded-...
95             />
96             <span className="absolute left-3.5 top-3.5 text-slate-500">[SEARCH]</span>
97             {isSearching && (
98                 <span className="absolute right-3.5 top-3.5 text-xs text-cyan-400 animate-pulse">
99                     Searching...
100                 </span>
101             )}
102         </div>
103
104         <button
105             type="button"
106             onClick={handleAutoDetect}
107             disabled={isDetecting}
108             className="px-4 py-3 rounded-xl bg-slate-800 hover:bg-slate-700 border border-slate-700 te...
109         >
110             <span>[GPS]</span>
111             <span>{isDetecting ? 'Detecting GPS...' : 'Auto-Detect GPS'}</span>
112         </button>
113     </div>
114
115     {detectError && (
116         <p className="text-xs text-rose-400 pt-1">{detectError}</p>
117     )}
118
119 {/ * Live Search Autocomplete Dropdown */}
120 {searchResults.length > 0 && (
121     <div className="p-2 rounded-2xl bg-slate-900 border border-slate-700 shadow-2xl space-y-1">
122         {searchResults.map((res, i) => (
123             <button
124                 key={` ${res.city} - ${res.latitude} - ${i} `}
125                 onClick={() => handleSelectLocation(res)}
126                 className="w-full text-left p-2.5 rounded-xl hover:bg-slate-800 text-xs text-slate-200...
127             >
128                 <div>
129                     <strong className="text-white text-sm">{res.city}</strong>
130                     <span className="text-slate-400 ml-1">
131                         ({res.region}, {res.country})
132                     </span>
133                 </div>
134                 <span className="text-[10px] text-cyan-400 font-mono">
135                     {res.latitude}?, {res.longitude}?
136                 </span>
137             </button>
138         )})}

```

```

139         </div>
140     )}
141 </div>
142
143     { /* Quick Pick Popular Cities */ }
144     <div className="space-y-2.5">
145         <label className="text-xs uppercase font-bold tracking-wider text-slate-400">
146             Or Quick-Select Major Cities
147         </label>
148         <div className="flex flex-wrap gap-2">
149             {POPULAR_CITIES.map((c) => {
150                 const isSelected = location && location.city.toLowerCase() === c.city.toLowerCase();
151                 return (
152                     <button
153                         key={c.city}
154                         type="button"
155                         onClick={() => handleSelectLocation(c)}
156                         className={`px-3 py-1.5 rounded-xl text-xs font-medium border transition-all cursor-po...
157                             isSelected
158                             ? 'bg-cyan-500/20 border-cyan-400 text-cyan-300 font-semibold shadow-md shadow-cya...
159                             : 'bg-slate-900/60 border-slate-800 text-slate-400 hover:border-slate-700 hover:te...
160                             `}
161                     >
162                         [LOC] {c.city}
163                     </button>
164                 );
165             })}
166         </div>
167     </div>
168
169     { /* Navigation CTA */ }
170     <div className="pt-4 flex items-center justify-end border-t border-slate-800">
171         <button
172             disabled={!location}
173             onClick={onNext}
174             className={`px-6 py-3 rounded-xl font-bold text-sm flex items-center gap-2 transition-all cu...
175                 location
176                 ? 'bg-gradient-to-r from-cyan-500 to-blue-600 hover:from-cyan-400 hover:to-blue-500 text...
177                 : 'bg-slate-800 text-slate-500 cursor-not-allowed'
178             `}
179         >
180             <span>Continue to Final Preferences</span>
181             <span>-></span>
182         </button>
183     </div>
184 </div>
185 );
186 }
187

```

FILE: src/components/Step6Preferences.jsx

Lines: 120 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/components/Step6Preferences.jsx

```

1  import React from 'react';
2
3  const LANGUAGES = [
4    { code: 'en', label: 'English', flag: '??' },
5    { code: 'hi', label: '????? (Hindi)', flag: '??' },
6    { code: 'ta', label: '????? (Tamil)', flag: '??' },
7    { code: 'te', label: '????? (Telugu)', flag: '??' },
8    { code: 'es', label: 'Español (Spanish)', flag: '??' }
9  ];
10
11 export function Step6Preferences({ answers, onChange, onSubmit }) {
12   const { language = 'en', unitSystem = 'metric', freeformNotes = '' } = answers;
13
14   return (
15     <div className="space-y-6">
16       {/* Header */}
17       <div className="text-center space-y-2">
18         <h2 className="text-2xl sm:text-3xl font-bold text-white tracking-tight">
19           Language & AI Context Notes
20         </h2>
21         <p className="text-sm sm:text-base text-slate-400 max-w-xl mx-auto">
22           Final details to calibrate your advisory language, measurement units, and custom personal no...
23         </p>
24       </div>
25
26       <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
27         {/* Language Selection */}
28         <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-3">
29           <label className="text-xs uppercase font-bold tracking-wider text-slate-300 flex items-cente...
30             <span>? Advisory & Interface Language</span>
31           </label>
32           <div className="grid grid-cols-1 sm:grid-cols-2 gap-2">
33             {LANGUAGES.map((lang) => {
34               const isSelected = language === lang.code;
35               return (
36                 <button
37                   key={lang.code}
38                   type="button"
39                   onClick={() => onChange({ language: lang.code })}
40                   className={`p-2.5 rounded-xl border text-left text-xs font-semibold flex items-cente...
41                     isSelected
42                       ? 'bg-cyan-500/20 border-cyan-400 text-cyan-200 shadow-md shadow-cyan-950/20'
43                       : 'bg-slate-950/40 border-slate-800 text-slate-400 hover:border-slate-700'
44                   >
45                 <div className="flex items-center gap-2">
46                   <span className="text-base">{lang.flag}</span>
47                   <span>{lang.label}</span>
48                 </div>
49                 {isSelected && <span className="text-cyan-400">[v]</span>}
50               </button>
51             );
52             </div>
53           </div>
54         </div>
55
56         {/* Unit System */}
57         <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-3">
58           <label className="text-xs uppercase font-bold tracking-wider text-slate-300 flex items-cente...
59             <span>? Measurement Units</span>
60           </label>
61           <div className="grid grid-cols-2 gap-2">
62             {[
63               { id: 'metric', title: 'Metric System', desc: '?C, km/h, mm, meters' },
64               { id: 'imperial', title: 'Imperial System', desc: '?F, mph, inches, feet' }
65             ].map((unit) => {
66               const isSelected = unitSystem === unit.id;

```

```

68         return (
69             <button
70                 key={unit.id}
71                 type="button"
72                 onClick={() => onChange({ unitSystem: unit.id })}
73                 className={`p-3 rounded-xl border text-left transition-all cursor-pointer ${
74                     isSelected
75                         ? 'bg-emerald-500/20 border-emerald-400 text-emerald-200 shadow-md shadow-emeral...
76                         : 'bg-slate-950/40 border-slate-800 text-slate-400 hover:border-slate-700'
77                 }`}
78             >
79                 <div className="text-xs font-bold">{unit.title}</div>
80                 <div className="text-[10px] text-slate-500 mt-0.5">{unit.desc}</div>
81             </button>
82         );
83     }
84 </div>
85 </div>
86 </div>
87
88 { /* Freeform Prompt / Custom Instructions */ }
89 <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 space-y-2">
90     <label className="text-xs uppercase font-bold tracking-wider text-slate-300 flex items-center ...
91         <span>? Free-form Custom Notes for AI Personalizer (Optional)</span>
92         <span className="text-[10px] text-slate-500 font-normal">Passed directly to Person 2 AI Engi...
93     </label>
94     <textarea
95         rows={3}
96         value={freeformNotes}
97         onChange={(e) => onChange({ freeformNotes: e.target.value })}
98         placeholder="e.g. 'I ride my scooter with my daughter every morning at 7:30 AM and need warn...
99         className="w-full bg-slate-950 border border-slate-700 text-slate-200 p-3 rounded-xl text-xs...
100     />
101 </div>
102
103 { /* Submit Action Button */ }
104 <div className="pt-4 flex items-center justify-between border-t border-slate-800">
105     <div className="text-xs text-slate-500">
106         Ready to synthesize your tailored profile
107     </div>
108
109     <button
110         onClick={onSubmit}
111         className="px-8 py-3.5 rounded-xl font-extrabold text-sm bg-gradient-to-r from-cyan-400 via-...
112     >
113         <span>Synthesize AI Weather Profile</span>
114         <span className="text-base">[MAGIC]</span>
115     </button>
116 </div>
117 </div>
118 );
119 }
120

```

FILE: src/components/LoadingScreen.jsx

Lines: 61 | Encoding: UTF-8 | Path: /Users/admin/gemini/antigravity/scratch/kairos-onboarding/src/components/LoadingScreen.jsx

```

1  import React, { useState, useEffect } from 'react';
2
3  const LOADING_MESSAGES = [
4    'Parsing survey answers & lifestyle vectors...',
5    'Computing multi-dimensional persona weights...',
6    'Calibrating heat, AQI, and precipitation thresholds...',
7    'Connecting to Open-Meteo atmospheric & air quality feeds...',
8    'Synthesizing your personalized weather intelligence dashboard...'
9  ];
10
11 export function LoadingScreen({ locationName = 'your location' }) {
12   const [msgIndex, setMsgIndex] = useState(0);
13
14   useEffect(() => {
15     const interval = setInterval(() => {
16       setMsgIndex((prev) => (prev + 1) % LOADING_MESSAGES.length);
17     }, 450);
18
19     return () => clearInterval(interval);
20   }, []);
21
22   return (
23     <div className="min-h-[500px] flex flex-col items-center justify-center text-center p-8 space-y-8">
24       {/* Animated Radar Pulse Visual */}
25       <div className="relative flex items-center justify-center">
26         <div className="w-28 h-28 rounded-full bg-cyan-500/10 border border-cyan-500/30 animate-ping a...
27         <div className="w-20 h-20 rounded-full bg-teal-500/20 border border-teal-500/40 animate-pulse ...
28         <div className="w-16 h-16 rounded-full bg-gradient-to-tr from-cyan-400 to-emerald-400 flex ite...
29           [WEATHER]
30         </div>
31       </div>
32
33       {/* Title & Status */}
34       <div className="space-y-3 max-w-md">
35         <h3 className="text-xl sm:text-2xl font-extrabold text-white">
36           Building Your Personalized Weather Engine
37         </h3>
38         <p className="text-xs uppercase tracking-widest font-bold text-cyan-400">
39           [LOC] {locationName}
40         </p>
41
42         {/* Dynamic cycling message */}
43         <div className="h-6 flex items-center justify-center">
44           <p className="text-xs sm:text-sm text-slate-300 font-mono transition-opacity duration-200">
45             {LOADING_MESSAGES[msgIndex]}
46           </p>
47         </div>
48       </div>
49
50       {/* Indeterminate Progress Bar */}
51       <div className="w-64 bg-slate-800 h-1.5 rounded-full overflow-hidden">
52         <div className="h-full bg-gradient-to-r from-cyan-400 via-teal-300 to-emerald-400 rounded-full...
53       </div>
54
55       <div className="text-[11px] text-slate-500 font-medium">
56         [FAST] Person 2 AI Personalization Engine & Open-Meteo integration in progress
57       </div>
58     </div>
59   );
60 }
61

```

FILE: src/components/ProfileConfirmation.jsx

Lines: 194 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/components/ProfileConfirmation.jsx

```

1  import React, { useState } from 'react';
2  import { PERSONA_METADATA } from '../types/surveySchema';
3
4  export function ProfileConfirmation({ profile, onConfirm, onEditSurvey }) {
5    // Allow local adjustments to thresholds and persona weights if desired
6    const [editedProfile, setEditedProfile] = useState(profile);
7
8    const updateThreshold = (key, val) => {
9      setEditedProfile({
10        ...editedProfile,
11        thresholds: {
12          ...editedProfile.thresholds,
13          [key]: Number(val)
14        }
15      });
16    };
17
18    const handleLaunch = () => {
19      onConfirm(editedProfile);
20    };
21
22    return (
23      <div className="space-y-8 max-w-4xl mx-auto py-2">
24        {/* Header Badge */}
25        <div className="text-center space-y-2">
26          <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-emerald-500/10 border...
27            <span>[v]</span>
28            <span>AI PROFILE SYNTHESIZED SUCCESSFULLY</span>
29          </div>
30          <h2 className="text-3xl sm:text-4xl font-extrabold text-white tracking-tight">
31            Review Your Weather Intelligence Profile
32          </h2>
33          <p className="text-sm sm:text-base text-slate-400 max-w-xl mx-auto">
34            Here is how KAIROS prioritized your weather parameters based on your lifestyle, routines, an...
35          </p>
36        </div>
37
38        {/* AI Advisory / Summary Card */}
39        {editedProfile.ai_summary && (
40          <div className="p-5 rounded-2xl bg-gradient-to-r from-cyan-950/50 via-slate-900 to-indigo-950/...
41            <div className="flex items-center gap-2 text-xs font-bold uppercase tracking-wider text-cyan...
42              <span>[MAGIC] AI Strategy Overview</span>
43            </div>
44            <p className="text-sm text-slate-200 leading-relaxed font-medium">
45              "{editedProfile.ai_summary}"
46            </p>
47          </div>
48        )}
49
50        {/* Grid of Profile Components */}
51        <div className="grid grid-cols-1 md:grid-cols-2 gap-6">
52          {/* Left Column: Weighted Personas Matrix */}
53          <div className="p-6 rounded-2xl bg-slate-900/70 border border-slate-800 space-y-4">
54            <div className="flex items-center justify-between">
55              <h3 className="text-xs font-bold uppercase tracking-wider text-slate-300 flex items-center...
56                <span>[AI] Persona Priority Weights</span>
57              </h3>
58              <span className="text-[11px] text-slate-500">Calculated by Person 2 Engine</span>
59            </div>
60
61            <div className="space-y-3.5">
62              {editedProfile.personas && editedProfile.personas.map((p) => {
63                const meta = PERSONA_METADATA[p.id] || { label: p.id, icon: '?', color: 'cyan' };
64                return (
65                  <div key={p.id} className="space-y-1.5">
66                    <div className="flex items-center justify-between text-xs">
67                      <span className="font-semibold text-slate-200 flex items-center gap-1.5">

```

```

68         <span>{meta.icon}</span>
69         <span>{meta.label}</span>
70     </span>
71     <span className="font-mono font-bold text-cyan-400">
72         {p.percentage}%
73     </span>
74 </div>
75 <div className="w-full bg-slate-800 h-2 rounded-full overflow-hidden">
76     <div
77         className="h-full bg-gradient-to-r from-cyan-500 to-teal-400 rounded-full transi...
78         style={{ width: `${p.percentage}%` }}
79     />
80 </div>
81 </div>
82     );
83   }
84 </div>
85
86 <p className="text-[11px] text-slate-500 pt-2 border-t border-slate-800/80">
87   Spotlights and card placements on the homepage will follow this weighting.
88 </p>
89 </div>
90
91 {/* Right Column: Active Threshold Triggers */}
92 <div className="p-6 rounded-2xl bg-slate-900/70 border border-slate-800 space-y-4">
93   <div className="flex items-center justify-between">
94     <h3 className="text-xs font-bold uppercase tracking-wider text-slate-300 flex items-center...
95     <span>[ALERT] Calibrated Alert Thresholds</span>
96   </h3>
97   <span className="text-[11px] text-slate-500">Live Triggers</span>
98 </div>
99
100 <div className="grid grid-cols-2 gap-3">
101   {/* Heat Alert */}
102   <div className="p-3 rounded-xl bg-slate-950/60 border border-rose-500/20 space-y-1">
103     <span className="text-[10px] uppercase font-bold text-rose-400 block">
104       ?? Heat Alert
105     </span>
106     <div className="text-lg font-bold text-slate-100 font-mono">
107       &gt; {editedProfile.thresholds?.max_temp_alert}?C
108     </div>
109     <span className="text-[10px] text-slate-500 block">Thermal stress limit</span>
110   </div>
111
112   {/* AQI Alert */}
113   <div className="p-3 rounded-xl bg-slate-950/60 border border-teal-500/20 space-y-1">
114     <span className="text-[10px] uppercase font-bold text-teal-400 block">
115       ? AQI Alert
116     </span>
117     <div className="text-lg font-bold text-slate-100 font-mono">
118       &gt; {editedProfile.thresholds?.aqi_alert}
119     </div>
120     <span className="text-[10px] text-slate-500 block">Air quality warning</span>
121   </div>
122
123   {/* Rain Alert */}
124   <div className="p-3 rounded-xl bg-slate-950/60 border border-blue-500/20 space-y-1">
125     <span className="text-[10px] uppercase font-bold text-blue-400 block">
126       ?? Rain Prob Alert
127     </span>
128     <div className="text-lg font-bold text-slate-100 font-mono">
129       &gt; {editedProfile.thresholds?.rain_prob_alert}%
130     </div>
131     <span className="text-[10px] text-slate-500 block">Disruption warning</span>
132   </div>
133
134   {/* UV Alert */}
135   <div className="p-3 rounded-xl bg-slate-950/60 border border-amber-500/20 space-y-1">
136     <span className="text-[10px] uppercase font-bold text-amber-400 block">
137       [SUN] UV Index Alert
138     </span>

```

```

139         <div className="text-lg font-bold text-slate-100 font-mono">
140             &ge; {editedProfile.thresholds?.uv_alert}
141         </div>
142         <span className="text-[10px] text-slate-500 block">Skin protection required</span>
143     </div>
144 </div>
145
146     <p className="text-[11px] text-slate-500 pt-2 border-t border-slate-800/80">
147         Alerts only trigger when real-time Open-Meteo readings violate these values.
148     </p>
149 </div>
150 </div>
151
152 {/* Routine & Location Details Strip */}
153 <div className="p-4 rounded-2xl bg-slate-900/60 border border-slate-800 flex flex-wrap items-cen...
154     <div className="flex items-center gap-2">
155         <span className="text-slate-500 font-bold uppercase">[LOC] Location:</span>
156         <span className="text-slate-200 font-semibold">{editedProfile.location?.city}, {editedProfil...
157     </div>
158     <div className="flex items-center gap-2">
159         <span className="text-slate-500 font-bold uppercase">[TIME] Morning Routine:</span>
160         <span className="text-slate-200 font-semibold">{editedProfile.persona_details?.commute_time ...
161     </div>
162     {editedProfile.persona_details?.crop && (
163         <div className="flex items-center gap-2">
164             <span className="text-slate-500 font-bold uppercase">[FARM] Crop:</span>
165             <span className="text-lime-300 font-semibold">{editedProfile.persona_details.crop} ({edite...
166         </div>
167     )}
168     <div className="flex items-center gap-2">
169         <span className="text-slate-500 font-bold uppercase">? Language:</span>
170         <span className="text-cyan-300 font-semibold">{editedProfile.language.toUpperCase()}</span>
171     </div>
172 </div>
173
174 {/* Confirmation Actions */}
175 <div className="pt-6 flex flex-col sm:flex-row items-center justify-between gap-4 border-t borde...
176     <button
177         onClick={onEditSurvey}
178         className="w-full sm:w-auto px-6 py-3 rounded-xl border border-slate-700 bg-slate-900 hover:...
179     >
180         <span>[EDIT] Edit Survey Answers</span>
181     </button>
182
183     <button
184         onClick={handleLaunch}
185         className="w-full sm:w-auto px-10 py-4 rounded-xl font-extrabold text-sm bg-gradient-to-r fr...
186     >
187         <span>Confirm & Launch KAIROS Homepage</span>
188         <span className="text-base">[LAUNCH]</span>
189     </button>
190 </div>
191 </div>
192 );
193 }
194

```

FILE: src/App.jsx

Lines: 105 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/src/App.jsx

```

1  import React, { useState } from 'react';
2  import { OnboardingFlow } from '../components/OnboardingFlow';
3
4  export default function App() {
5    const [completedData, setCompletedData] = useState(null);
6
7    const handleOnboardingComplete = (profile, surveyAnswers) => {
8      console.log('[LAUNCH] [KAIROS Person 1] Onboarding completed!');
9      console.log('Generated Profile for Person 4 / Person 2:', profile);
10     console.log('Raw Survey Answers:', surveyAnswers);
11     setCompletedData({ profile, surveyAnswers });
12   };
13
14   const handleReset = () => {
15     setCompletedData(null);
16   };
17
18   // If user completed onboarding, show integration handoff preview
19   if (completedData) {
20     const { profile, surveyAnswers } = completedData;
21
22     return (
23       <div className="min-h-screen bg-slate-950 text-slate-100 p-6 sm:p-12">
24         <div className="max-w-4xl mx-auto space-y-8">
25           {/* Header */}
26           <div className="flex flex-col sm:flex-row sm:items-center justify-between gap-4 pb-6 border-...
27             <div>
28               <div className="inline-flex items-center gap-2 px-3 py-1 rounded-full bg-emerald-500/10 ...
29                 <span>[v]</span>
30                 <span>PERSON 1 ONBOARDING COMPLETE</span>
31               </div>
32               <h1 className="text-3xl font-extrabold text-white">
33                 Ready for Person 4 (Homepage Integration)
34               </h1>
35               <p className="text-sm text-slate-400">
36                 This normalized <code className="text-cyan-400">Profile</code> and <code className="te...
37               </p>
38             </div>
39
40             <button
41               onClick={handleReset}
42               className="px-5 py-2.5 rounded-xl bg-slate-800 hover:bg-slate-700 text-slate-200 text-xs...
43             >
44               [RESET] Test Survey Again
45             </button>
46           </div>
47
48           {/* Quick Summary Cards */}
49           <div className="grid grid-cols-1 sm:grid-cols-3 gap-4">
50             <div className="p-4 rounded-2xl bg-slate-900 border border-slate-800">
51               <div className="text-xs font-bold uppercase tracking-wider text-slate-400">Primary Perso...
52               <div className="text-xl font-extrabold text-cyan-400 mt-1 capitalize">
53                 {profile.primary_persona}
54               </div>
55               <div className="text-xs text-slate-500 mt-1">
56                 Weights: {JSON.stringify(profile.persona_weights)}
57               </div>
58             </div>
59
60             <div className="p-4 rounded-2xl bg-slate-900 border border-slate-800">
61               <div className="text-xs font-bold uppercase tracking-wider text-slate-400">Location</div>
62               <div className="text-xl font-extrabold text-emerald-400 mt-1">
63                 {profile.location.city}
64               </div>
65               <div className="text-xs text-slate-500 mt-1">
66                 {profile.location.latitude}?, {profile.location.longitude}? ({profile.language.toUpper...
67             </div>

```

```

68         </div>
69
70         <div className="p-4 rounded-2xl bg-slate-900 border border-slate-800">
71             <div className="text-xs font-bold uppercase tracking-wider text-slate-400">Active Alert ...
72             <div className="text-xs text-slate-300 font-mono space-y-0.5 mt-2">
73                 <div>Heat &gt; {profile.thresholds.max_temp_alert}?C</div>
74                 <div>AQI &gt; {profile.thresholds.aqi_alert}</div>
75                 <div>Rain &gt; {profile.thresholds.rain_prob_alert}%</div>
76             </div>
77         </div>
78     </div>
79
80     { /* JSON Payload Inspector */ }
81     <div className="space-y-2">
82         <div className="flex items-center justify-between">
83             <h3 className="text-xs uppercase font-bold tracking-wider text-slate-300">
84                 Generated JSON Schema (Sent to Person 4 Homepage & Person 3 Weather Fetch)
85             </h3>
86             <button
87                 onClick={() => navigator.clipboard.writeText(JSON.stringify(profile, null, 2))}
88                 className="text-xs text-cyan-400 hover:text-cyan-300 underline font-medium cursor-poin...
89             >
90                 Copy JSON
91             </button>
92         </div>
93         <pre className="p-4 rounded-2xl bg-slate-900/90 border border-slate-800 text-xs font-mono ...
94             {JSON.stringify(profile, null, 2)}
95         </pre>
96     </div>
97 </div>
98 </div>
99 );
100 }
101
102 // Active Onboarding Experience
103 return <OnboardingFlow onComplete={handleOnboardingComplete} />;
104 }
105

```

FILE: standalone.html

Lines: 764 | Encoding: UTF-8 | Path: /Users/admin/.gemini/antigravity/scratch/kairos-onboarding/standalone.html

```

1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8" />
5    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
6    <title>[WEATHER] KAIROS -- Person 1 Onboarding & Survey</title>
7    <!-- Tailwind CSS CDN -->
8    <script src="https://cdn.tailwindcss.com"></script>
9    <script>
10     tailwind.config = {
11       theme: {
12         extend: {
13           colors: {
14             brand: {
15               cyan: '#06b6d4',
16               teal: '#14b8a6',
17               emerald: '#10b981'
18             }
19         }
20       }
21     }
22   }
23 </script>
24 <!-- React & Babel CDNs -->
25 <script src="https://unpkg.com/react@18/umd/react.development.js" crossorigin></script>
26 <script src="https://unpkg.com/react-dom@18/umd/react-dom.development.js" crossorigin></script>
27 <script src="https://unpkg.com/@babel/standalone/babel.min.js"></script>
28 </head>
29 <body class="bg-slate-950 text-slate-100 antialiased selection:bg-cyan-500 selection:text-white">
30   <div id="root"></div>
31
32   <script type="text/babel">
33     const { useState, useEffect } = React;
34
35     // --- METADATA & CONSTANTS ---
36     const PERSONA_METADATA = {
37       fitness: {
38         id: 'fitness',
39         label: 'Fitness & Athletics',
40         icon: '[RUN]',
41         tagline: 'Running windows, heat index, wind & UV alerts'
42       },
43       agriculture: {
44         id: 'agriculture',
45         label: 'Farming & Agriculture',
46         icon: '[FARM]',
47         tagline: 'Soil moisture, precipitation, frost & sowing conditions'
48       },
49       health: {
50         id: 'health',
51         label: 'Health & Sensitivities',
52         icon: '[HEALTH]',
53         tagline: 'AQI, pollen count, humidity, allergens & UV levels'
54       },
55       parent: {
56         id: 'parent',
57         label: 'Parent & Family',
58         icon: '[FAMILY]',
59         tagline: 'School commute weather, rain timing & extreme safety'
60       },
61       commuter: {
62         id: 'commuter',
63         label: 'Daily Commuter',
64         icon: '[COMMUTER]',
65         tagline: 'Route visibility, commute rain & fog delays'
66       },
67       beach_marine: {

```

```

68     id: 'beach_marine',
69     label: 'Beach, Surf & Marine',
70     icon: '[BEACH]',
71     tagline: 'Wave height, tide cycles, wind & water temperature'
72   },
73   traveler: {
74     id: 'traveler',
75     label: 'Frequent Traveler',
76     icon: '[TRAVEL]',
77     tagline: 'Packing suggestions, flight weather & storm advisories'
78   },
79   event_planner: {
80     id: 'event_planner',
81     label: 'Event & Outdoor Planner',
82     icon: '[EVENT]',
83     tagline: 'Hourly rain probability, comfort index & wind gusts'
84   }
85 };
86
87 const POPULAR_CITIES = [
88   { city: 'Chennai', region: 'Tamil Nadu', country: 'India', latitude: 13.0827, longitude: 80.2707...
89   { city: 'Bengaluru', region: 'Karnataka', country: 'India', latitude: 12.9716, longitude: 77.594...
90   { city: 'New Delhi', region: 'Delhi', country: 'India', latitude: 28.6139, longitude: 77.2090, t...
91   { city: 'Mumbai', region: 'Maharashtra', country: 'India', latitude: 19.0760, longitude: 72.8777...
92   { city: 'Hyderabad', region: 'Telangana', country: 'India', latitude: 17.3850, longitude: 78.486...
93   { city: 'Ludhiana', region: 'Punjab', country: 'India', latitude: 30.9010, longitude: 75.8573, t...
94 ];
95
96 const DEMO_PRESETS = [
97   {
98     id: 'farmer',
99     name: '[FARM] Farmer / Agriculture',
100    subtitle: 'Wheat sowing in Punjab (Agromet Focus)',
101    badge: 'Agromet Focus',
102    color: 'border-lime-500/40 bg-lime-500/10 text-lime-400',
103    data: {
104      selectedPersonas: ['agriculture', 'parent'],
105      activities: ['Field Irrigation', 'Pesticide Spraying', 'School Drop'],
106      activityTimes: ['early_morning', 'morning'],
107      commuteTime: '06:30',
108      commuteMode: 'two_wheeler',
109      sensitivities: { heatSensitivity: 1, aqiSensitivity: 'moderate', rainTolerance: 'high', uvAl...
110      personaDetails: { cropType: 'Wheat', cropStage: 'Sowing / Germination', irrigationType: 'Can...
111      location: { city: 'Ludhiana', region: 'Punjab', country: 'India', latitude: 30.9010, longitu...
112      language: 'hi',
113      unitSystem: 'metric',
114      freeformNotes: 'Sowing wheat this week. Need early frost alerts and heavy rain warnings befo...
115    }
116  },
117  {
118    id: 'fitness',
119    name: '[RUN] Fitness Runner',
120    subtitle: 'Morning 10k runner in coastal Chennai',
121    badge: 'Heat & UV Alert',
122    color: 'border-emerald-500/40 bg-emerald-500/10 text-emerald-400',
123    data: {
124      selectedPersonas: ['fitness', 'health'],
125      activities: ['Road Running (10K)', 'Cycling', 'Outdoor Stretch'],
126      activityTimes: ['early_morning'],
127      commuteTime: '08:45',
128      commuteMode: 'car',
129      sensitivities: { heatSensitivity: 3, aqiSensitivity: 'sensitive', rainTolerance: 'low', uvAl...
130      personaDetails: { cropType: '', cropStage: '', irrigationType: '', fitnessType: 'Road Runnin...
131      location: { city: 'Chennai', region: 'Tamil Nadu', country: 'India', latitude: 13.0827, long...
132      language: 'en',
133      unitSystem: 'metric',
134      freeformNotes: 'High humidity makes running dangerous above 30°C. Need the ideal morning run...
135    }
136  },
137  {
138    id: 'health_sensitive',

```

```

139     name: '[HEALTH] Health & Asthma',
140     subtitle: 'Air quality sensitive in Delhi NCR',
141     badge: 'AQI Priority',
142     color: 'border-rose-500/40 bg-rose-500/10 text-rose-400',
143     data: {
144       selectedPersonas: ['health', 'commuter'],
145       activities: ['Office Commute', 'Evening Walk'],
146       activityTimes: ['morning', 'evening'],
147       commuteTime: '08:30',
148       commuteMode: 'metro',
149       sensitivities: { heatSensitivity: 2, aqiSensitivity: 'sensitive', rainTolerance: 'medium', u...
150       personaDetails: { cropType: '', cropStage: '', irrigationType: '', fitnessType: 'Brisk Walki...
151       location: { city: 'New Delhi', region: 'Delhi', country: 'India', latitude: 28.6139, longitu...
152       language: 'en',
153       unitSystem: 'metric',
154       freeformNotes: 'Severe pollen allergy and asthma trigger when PM2.5/AQI exceeds 80 or sudden...
155     }
156   },
157   {
158     id: 'parent_commuter',
159     name: '[FAMILY] Commuter Parent',
160     subtitle: '7:30 AM scooter school drop in Bengaluru',
161     badge: 'Commute & Safety',
162     color: 'border-amber-500/40 bg-amber-500/10 text-amber-400',
163     data: {
164       selectedPersonas: ['parent', 'commuter', 'event_planner'],
165       activities: ['School Drop-off', 'Motorcycle Commute', 'Weekend Playground'],
166       activityTimes: ['morning', 'evening', 'afternoon'],
167       commuteTime: '07:30',
168       commuteMode: 'two_wheeler',
169       sensitivities: { heatSensitivity: 2, aqiSensitivity: 'moderate', rainTolerance: 'low', uvAle...
170       personaDetails: { cropType: '', cropStage: '', irrigationType: '', fitnessType: 'Walking', t...
171       location: { city: 'Bengaluru', region: 'Karnataka', country: 'India', latitude: 12.9716, lon...
172       language: 'en',
173       unitSystem: 'metric',
174       freeformNotes: 'Ride a scooter with a 6-year-old at 7:30 AM. Need rain radar and sudden down...
175     }
176   }
177 ];
178
179 const INITIAL_SURVEY_ANSWERS = {
180   selectedPersonas: ['fitness', 'health'],
181   activities: ['Road Running (10K)', 'Morning Commute'],
182   activityTimes: ['early_morning', 'morning'],
183   commuteTime: '07:30',
184   commuteMode: 'two_wheeler',
185   sensitivities: {
186     heatSensitivity: 2,
187     aqiSensitivity: 'sensitive',
188     rainTolerance: 'medium',
189     uvAlertThreshold: 6,
190     allergens: ['dust', 'humidity']
191   },
192   personaDetails: {
193     cropType: 'Wheat',
194     cropStage: 'Sowing / Germination',
195     irrigationType: 'Canal / Flood',
196     fitnessType: 'Road Running (10K)',
197     targetWorkoutWindow: '05:30 - 07:00',
198     maxHeatToleranceC: 33,
199     waterSport: 'Surfing',
200     maxWaveHeightM: 1.8,
201     childrenSchoolDeparture: '07:30',
202     strollerWalkPreferredTime: '17:00'
203   },
204   location: {
205     city: 'Chennai',
206     region: 'Tamil Nadu',
207     country: 'India',
208     latitude: 13.0827,
209     longitude: 80.2707,

```

```

210     timezone: 'Asia/Kolkata'
211   },
212   language: 'en',
213   unitSystem: 'metric',
214   freeformNotes: ''
215 };
216
217 // Simulated Person 2 AI Engine with 1.5s delay
218 async function generateProfile(surveyAnswers) {
219   await new Promise((r) => setTimeout(r, 1400));
220   const selected = surveyAnswers.selectedPersonas?.length ? surveyAnswers.selectedPersonas : ['fit...
221   const weights = {};
222   const personasList = [];
223
224   if (selected.length === 1) {
225     weights[selected[0]] = 1.0;
226     personasList.push({ id: selected[0], percentage: 100 });
227   } else if (selected.length === 2) {
228     weights[selected[0]] = 0.65;
229     weights[selected[1]] = 0.35;
230     personasList.push({ id: selected[0], percentage: 65 });
231     personasList.push({ id: selected[1], percentage: 35 });
232   } else {
233     weights[selected[0]] = 0.50;
234     weights[selected[1]] = 0.30;
235     personasList.push({ id: selected[0], percentage: 50 });
236     personasList.push({ id: selected[1], percentage: 30 });
237     const rest = 0.20 / (selected.length - 2);
238     for (let i = 2; i < selected.length; i++) {
239       weights[selected[i]] = parseFloat(rest.toFixed(2));
240       personasList.push({ id: selected[i], percentage: Math.round(rest * 100) });
241     }
242   }
243
244   const heatSens = surveyAnswers.sensitivities?.heatSensitivity || 2;
245   const maxTemp = heatSens === 3 ? 31 : heatSens === 2 ? 34 : 38;
246   const aqiMap = { sensitive: 55, moderate: 90, resilient: 140 };
247   const rainMap = { low: 30, medium: 50, high: 75 };
248
249   const primary = selected[0] || 'fitness';
250   let aiSummary = '';
251   if (primary === 'agriculture') aiSummary = 'Prioritizing soil moisture, precipitation radar, and...
252   else if (primary === 'fitness') aiSummary = 'Optimizing for peak outdoor training windows (${sur...
253   else if (primary === 'health') aiSummary = 'Monitoring high-precision AQI, airborne allergen spi...
254   else aiSummary = 'Tracking commute weather, visibility conditions, and sudden downpours for safe...
255
256   return {
257     id: 'user_${Date.now()}',
258     primary_persona: primary,
259     personas: personasList,
260     persona_weights: weights,
261     thresholds: {
262       aqi_alert: aqiMap[surveyAnswers.sensitivities?.aqiSensitivity] || 80,
263       uv_alert: surveyAnswers.sensitivities?.uvAlertThreshold || 6,
264       max_temp_alert: maxTemp,
265       rain_prob_alert: rainMap[surveyAnswers.sensitivities?.rainTolerance] || 45
266     },
267     location: surveyAnswers.location,
268     language: surveyAnswers.language || 'en',
269     ai_summary: aiSummary,
270     raw_survey: surveyAnswers
271   };
272 }
273
274 // --- COMPONENTS ---
275
276 function ProgressBar({ currentStep, totalSteps = 6, onBack }) {
277   const labels = ['Personas', 'Routine', 'Sensitivities', 'Details', 'Location', 'Preferences'];
278   const pct = Math.round((currentStep / totalSteps) * 100);
279   return (
280     <div className="w-full max-w-3xl mx-auto mb-8 space-y-4">

```

```

281     <div className="flex items-center justify-between">
282       <button
283         onClick={onBack}
284         className="text-xs font-semibold text-slate-400 hover:text-cyan-300 px-3 py-1.5 rounded-...
285       >
286         <- Back
287       </button>
288       <div className="text-xs font-bold text-cyan-400 uppercase tracking-wider">
289         Step {currentStep} of {totalSteps} <span className="text-slate-500">{{labels[currentStep...
290       </div>
291     </div>
292     <div className="w-full bg-slate-800 h-2 rounded-full overflow-hidden border border-slate-700...
293     <div className="h-full bg-gradient-to-r from-cyan-500 via-teal-400 to-emerald-400 rounded-...
294   </div>
295 </div>
296 );
297 }
298
299 function App() {
300   const [stage, setStage] = useState('welcome'); // welcome | survey | processing | confirm | done
301   const [surveyStep, setSurveyStep] = useState(1);
302   const [answers, setAnswers] = useState(INITIAL_SURVEY_ANSWERS);
303   const [profile, setProfile] = useState(null);
304
305   const update = (patch) => setAnswers((prev) => ({ ...prev, ...patch }));
306
307   const runAI = async (ans) => {
308     setStage('processing');
309     const p = await generateProfile(ans);
310     setProfile(p);
311     setStage('confirm');
312   };
313
314   return (
315     <div className="min-h-screen bg-slate-950 text-slate-100 flex flex-col justify-center px-4 py-8">
316       <div className="max-w-4xl w-full mx-auto">
317         {/* WELCOME */}
318         {stage === 'welcome' && (
319           <div className="text-center space-y-8 py-10">
320             <div className="inline-flex items-center gap-2 px-3.5 py-1.5 rounded-full bg-slate-900...
321               <span className="w-2 h-2 rounded-full bg-cyan-400 animate-ping"></span>
322               [WEATHER] KAIROS WEATHER INTELLIGENCE
323             </div>
324             <div className="space-y-4">
325               <h1 className="text-4xl sm:text-6xl font-extrabold tracking-tight text-white">
326                 Weather tailored to <br />
327                 <span className="bg-clip-text text-transparent bg-gradient-to-r from-cyan-400 via-...
328                 who you are & what you do.
329               </span>
330             </h1>
331             <p className="text-slate-400 text-base sm:text-lg max-w-2xl mx-auto">
332               KAIROS prioritizes what matters to <em>your</em> routine, crops, workouts, and hea...
333             </p>
334           </div>
335
336           <div>
337             <button
338               onClick={() => { setSurveyStep(1); setStage('survey'); }}
339               className="px-8 py-4 rounded-xl font-bold bg-gradient-to-r from-cyan-500 to-blue-6...
340             >
341               Start 6-Step Onboarding ->
342             </button>
343           </div>
344
345           <div className="pt-8 border-t border-slate-800/80">
346             <div className="text-xs font-bold uppercase tracking-wider text-slate-500 mb-4">
347               [FAST] Quick-Start Demo Presets (1-Click Hackathon Evaluation)
348             </div>
349             <div className="grid grid-cols-1 sm:grid-cols-2 lg:grid-cols-4 gap-4 text-left">
350               {DEMO_PRESETS.map((dp) => (
351                 <button

```

```

352         key={dp.id}
353         onClick={() => { setAnswers(dp.data); runAI(dp.data); }}
354         className={'p-4 rounded-2xl border transition-all text-left bg-slate-900/60 ho...
355     >
356     <div className="text-xs font-bold uppercase tracking-wider mb-1">{dp.badge}</div>
357     <div className="font-semibold text-slate-100 text-sm">{dp.name}</div>
358     <div className="text-xs text-slate-400 mt-1">{dp.subtitle}</div>
359     <div className="mt-3 text-xs font-semibold text-cyan-400">Load Profile -></div>
360 </button>
361     )}}
362 </div>
363 </div>
364 </div>
365 }}
366
367 {/* SURVEY STEPS */}
368 {stage === 'survey' && (
369     <div className="bg-slate-900/70 border border-slate-800 rounded-3xl p-6 sm:p-10 shadow-2...
370     <ProgressBar
371         currentStep={surveyStep}
372         onBack={() => {
373             if (surveyStep > 1) setSurveyStep(surveyStep - 1);
374             else setStage('welcome');
375         }}
376     />
377
378     {/* STEP 1: PERSONAS */}
379     {surveyStep === 1 && (
380         <div className="space-y-6">
381             <div className="text-center space-y-2">
382                 <h2 className="text-2xl sm:text-3xl font-bold text-white">What describes your li...
383                 <p className="text-xs sm:text-sm text-slate-400">Select one or more personas.</p>
384             </div>
385             <div className="grid grid-cols-1 sm:grid-cols-2 gap-3">
386                 {Object.values(PERSONA_METADATA).map((m) => {
387                     const isSel = answers.selectedPersonas.includes(m.id);
388                     return (
389                         <div
390                             key={m.id}
391                             onClick={() => {
392                                 if (isSel && answers.selectedPersonas.length > 1) {
393                                     update({ selectedPersonas: answers.selectedPersonas.filter(x => x !== ...
394                                 } else if (!isSel) {
395                                     update({ selectedPersonas: [...answers.selectedPersonas, m.id] });
396                                 }
397                             }}
398                             className={'p-4 rounded-2xl border transition cursor-pointer flex items-ce...
399                             isSel ? 'bg-slate-900 border-cyan-400 shadow-lg shadow-cyan-950/40 ring-...
400                         {'}
401                     >
402                         <div className="flex items-center gap-3">
403                             <span className="text-3xl">{m.icon}</span>
404                             <div>
405                                 <h3 className="font-semibold text-sm text-slate-100">{m.label}</h3>
406                                 <p className="text-xs text-slate-400">{m.tagline}</p>
407                             </div>
408                         </div>
409                         <div className={'w-5 h-5 rounded flex items-center justify-center text-xs ...
410                             {isSel ? '[v]' : ''}
411                         </div>
412                     </div>
413                 );
414             )}}
415         </div>
416         <div className="pt-4 flex justify-end border-t border-slate-800">
417             <button
418                 onClick={() => setSurveyStep(2)}
419                 className="px-6 py-3 rounded-xl font-bold text-sm bg-gradient-to-r from-cyan-5...
420             >
421                 Continue to Routine ->
422         </button>

```

```

423         </div>
424     </div>
425 }}
426
427 { /* STEP 2: ROUTINE */ }
428 { surveyStep === 2 && (
429     <div className="space-y-6">
430         <div className="text-center space-y-2">
431             <h2 className="text-2xl sm:text-3xl font-bold text-white">Daily Routine & Active...
432             <p className="text-xs sm:text-sm text-slate-400">When are you outdoors?</p>
433         </div>
434         <div className="grid grid-cols-2 sm:grid-cols-4 gap-2.5">
435             {[
436                 { id: 'early_morning', label: '? Early (5-8 AM)' },
437                 { id: 'morning', label: '[SUN] Morning (8-11:30 AM)' },
438                 { id: 'afternoon', label: '[HEAT] Midday (12-4 PM)' },
439                 { id: 'evening', label: '? Evening (4:30-8 PM)' }
440             ]}.map((t) => {
441                 const sel = answers.activityTimes.includes(t.id);
442                 return (
443                     <button
444                         key={t.id}
445                         onClick={() => {
446                             update({
447                                 activityTimes: sel ? answers.activityTimes.filter(x => x !== t.id) : [...
448                                 ]});
449                             }}
450                         className={p-3 rounded-xl border text-xs font-semibold cursor-pointer ${s...
451                     >
452                         {t.label}
453                     </button>
454                 );
455             })}
456         </div>
457         <div className="grid grid-cols-1 sm:grid-cols-2 gap-4 pt-2">
458             <div className="p-4 rounded-xl bg-slate-950/50 border border-slate-800 space-y-2">
459                 <label className="text-xs font-bold text-slate-300">[TIME] Primary Commute Departur...
460                 <input
461                     type="time"
462                     value={answers.commuteTime}
463                     onChange={(e) => update({ commuteTime: e.target.value })}
464                     className="w-full bg-slate-900 border border-slate-700 text-white p-2 rounde...
465                 />
466             </div>
467             <div className="p-4 rounded-xl bg-slate-950/50 border border-slate-800 space-y-2">
468                 <label className="text-xs font-bold text-slate-300">[BIKE] Transport Mode</label>
469                 <select
470                     value={answers.commuteMode}
471                     onChange={(e) => update({ commuteMode: e.target.value })}
472                     className="w-full bg-slate-900 border border-slate-700 text-white p-2 rounde...
473                 >
474                     <option value="two_wheeler">Motorcycle / Scooter</option>
475                     <option value="car">Car / Cab</option>
476                     <option value="bicycle">Bicycle</option>
477                     <option value="walking">Walking</option>
478                     <option value="metro">Metro / Public Bus</option>
479                 </select>
480             </div>
481         </div>
482         <div className="pt-4 flex justify-end border-t border-slate-800">
483             <button onClick={() => setSurveyStep(3)} className="px-6 py-3 rounded-xl font-bo...
484                 Continue to Sensitivities ->
485             </button>
486         </div>
487     </div>
488 })}
489
490 { /* STEP 3: SENSITIVITIES */ }
491 { surveyStep === 3 && (
492     <div className="space-y-6">
493         <div className="text-center space-y-2">

```

```

494         <h2 className="text-2xl sm:text-3xl font-bold text-white">Personalized Threshold...
495         <p className="text-xs sm:text-sm text-slate-400">Calibrate your comfort limits.</p>
496     </div>
497     <div className="grid grid-cols-1 sm:grid-cols-2 gap-4">
498         <div className="p-4 rounded-xl bg-slate-950/50 border border-slate-800 space-y-2">
499             <div className="flex justify-between text-xs font-bold text-rose-300">
500                 <span>?? Heat Sensitivity</span>
501                 <span>{answers.sensitivities.heatSensitivity === 3 ? 'High (>31°C)' : answer...
502             </div>
503             <input
504                 type="range" min="1" max="3" value={answers.sensitivities.heatSensitivity}
505                 onChange={(e) => update({ sensitivities: { ...answers.sensitivities, heatSen...
506                 className="w-full accent-rose-400"
507             />
508         </div>
509         <div className="p-4 rounded-xl bg-slate-950/50 border border-slate-800 space-y-2">
510             <div className="text-xs font-bold text-teal-300">? AQI Sensitivity</div>
511             <select
512                 value={answers.sensitivities.aqiSensitivity}
513                 onChange={(e) => update({ sensitivities: { ...answers.sensitivities, aqiSens...
514                 className="w-full bg-slate-900 border border-slate-700 text-white p-2 rounde...
515             >
516                 <option value="sensitive">Sensitive (Alert at AQI &gt; 50 - Asthma/Elderly)<...
517                 <option value="moderate">Moderate (Alert at AQI &gt; 100)</option>
518                 <option value="resilient">Resilient (Alert at AQI &gt; 150)</option>
519             </select>
520         </div>
521     </div>
522     <div className="pt-4 flex justify-end border-t border-slate-800">
523         <button onClick={() => setSurveyStep(4)} className="px-6 py-3 rounded-xl font-bo...
524             Continue to Persona Details ->
525         </button>
526     </div>
527 </div>
528 })
529
530 /* STEP 4: MICRO QUESTIONS */
531 {surveyStep === 4 && (
532     <div className="space-y-6">
533         <div className="text-center space-y-2">
534             <h2 className="text-2xl sm:text-3xl font-bold text-white">Persona Calibration</h2>
535             <p className="text-xs sm:text-sm text-slate-400">Tailored micro-questions for yo...
536         </div>
537         {answers.selectedPersonas.includes('agriculture') && (
538             <div className="p-4 rounded-2xl bg-lime-950/30 border border-lime-500/30 space-y...
539                 <div className="text-xs font-bold text-lime-400 uppercase">[FARM] Agricultural Sett...
540                 <div className="grid grid-cols-2 gap-3">
541                     <input
542                         type="text" placeholder="Crop (e.g. Wheat, Rice)"
543                         value={answers.personaDetails.cropType}
544                         onChange={(e) => update({ personaDetails: { ...answers.personaDetails, cro...
545                         className="bg-slate-900 border border-slate-700 text-white p-2 rounded-lg ...
546                     />
547                     <select
548                         value={answers.personaDetails.cropStage}
549                         onChange={(e) => update({ personaDetails: { ...answers.personaDetails, cro...
550                         className="bg-slate-900 border border-slate-700 text-white p-2 rounded-lg ...
551                     >
552                         <option value="Sowing / Germination">Sowing / Germination</option>
553                         <option value="Vegetative">Vegetative</option>
554                         <option value="Flowering">Flowering</option>
555                         <option value="Harvest Ready">Harvest Ready</option>
556                     </select>
557                 </div>
558             </div>
559         )}
560         {answers.selectedPersonas.includes('fitness') && (
561             <div className="p-4 rounded-2xl bg-emerald-950/30 border border-emerald-500/30 s...
562                 <div className="text-xs font-bold text-emerald-400 uppercase">[RUN] Fitness Target...
563                 <select
564                     value={answers.personaDetails.targetWorkoutWindow}

```

```

565         onChange={(e) => update({ personaDetails: { ...answers.personaDetails, targe...
566         className="w-full bg-slate-900 border border-slate-700 text-white p-2 rounde...
567     >
568     <option value="05:30 - 07:00">Early Morning (05:30 - 07:00)</option>
569     <option value="06:30 - 08:00">Morning (06:30 - 08:00)</option>
570     <option value="17:30 - 19:00">Evening Dusk (17:30 - 19:00)</option>
571 </select>
572 </div>
573 })
574 <div className="pt-4 flex justify-end border-t border-slate-800">
575   <button onClick={() => setSurveyStep(5)} className="px-6 py-3 rounded-xl font-bo...
576     Continue to Location ->
577   </button>
578 </div>
579 </div>
580 })
581
582 {/* STEP 5: LOCATION */}
583 {surveyStep === 5 && (
584   <div className="space-y-6">
585     <div className="text-center space-y-2">
586       <h2 className="text-2xl sm:text-3xl font-bold text-white">Your Weather Location<...
587       <p className="text-xs sm:text-sm text-slate-400">Open-Meteo live coordinates tra...
588     </div>
589     <div className="p-4 rounded-xl bg-cyan-950/30 border border-cyan-500/30 flex justi...
590       <div>
591         <div className="text-xs font-bold text-cyan-400">[LOC] SELECTED CITY</div>
592         <div className="text-base font-bold text-white">{answers.location.city}, {answ...
593         <div className="text-[11px] text-slate-400">Lat: {answers.location.latitude}?,...
594       </div>
595       <span className="text-xs px-2 py-1 bg-cyan-500/20 text-cyan-300 rounded font-sem...
596     </div>
597     <div className="space-y-2">
598       <label className="text-xs font-bold text-slate-400 uppercase">Quick-Pick Cities<...
599       <div className="flex flex-wrap gap-2">
600         {POPULAR_CITIES.map((c) => (
601           <button
602             key={c.city}
603             onClick={() => update({ location: c })}
604             className={`px-3 py-1.5 rounded-lg border text-xs font-medium cursor-point...
605             answers.location.city === c.city ? 'bg-cyan-500/20 border-cyan-400 text-...
606           `}
607         >
608           [LOC] {c.city}
609         </button>
610       </div>
611     </div>
612   </div>
613   <div className="pt-4 flex justify-end border-t border-slate-800">
614     <button onClick={() => setSurveyStep(6)} className="px-6 py-3 rounded-xl font-bo...
615     Continue to Final Preferences ->
616   </button>
617 </div>
618 </div>
619 })
620
621 {/* STEP 6: PREFERENCES & SUBMIT */}
622 {surveyStep === 6 && (
623   <div className="space-y-6">
624     <div className="text-center space-y-2">
625       <h2 className="text-2xl sm:text-3xl font-bold text-white">Language & AI Context ...
626       <p className="text-xs sm:text-sm text-slate-400">Advisory language & custom note...
627     </div>
628     <div className="grid grid-cols-2 gap-3">
629       {[
630         { code: 'en', label: '?? English' },
631         { code: 'hi', label: '?? ?????? (Hindi)' },
632         { code: 'ta', label: '?? ?????? (Tamil)' },
633         { code: 'te', label: '?? ?????? (Telugu)' }
634       ].map((lang) => (
635         <button

```

```

636         key={lang.code}
637         onClick={() => update({ language: lang.code })}
638         className={`p-3 rounded-xl border text-xs font-bold cursor-pointer ${
639           answers.language === lang.code ? 'bg-cyan-500/20 border-cyan-400 text-cyan...
640         }`}
641       >
642         {lang.label}
643       </button>
644     )}
645   </div>
646   <div className="space-y-1">
647     <label className="text-xs font-bold text-slate-300">Freeform Notes for AI Person...
648     <textarea
649       rows="2"
650       value={answers.freeformNotes}
651       onChange={(e) => update({ freeformNotes: e.target.value })}
652       placeholder="e.g. I ride a scooter with my child at 7:30 AM and need rain warn...
653       className="w-full bg-slate-950 border border-slate-700 text-white p-2.5 rounde...
654     />
655   </div>
656   <div className="pt-4 flex justify-between items-center border-t border-slate-800">
657     <span className="text-xs text-slate-500">Ready to synthesize</span>
658     <button
659       onClick={() => runAI(answers)}
660       className="px-8 py-3.5 rounded-xl font-extrabold text-sm bg-gradient-to-r from...
661     >
662       Synthesize AI Weather Profile [MAGIC]
663     </button>
664   </div>
665 </div>
666   )}
667 </div>
668 )}
669
670 {/* PROCESSING LOADING SCREEN */}
671 {stage === 'processing' && (
672   <div className="bg-slate-900/70 border border-slate-800 rounded-3xl p-12 text-center spa...
673   <div className="w-16 h-16 rounded-full bg-gradient-to-tr from-cyan-400 to-emerald-400 ...
674     [WEATHER]
675   </div>
676   <div className="space-y-2">
677     <h3 className="text-xl font-bold text-white">Synthesizing Your KAIROS Weather Profil...
678     <p className="text-xs font-mono text-cyan-400 animate-pulse">Person 2 AI Engine & Op...
679   </div>
680 </div>
681 )}
682
683 {/* PROFILE CONFIRMATION */}
684 {stage === 'confirm' && profile && (
685   <div className="bg-slate-900/70 border border-slate-800 rounded-3xl p-6 sm:p-10 space-y-...
686   <div className="text-center space-y-1">
687     <div className="inline-block px-3 py-1 rounded-full bg-emerald-500/10 border border-...
688       [v] AI PROFILE SYNTHESIZED
689     </div>
690     <h2 className="text-2xl sm:text-3xl font-extrabold text-white">Review Your Weather I...
691   </div>
692
693   <div className="p-4 rounded-xl bg-cyan-950/40 border border-cyan-500/30 text-xs text-s...
694     <strong>AI Strategy:</strong> "{profile.ai_summary}"
695   </div>
696
697   <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
698     <div className="p-4 rounded-xl bg-slate-950/50 border border-slate-800 space-y-2">
699       <div className="text-xs font-bold uppercase text-slate-400">Persona Weights</div>
700       {profile.personas.map((p) => (
701         <div key={p.id} className="space-y-1">
702           <div className="flex justify-between text-xs font-semibold">
703             <span className="capitalize">{p.id}</span>
704             <span className="text-cyan-400">{p.percentage}%</span>
705           </div>
706           <div className="w-full bg-slate-800 h-1.5 rounded-full overflow-hidden">

```

```

707         <div className="bg-cyan-400 h-full rounded-full" style={{ width: `${p.percen...
708     </div>
709 </div>
710     )}}
711 </div>
712
713     <div className="p-4 rounded-xl bg-slate-950/50 border border-slate-800 space-y-2">
714         <div className="text-xs font-bold uppercase text-slate-400">Active Alert Threshold...
715         <div className="grid grid-cols-2 gap-2 text-xs font-mono">
716             <div className="p-2 bg-slate-900 rounded border border-rose-500/20 text-rose-300...
717             <div className="p-2 bg-slate-900 rounded border border-teal-500/20 text-teal-300...
718             <div className="p-2 bg-slate-900 rounded border border-blue-500/20 text-blue-300...
719             <div className="p-2 bg-slate-900 rounded border border-amber-500/20 text-amber-3...
720         </div>
721     </div>
722 </div>
723
724     <div className="pt-4 flex flex-col sm:flex-row justify-between items-center gap-3 bord...
725     <button onClick={() => { setSurveyStep(1); setStage('survey'); }} className="text-xs...
726         [EDIT] Edit Survey Answers
727     </button>
728     <button
729         onClick={() => setStage('done')}
730         className="px-8 py-3.5 rounded-xl font-extrabold text-sm bg-gradient-to-r from-cya...
731     >
732         Confirm & Launch KAIROS Homepage [LAUNCH]
733     </button>
734 </div>
735 </div>
736 )}
737
738 {/* DONE / HANDOFF PREVIEW */}
739 {stage === 'done' && profile && (
740     <div className="bg-slate-900/70 border border-slate-800 rounded-3xl p-8 space-y-6 shadow...
741     <div className="flex justify-between items-center">
742         <div>
743             <span className="text-xs font-bold text-emerald-400 uppercase">[v] Ready for Person ...
744             <h2 className="text-2xl font-bold text-white">Profile Payload Ready for Homepage</h2>
745         </div>
746         <button onClick={() => setStage('welcome')} className="px-3 py-1.5 bg-slate-800 text...
747             [RESET] Restart
748         </button>
749     </div>
750     <pre className="p-4 rounded-xl bg-slate-950 border border-slate-800 text-xs font-mono ...
751         {JSON.stringify(profile, null, 2)}
752     </pre>
753 </div>
754     )}
755 </div>
756 </div>
757 );
758 }
759
760 ReactDOM.createRoot(document.getElementById('root')).render(<App />);
761 </script>
762 </body>
763 </html>
764

```