

# Cucumber Report

24-May-2023, 4:23:13 PM

Start : May 24, 4:21:56.193 PM

End : May 24, 4:23:11.396 PM

Duration : 1 m 15.203 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 13  
FAILED - 4  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Contract Main Screen Feature</u>	1 m 15.203 s	1	0	1	0	17	13	4	0

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@Author:	1	0	1	0	1	0	1	0
@RiskPayLaterInstall	1	0	1	0	1	0	1	0
@AartiPatel	1	0	1	0	1	0	1	0
@R-PI.004.10.05	1	0	1	0	1	0	1	0
@R-PI.004.10.04	1	0	1	0	1	0	1	0
@R-PI.004.10.03	1	0	1	0	1	0	1	0
@R-PI.004.10.02	1	0	1	0	1	0	1	0
@R-PI.004.10.06	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Contract Main Screen Feature</u>	1	0	1	0	1 m 15.203 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Contract Main Screen Feature</u>	<u>Validate create,Edit,Delete Memos from Contract Main Screen</u>	17	13	4	0	1 m 15.203 s

## Contract Main Screen Feature

<b>FAILED</b>	DURATION - 1 m 15.203 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 17 Pass - 13 Fail - 4 Skip - 0	
/ 4:21:56.193 PM // 4:23:11.396 PM /					

## Validate create,Edit,Delete Memos from Contract Main Screen

<b>FAILED</b>	DURATION - 1 m 15.203 s		Steps Total - 17 Pass - 13 Fail - 4 Skip - 0	
/ 4:21:56.193 PM // 4:23:11.396 PM /				
Contract Main Screen Feature				
@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 004.10.05 @R-PI.004.10.04 @R-PI.004.10.03 @R-PI. 004.10.02 @R-PI.004.10.06				

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	11.003 s
2	And user navigates to contracts	PASSED	4.522 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">navigated to contracts</font>		
3	And user search contract by contract ID	PASSED	1.520 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked on By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Enter Contract ID: 1661498310</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched contract by contractID: 1661498310</font>		
4	And user navigates to	PASSED	6.342 s
	<div>Contract Tree</div> <div>Memos</div>		
5	And user create new Memos	PASSED	10.252 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Memos</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On reason code</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Select dropdown</font>		

#	Step / Hook Details	Status	Duration
	&nbsp; <font color=black>&#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On memo Type Dropdown</font> &nbsp; <font color=black>&#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On Select dropdown</font> &nbsp; <font color=black>&#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On Save Button</font>		
6	<b>Then user Validate the Memos</b> &nbsp; &#x21DD; &nbsp; Soft Assert [Original Message is displayed as expected] failed java.lang.AssertionError: Original Message is displayed as expected expected [null] but found [{Status=Posted, Memo Type=Standard Memo, Original Message=MZWZf, Source=0419944788, Input Date=24/05/23 12:52:32, Officer=AUTO_IN_RPCI_APP}] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.asserts.Assertion\$8.doAssert(Assertion.java:156) at com.mastercard.gpse.processing.utils.SoftAssert.executeAssert(SoftAssert.java:56) at com.mastercard.gpse.processing.utils.SoftAssert.doAssert(SoftAssert.java:35) at org.testng.asserts.Assertion.assertEquals(Assertion.java:152) at com.mastercard.gpse.processing.workflowsui.ClientWorkFlow.validateDetailsOnMemoPage(ClientWorkFlow.java:127) at com.mastercard.gpse.processing.stepDefinitions.web.ClientSteps.validateMemos(ClientSteps.java:49) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)	FAILED	0.399 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		
7	<b>And User Edit the newly created Memo</b> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On Edit Memos</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On reason code</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On Select dropdown</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On Save Button</font>	PASSED	8.208 s
8	<b>Then user Validate the Memos</b> &nbsp; &#x21DD; &nbsp; Soft Assert [Original Message is displayed as expected] failed java.lang.AssertionError: Original Message is displayed as expected expected [null] but found [{Status=Posted, Memo Type=Standard Memo, Original Message=QfemS, Source=0419944788, Input Date=24/05/23 12:52:32, Officer=AUTO_IN_RPCI_APP}] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.asserts.Assertion\$8.doAssert(Assertion.java:156) at com.mastercard.gpse.processing.utils.SoftAssert.executeAssert(SoftAssert.java:56)	FAILED	0.326 s



#	Step / Hook Details	Status	Duration
	at com.mastercard.gpse.processing.utils.SoftAssert.doAssert(SoftAssert.java:35) at org.testng.asserts.Assertion.assertEquals(Assertion.java:152) at com.mastercard.gpse.processing.workflowsui.ClientWorkFlow.validateDetailsOnMemoPage(ClientWorkFlow.java:127) at com.mastercard.gpse.processing.stepDefinitions.web.ClientSteps.validateMemos(ClientSteps.java:49) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109) </pre>		
9	<b>And user Delete the newly created Memo</b> <pre> &amp;emsp; &lt;font color=black&gt;&amp;#9432;&lt;/font&gt;&lt;/b&gt; &amp;emsp; &lt;font style="font-family:Courier New;"&gt;Clicked On Delete Memos&lt;/font&gt; &amp;emsp; &lt;font color=black&gt;&amp;#9432;&lt;/font&gt;&lt;/b&gt; &amp;emsp; &lt;font style="font-family:Courier New;"&gt;Clicked On OK Button&lt;/font&gt; &amp;emsp; &lt;font color=black&gt;&amp;#9432;&lt;/font&gt;&lt;/b&gt; &amp;emsp; &lt;font style="font-family:Courier New;"&gt;Clicked On reason code&lt;/font&gt; &amp;emsp; &lt;font color=black&gt;&amp;#9432;&lt;/font&gt;&lt;/b&gt; &amp;emsp; &lt;font style="font-family:Courier New;"&gt;Clicked On Select dropdown&lt;/font&gt; &amp;emsp; &lt;font color=black&gt;&amp;#9432;&lt;/font&gt;&lt;/b&gt; &amp;emsp; &lt;font style="font-family:Courier New;"&gt;Clicked On Save Button&lt;/font&gt; </pre>	PASSED	8.467 s
10	<b>Then user Validate the Deleted Memos Status</b> <pre> &amp;emsp; &amp;#x21DD; &amp;emsp; Soft Assert [Record is found] failed java.lang.AssertionError: Record is found expected [true] but found [false] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertTrue(Assert.java:45) at org.testng.asserts.Assertion\$1.doAssert(Assertion.java:86) at com.mastercard.gpse.processing.utils.SoftAssert.executeAssert(SoftAssert.java:56) at com.mastercard.gpse.processing.utils.SoftAssert.doAssert(SoftAssert.java:35) at org.testng.asserts.Assertion.assertTrue(Assertion.java:82) at com.mastercard.gpse.processing.workflowsui.ClientWorkFlow.validateDeleteMemoStatus(ClientWorkFlow.java:134) at com.mastercard.gpse.processing.stepDefinitions.web.ClientSteps.validateDeletedMemosStatus(ClientSteps.java:64) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) </pre>	FAILED	0.926 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		
11	And user Navigates to Change Log sub Menu	PASSED	0.381 s
12	Then user is able to see the record on "Change Log" page	PASSED	4.462 s
	&emsp; &#x21DD; &emsp; Soft Assert [Record Found Successfully] passed		
13	Then validate "Change Log" tab title	PASSED	2.112 s
	&emsp; &#x21DD; &emsp; Soft Assert passed		

#	Step / Hook Details	Status	Duration
	&nbsp; <font color=black>&#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Validated Change Log tab title</font>		
14	And user Navigates to Details sub Menu	PASSED	0.314 s
15	And validate "Details" tab title	PASSED	2.108 s
	&nbsp; &#x21DD; &nbsp; Soft Assert passed &nbsp; <font color=black>&#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Validated Details tab title</font>		
16	And user Validate the Memos	FAILED	0.580 s
	&nbsp; &#x21DD; &nbsp; Soft Assert [Original Message is displayed as expected] failed java.lang.AssertionError: Original Message is displayed as expected expected [null] but found [{Status=Closed, Result Message=Bank decision., Closing Date=24/05/23 12:52:50, Memo Type=Standard Memo, Original Message=QfemS, Source=0419944788, Input Date=24/05/23 12:52:32, Officer=AUTO_IN_RPCI_APP}] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.asserts.Assertion\$8.doAssert(Assertion.java:156) at com.mastercard.gpse.processing.utils.SoftAssert.executeAssert(SoftAssert.java:56) at com.mastercard.gpse.processing.utils.SoftAssert.doAssert(SoftAssert.java:35) at org.testng.asserts.Assertion.assertEquals(Assertion.java:152) at com.mastercard.gpse.processing.workflowsui.ClientWorkFlow.validateDetailsOnMemoPage(ClientWorkFlow.java:127) at com.mastercard.gpse.processing.stepDefinitions.web.ClientSteps.validateMemos(ClientSteps.java:49) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		
17	Then Logout from Workbench	PASSED	0.489 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Logout from Workbench</font>		
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	5.209 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font> org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/stale_element_reference.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GH-HCRHZH3', ip: '192.168.0.102', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\le141640\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:56769}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 0f52cad7c6ae987d13e2378d29a77c44 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) atjdk.internal.reflect.GeneratedMethodAccessor220.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy45.click(Unknown Source) at com.mastercard.gpse.processing.pages.HomePage.signOut(HomePage.java:104) at com.mastercard.gpse.processing.workflowsui.LoginWorkFlow.logout(LoginWorkFlow.java:393) at com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(Hooks.java:47)		