

Feature		Scenario				St	ер		
Name	Duration	T	P	F	S	T	P	F	S
Client Main Screen Memos Feature	1 m 52.005 s	1	0	1	0	17	14	3	0


Tag		Scenario			Feature			
Name	Т	P	F	S	T	P	F	S
@Author:	1	0	1	0	1	0	1	0
@RiskPayLaterInstall	1	0	1	0	1	0	1	0
@AartiPatel	1	0	1	0	1	0	1	0
@R-PI.005.07.05	1	0	1	0	1	0	1	0
@R-PI.005.07.06	1	0	1	0	1	0	1	0
@R-PI.005.07.03	1	0	1	0	1	0	1	0
@R-PI.005.07.04	1	0	1	0	1	0	1	0
@R-PI.005.07.02	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration	
1	Client Main Screen Memos Feature	1	0	1	0	1 m 52.005 s	


SCENARIOS SUMMARY




#	F Conturo Namo	Scenario Name	T	P	F	S	Duration
1	Client Main Screen Memos Feature	Validate create, Edit, Memos from Client Main Screen	17	14	3	0	1 m 51.989 s

DETAILED SECTION -- 6 --

## **Client Main Screen Memos Feature**



## Validate create, Edit, Memos from Client Main Screen



#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	19.580 s
2	And user navigates to clients	PASSED	8.207 s
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">User Navigated to Clients Page</font>		
3	And user search client by client number	PASSED	3.697 s
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Clicked On Find</font>		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">searched client by clientNumber: 1618905871</font>		
4	And user navigates to	PASSED	6.386 s
	Details Memos		
5	And user create new Memos	PASSED	19.941 s
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Clicked On Memos</font>		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font>		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Selected value 'Standard Memo' in field 'Memo Type'</font>		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Clicked On Save Button</font>		
6	Then user Validate the Memos	FAILED	0.492 s

#	Step / Hook Details	Status	Duration
	⇝   Soft Assert failed java.lang.AssertionError: expected [true] but found [false]		
	at org.testng.Assert.fail(Assert.java:99)		
	at org.testng.Assert.failNotEquals(Assert.java:1037)		
	at org.testng.Assert.assertTrue(Assert.java:45)		
	at org.testng.Assert.assertTrue(Assert.java:55)		
	at org.testng.asserts.Assertion\$2.doAssert(Assertion.java:96)		
	at com.mastercard.gpse.processing.utils.SoftAssert.executeAssert(SoftAssert.java:56)		
	at com.mastercard.gpse.processing.utils.SoftAssert.doAssert(SoftAssert.java:35)		
	at org.testng.asserts.Assertion.assertTrue(Assertion.java:92)		
	at com.mastercard.gpse.processing.workflowsui.ClientWorkFlow.validateDetailsOnMemoPage(ClientWorkFlow.java:130)		
	at com.mastercard.gpse.processing.stepDefinitions.web.ClientSteps.validateMemos(ClientSteps.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		
7	And User Edit the newly created Memo	PASSED	13.022 s
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Clicked On Edit Memos</font>		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font>		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Clicked On Save Button</font>		
8	Then user Validate the Memos	FAILED	0.463 s
	⇝   Soft Assert failed java.lang.AssertionError: expected [true] but found [false]		
	at org.testng.Assert.fail(Assert.java:99)		
	at org.testng.Assert.failNotEquals(Assert.java:1037)		
	at org.testng.Assert.assertTrue(Assert.java:45)		
	at org.testng.Assert.assertTrue(Assert.java:55)		
	at org.testng.asserts.Assertion\$2.doAssert(Assertion.java:96)		
	at com.mastercard.gpse.processing.utils.SoftAssert.executeAssert(SoftAssert.java:56)		
	at com.mastercard.gpse.processing.utils.SoftAssert.doAssert(SoftAssert.java:35)		
	at org.testng.asserts.Assertion.assertTrue(Assertion.java:92)		
	$at\ com. master card. gpse. processing. work flows ui. Client Work Flow. validate Details On MemoPage (Client Work Flow. java: 130)$		
	at com.mastercard.gpse.processing.stepDefinitions.web.ClientSteps.validateMemos(ClientSteps.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
I	at io.cucumber.java.Invoker.invoke(Invoker.java:24)	1	

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
9	And user Delete the newly created Memo	PASSED	13.479 s
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Clicked On Delete Memos</font>		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Clicked On OK Button</font>		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font>		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Clicked On Save Button</font>		
10	Then user Validate the Deleted Memos Status	PASSED	0.515 s
	⇝   Soft Assert [Record is found] passed		
11	And user navigates to the link "Change Log" at the bottom of the tab "Memos"	PASSED	0.467 s
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Navigated to Change Log link on Memos page </font>		
12	Then user is able to see the record on "Change Log" page	PASSED	3.524 s
	⇝   Soft Assert [Record Found Successfully] passed		
13	Then validate "Change Log" tab title	PASSED	2.089 s
	⇝   Soft Assert passed		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Validated Change Log tab title</font>		
14	And user navigates to the link "Details" at the bottom of the tab "Change Log"	PASSED	0.441 s
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Navigated to Details link on Change Log page </font>		
15	Then validate "Details" tab title	PASSED	2.097 s
	⇝   Soft Assert passed		
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Validated Details tab title</font>		
16	Then user Validate the Memos	FAILED	0.402 s
	⇝   Soft Assert failed java.lang.AssertionError: expected [true] but found [false]		
	at org.testng.Assert.fail(Assert.java:99)		
	at org.testng.Assert.failNotEquals(Assert.java:1037)		
	at org.testng.Assert.assertTrue(Assert.java:45)		
	at org.testng.Assert.assertTrue(Assert.java:55)		
	at org.testng.asserts.Assertion\$2.doAssert(Assertion.java:96)		
	at com.mastercard.gpse.processing.utils.SoftAssert.executeAssert(SoftAssert.java:56)		
	at com.mastercard.gpse.processing.utils.SoftAssert.doAssert(SoftAssert.java:35) at org.testng.asserts.Assertion.assertTrue(Assertion.java:92)		
	at org.testing.asserts.Assertion.assertion.assertion.java.92) at com.mastercard.gpse.processing.workflowsui.ClientWorkFlow.validateDetailsOnMemoPage(ClientWorkFlow.java:130)		
	at com.mastercard.gpse.processing.worknowsui.ClientWorkFlow.validateDetailsOnwernor.age(ClientWorkFlow.java.130) at com.mastercard.gpse.processing.stepDefinitions.web.ClientSteps.validateMemos(ClientSteps.java:49)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:73)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:566)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1541)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
17	Then Logout from Workbench	PASSED	0.530 s
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Click on User Icon</font>	1	
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Logout from Workbench</font>		
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	11.549 s
	<font color="black">ⓘ</font> <font style="font-family:Courier New;">Click on User Icon</font>		
	org.openga.selenium.StaleElementReferenceException: Stale element reference: stale element not found (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/stale_element_reference.html Build info: version: 3.141.59; revision: e82be7d358; time: 2018-11-14708:17:03 System info: host: GH-HCRHZH3; ip: 192.168.0.102², os. name: Windows 10; os. arch: 'amd644', os.version: 10.01, java.version: 113.0.15.1 Driver info: org.openga.selenium.chrome.ChromeDriver Capabilities {acceptinsecureCerts: true, browserName: chrome, browserVersion: 113.0.5672.93, chrome: (chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae, userDataDir: C:\Usersle141640\AppData\Lo), goog:chromeOptions: {debuggerAddress: localhost:64728}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virualAuthenticators: true} Session ID: de3e50b9bd6fb2fc1fc895a0ab97ac6a at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang reflect.Constructor.newInstance(Constructor.java:49) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openga.selenium		