

# Cucumber Report

26-May-2023, 1:09:39 PM

**Start : May 26, 12:48:04.505 PM**

**End : May 26, 1:09:37.232 PM**

**Duration : 21 m 32.727 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 7**

**FAILED - 3**

**SKIPPED - 0**

**PASSED - 19**





**FAILED - 3**

**SKIPPED - 0**

**PASSED - 127**

**FAILED - 3**


**SKIPPED - 5**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Client Main Screen Feature</u>	1 m 36.091 s	2	2	0	0	12	12	0	0
<u>Validation of Addresses</u>	33.408 s	1	1	0	0	6	6	0	0
<u>Client Main Screen Change Log Feature</u>	2 m 11.833 s	3	2	1	0	19	18	1	0
<u>Client Main Screen Classifiers</u>	1 m 4.345 s	1	1	0	0	6	6	0	0
<u>Client Main Screen Debts Feature</u>	50.838 s	1	1	0	0	6	6	0	0
<u>Client Main Screen Memos Feature</u>	5 m 15.215 s	5	5	0	0	34	34	0	0
<u>Contract Main Screen Feature</u>	5 m 46.393 s	6	6	0	0	40	40	0	0
<u>Free Search</u>	22.564 s	1	1	0	0	2	2	0	0
<u>Search by Client</u>	36.963 s	1	0	1	0	4	3	1	0
<u>Search Contract Features</u>	3 m 14.436 s	1	0	1	0	6	0	1	5

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@Author:	22	19	3	0	10	7	3	0
@R-PNEL.005.01.01	1	1	0	0	1	1	0	0
@AartiPatel	22	19	3	0	10	7	3	0
@RiskPayNowEdit	5	5	0	0	4	4	0	0
@R-PNEL.005.02.01	1	1	0	0	1	1	0	0
@R-PNEL.005.05.01	1	1	0	0	1	1	0	0
@R-PI.005.09.01	1	1	0	0	1	0	1	0
@RiskPayLaterInstall	15	13	2	0	4	2	2	0
@R-PNEL.005.09.01	1	1	0	0	1	0	1	0
@R-PI.005.09.02	1	0	1	0	1	0	1	0
@ClientMainScreenClassifiers	1	1	0	0	1	1	0	0
@R-PNEL.005.06.01	1	1	0	0	1	1	0	0
@R-PNEL.005.04.01	1	1	0	0	1	1	0	0
@R-PI.005.07.02	1	1	0	0	1	1	0	0
@R-PI.005.07.03	1	1	0	0	1	1	0	0
@R-PI.005.07.04	1	1	0	0	1	1	0	0
@R-PI.005.07.05	1	1	0	0	1	1	0	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@R-PI.005.07.06	1	1	0	0	1	1	0	0
@R-PI.004.10.01	1	1	0	0	1	1	0	0
@RiskPayNowEditPCI-Less	1	1	0	0	1	1	0	0
@R-PI.004.10.02	1	1	0	0	1	1	0	0
@R-PI.004.10.03	1	1	0	0	1	1	0	0
@R-PI.004.10.04	1	1	0	0	1	1	0	0
@R-PI.004.10.05	1	1	0	0	1	1	0	0
@R-PI.004.10.06	1	1	0	0	1	1	0	0
@FreeSearchFeature	1	1	0	0	1	1	0	0
@RiskPayLaterInstalments	2	1	1	0	2	1	1	0
@R-PI.002.03.03	1	1	0	0	1	1	0	0
@R-PI.002.05.01	1	0	1	0	1	0	1	0
@R-PI.002.02.02	1	0	1	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Client Main Screen Feature</u>	2	2	0	0	1 m 36.091 s
2	<u>Validation of Addresses</u>	1	1	0	0	33.408 s
3	<u>Client Main Screen Change Log Feature</u>	3	2	1	0	2 m 11.833 s
4	<u>Client Main Screen Classifiers</u>	1	1	0	0	1 m 4.345 s
5	<u>Client Main Screen Debts Feature</u>	1	1	0	0	50.838 s
6	<u>Client Main Screen Memos Feature</u>	5	5	0	0	5 m 15.215 s
7	<u>Contract Main Screen Feature</u>	6	6	0	0	5 m 46.393 s
8	<u>Free Search</u>	1	1	0	0	22.564 s
9	<u>Search by Client</u>	1	0	1	0	36.963 s
10	<u>Search Contract Features</u>	1	0	1	0	3 m 14.436 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Client Main Screen Feature</u>	<u>Validate client main screen</u>	5	5	0	0	34.262 s
2	<u>Client Main Screen Feature</u>	<u>Validate client main screen GDPR Screen</u>	7	7	0	0	1 m 1.744 s
3	<u>Validation of Addresses</u>	<u>Validate client main screen Address Screen</u>	6	6	0	0	33.408 s
4	<u>Client Main Screen Change Log Feature</u>	<u>Validate client main Screen Change Log</u>	6	6	0	0	36.860 s
5	<u>Client Main Screen Change Log Feature</u>	<u>Validate client main Screen Change Log</u>	6	6	0	0	39.261 s
6	<u>Client Main Screen Change Log Feature</u>	<u>Validate client main Screen Change Log Screen</u>	7	6	1	0	55.635 s
7	<u>Client Main Screen Classifiers</u>	<u>Client Main Screen - Classifiers</u>	6	6	0	0	1 m 4.345 s
8	<u>Client Main Screen Debts Feature</u>	<u>Validate client main screen Debts Screen</u>	6	6	0	0	50.838 s
9	<u>Client Main Screen Memos Feature</u>	<u>Validate create Memos from Client Main Screen</u>	6	6	0	0	1 m 12.365 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
10	<u>Client Main Screen Memos Feature</u>	<u>Validate Edit Memos from Client Main Screen</u>	6	6	0	0	56.960 s
11	<u>Client Main Screen Memos Feature</u>	<u>Validate Delete Memos from Client Main Screen</u>	6	6	0	0	54.584 s
12	<u>Client Main Screen Memos Feature</u>	<u>Validate change log Memos from Client Main Screen</u>	8	8	0	0	1 m 9.811 s
13	<u>Client Main Screen Memos Feature</u>	<u>Validate Details Memos from Client Main Screen</u>	8	8	0	0	1 m 1.105 s
14	<u>Contract Main Screen Feature</u>	<u>Validate Contract main Screen Memos</u>	6	6	0	0	43.387 s
15	<u>Contract Main Screen Feature</u>	<u>Validate create Memos from Contract Main Screen</u>	6	6	0	0	1 m 4.877 s
16	<u>Contract Main Screen Feature</u>	<u>Validate Edit Memos from Contract Main Screen</u>	6	6	0	0	59.546 s
17	<u>Contract Main Screen Feature</u>	<u>Validate Delete Memos from Contract Main Screen</u>	6	6	0	0	48.237 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Contract Main Screen Feature</u>	<u>Validate create,Edit,Delete Memos from Contract Main Screen</u>	8	8	0	0	1 m 21.411 s
19	<u>Contract Main Screen Feature</u>	<u>Validate create,Edit,Delete Memos from Contract Main Screen</u>	8	8	0	0	48.432 s
20	<u>Free Search</u>	<u>Free Search Account Validation</u>	2	2	0	0	22.564 s
21	<u>Search by Client</u>	<u>Search Client By Client Number from different customer</u>	4	3	1	0	36.963 s
22	<u>Search Contract Features</u>	<u>Search by Contract By Bank Account Number</u>	6	0	1	5	3 m 14.436 s



## Client Main Screen Feature

<b>PASSED</b>	<b>DURATION - 1 m 36.091 s</b>	Scenarios		Steps	
/ 12:48:04.505 PM // 12:49:40.596 PM /		Total - 2		Total - 12	
		Pass - 2		Pass - 12	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## Validate client main screen

<div>PASSED</div> <div>DURATION - 34.262 s</div>		<div><table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>11</td></tr><tr><td>2</td><td>4</td></tr><tr><td>3</td><td>3</td></tr><tr><td>4</td><td>3</td></tr><tr><td>5</td><td>3</td></tr></tbody></table></div>	Step	Count	1	11	2	4	3	3	4	3	5	3	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>5</div></div>
Step	Count															
1	11															
2	4															
3	3															
4	3															
5	3															
<div>/ 12:48:04.514 PM // 12:48:38.776 PM /</div>																
<div>Client Main Screen Feature</div>																
<div>@Author: @R-PNEL.005.01.01 @AartiPatel</div> <div>@RiskPayNowEdit</div>																

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Now Edit (PCI-Less)"	PASSED	11.147 s
2	And user navigates to clients	PASSED	4.500 s
	&emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>		
3	And user search client by client number	PASSED	3.427 s
	&emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font>		
	&emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>		
4	Then user navigates to "Details"	PASSED	3.150 s
5	And user validate the client main screen full details	PASSED	3.824 s
	&emsp; &#x21DD; &emsp; Soft Assert [Full name is displayed correctly] passed		
	&emsp; &#x21DD; &emsp; Soft Assert [Short Name is displayed correctly] passed		
	&emsp; &#x21DD; &emsp; Soft Assert [Gender is displayed correctly] passed		
	&emsp; &#x21DD; &emsp; Soft Assert [First Name is displayed correctly] passed		
	&emsp; &#x21DD; &emsp; Soft Assert [Middle Name is displayed correctly] passed		
	&emsp; &#x21DD; &emsp; Soft Assert [Last Name is displayed correctly] passed		
	&emsp; &#x21DD; &emsp; Soft Assert [Birth Date is displayed correctly] passed		
	&emsp; &#x21DD; &emsp; Soft Assert [Birth Place is displayed correctly] passed		



#	Step / Hook Details	Status	Duration
	&nbsp; Soft Assert [Birth Name is displayed correctly] passed &nbsp; Soft Assert [Citizenship is displayed correctly] passed &nbsp; Soft Assert [Tax Bracket is displayed correctly] passed &nbsp; Soft Assert [Taxpayer ID is displayed correctly] passed &nbsp; Soft Assert [State is displayed correctly] passed &nbsp; Soft Assert [City is displayed correctly] passed &nbsp; Soft Assert [ZIP Code is displayed correctly] passed &nbsp; Soft Assert [Address Line 1 is displayed correctly] passed &nbsp; Soft Assert [Address Line 2 is displayed correctly] passed &nbsp; Soft Assert [Address Line 3 is displayed correctly] passed &nbsp; Soft Assert [Address Line 4 is displayed correctly] passed &nbsp; Soft Assert [Company Name is displayed correctly] passed &nbsp; Soft Assert [Trademark is displayed correctly] passed &nbsp; Soft Assert [Department is displayed correctly] passed &nbsp; Soft Assert [Last Name is displayed correctly] passed &nbsp; Soft Assert [First Name is displayed correctly] passed &nbsp; Soft Assert [Company Name is displayed correctly] passed &nbsp; Soft Assert [Identity Card Type is displayed correctly] passed &nbsp; Soft Assert [Identity Card Number is displayed correctly] passed &nbsp; Soft Assert [Client Number is displayed correctly] passed &nbsp; Soft Assert [Secret Phrase is displayed correctly] passed &nbsp; Soft Assert [Social Security Number is displayed correctly] passed		
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.451 s
	&nbsp; Click on User Icon		

### Validate client main screen GDPR Screen



<div>PASSED</div> <div>DURATION - 1 m 1.744 s</div>	<table><caption>Step Durations (Approximate)</caption><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>14</td></tr><tr><td>2</td><td>6</td></tr><tr><td>3</td><td>4</td></tr><tr><td>4</td><td>7</td></tr><tr><td>5</td><td>2</td></tr><tr><td>6</td><td>30</td></tr><tr><td>7</td><td>1</td></tr></tbody></table>	Step	Duration (s)	1	14	2	6	3	4	4	7	5	2	6	30	7	1	<div>Steps</div> <div>Total - 7</div> <div>Pass - 7</div> <div>Fail - 0</div> <div>Skip - 0</div>	
Step		Duration (s)																	
1		14																	
2		6																	
3	4																		
4	7																		
5	2																		
6	30																		
7	1																		
<div>/ 12:48:38.852 PM // 12:49:40.596 PM /</div>																			
<div>Client Main Screen Feature</div>																			
<div>@Author: @AartiPatel @RiskPayNowEdit @R-PNEL. 005.02.01</div>																			

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Now Edit (PCI-Less)"	PASSED	13.273 s
2	And user navigates to clients <div> <div></div> <div> <div></div> <div></div> </div> </div> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	5.161 s
3	Then user search client by client number <div> <div></div> <div> <div></div> <div></div> </div> </div> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>	PASSED	3.660 s
4	Then user navigates to <div> <div></div> <div> <div></div> <div></div> </div> </div> Details GDPR	PASSED	6.404 s
5	Then validate "GDPR" tab title <div> <div></div> <div> <div></div> <div></div> </div> </div> &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated GDPR tab title</font>	PASSED	2.095 s
6	And user set the GDPR Marketing Consents <div> <div></div> <div> <div></div> <div></div> </div> </div> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On set consents</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Yes' in field '(SFS1) Profiling'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'No' in field '(SFS2) Partners Offers'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Yes' in field '(SFS3) Transfer Data'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'No' in field '(BNP1) Profiling'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Yes' in field '(BNP2) Partners Offers'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>	PASSED	30.309 s
7	And user validate the GDPR screen details <div> <div></div> <div> <div></div> <div></div> </div> </div> &emsp; &#x21DD; &emsp; Soft Assert [(SFS1) Profiling passed] passed &emsp; &#x21DD; &emsp; Soft Assert [(SFS2) Partners Offers passed] passed &emsp; &#x21DD; &emsp; Soft Assert [(SFS3) Transfer Data passed] passed &emsp; &#x21DD; &emsp; Soft Assert [(BNP1) Profiling passed] passed &emsp; &#x21DD; &emsp; Soft Assert [(BNP2) Partners Offers passed] passed	PASSED	0.334 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) <div> <div></div> <div> <div></div> <div></div> </div> </div> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.493 s

## Validation of Addresses



<b>PASSED</b>	<b>DURATION - 33.408 s</b>	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:49:40.656 PM // 12:50:14.064 PM /					

### Validate client main screen Address Screen



<b>PASSED</b>	<b>DURATION - 33.408 s</b>		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:49:40.656 PM // 12:50:14.064 PM /				
Validation of Addresses				
@Author: @AartiPatel @RiskPayNowEdit @R-PNEL. 005.05.01				

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Now Edit (PCI-Less)"	PASSED	13.259 s
2	And user navigates to clients &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	4.605 s
3	Then user search client by client number &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>	PASSED	3.431 s
4	And user navigates to <div> Details  Addresses  All </div>	PASSED	9.508 s
5	Then validate "Addresses" tab title &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Addresses tab title</font>	PASSED	2.096 s
6	And user is able to see the record on "Addresses" page &emsp; &#x21DD; &emsp; Soft Assert [Record Found Successfully] passed	PASSED	0.073 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.427 s

## Client Main Screen Change Log Feature

<b>FAILED</b>	DURATION - 2 m 11.833 s	Scenarios Total - 3 Pass - 2 Fail - 1 Skip - 0		Steps Total - 19 Pass - 18 Fail - 1 Skip - 0	
/ 12:50:14.097 PM // 12:52:25.930 PM /					

## Validate client main Screen Change Log

<div>PASSED</div> <div>DURATION - 36.860 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:50:14.097 PM // 12:50:50.957 PM /				
Client Main Screen Change Log Feature				
@Author: @R-PI.005.09.01 @RiskPayLaterInstall @AartiPatel				



#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	12.699 s
2	And user navigates to clients &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	4.358 s
3	And user search client by client number &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>	PASSED	3.463 s
4	And user navigates to Details Change Log	PASSED	6.373 s
5	And user is able to see the record on "Change Log" page &emsp; &#x21DD; &emsp; Soft Assert [Record Found Successfully] passed	PASSED	7.406 s
6	And validate "Change Log" tab title &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Change Log tab title</font>	PASSED	2.078 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.474 s

## Validate client main Screen Change Log

<div>PASSED</div>	<div>DURATION - 39.261 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>14.447</td></tr><tr><td>2</td><td>6.969</td></tr><tr><td>3</td><td>3.622</td></tr><tr><td>4</td><td>6.252</td></tr><tr><td>5</td><td>5.523</td></tr><tr><td>6</td><td>2.051</td></tr></tbody></table></div>	Step	Duration (s)	1	14.447	2	6.969	3	3.622	4	6.252	5	5.523	6	2.051	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>6</div></div>
Step	Duration (s)																	
1	14.447																	
2	6.969																	
3	3.622																	
4	6.252																	
5	5.523																	
6	2.051																	
<div>/ 12:50:51.012 PM // 12:51:30.273 PM /</div>																		
<div>Client Main Screen Change Log Feature</div>																		
<div>@Author: @R-PNEL.005.09.01 @RiskPayLaterInstall</div> <div>@AartiPatel</div>																		

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Now Edit (PCI-Less)"	PASSED	14.447 s
2	And user navigates to clients &emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	6.969 s
3	And user search client by client number &emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>	PASSED	3.622 s
4	And user navigates to Details Change Log	PASSED	6.252 s
5	And user is able to see the record on "Change Log" page &emsp; &#x21DD; &emsp; Soft Assert [Record Found Successfully] passed	PASSED	5.523 s
6	And validate "Change Log" tab title &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Change Log tab title</font>	PASSED	2.051 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) &emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.383 s



## Validate client main Screen Change Log Screen

<div>FAILED</div>	<div>DURATION - 55.635 s</div>	<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:51:30.295 PM // 12:52:25.930 PM /</div>				
<div>Client Main Screen Change Log Feature</div>				
<div>@R-PI.005.09.02 @Author: @RiskPayLaterInstall</div> <div>@AartiPatel</div>				

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	15.853 s
2	And user navigates to clients &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	6.306 s
3	And user search client by client number &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>	PASSED	3.624 s
4	And user navigates to Details Change Log	PASSED	6.390 s
5	And user navigates to View Data	PASSED	7.212 s
6	And user Validate the View Data Page &emsp; &#x21DD; &emsp; Soft Assert [Full name is displayed correctly] passed	PASSED	1.376 s
7	And validate "View Data" tab title org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@ng-bind-html='getTabTitle(data)   sanitize' and text()='View Data']"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: <a href="https://www.seleniumhq.org/exceptions/no_such_element.html">https://www.seleniumhq.org/exceptions/no_such_element.html</a> Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GH-HCRHZH3', ip: '192.168.0.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\le141640\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57903}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 08d9225d7cf4fb32f3cb8aa3c6a938e5 *** Element info: {Using=xpath, value=//span[@ng-bind-html='getTabTitle(data)   sanitize' and text()='View Data']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)	FAILED	14.083 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323) at org.openqa.selenium.remote.RemoteWebDriver.findElementByXPath(RemoteWebDriver.java:428) at org.openqa.selenium.By\$ByXPath.findElement(By.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at com.mastercard.gpse.processing.utils.WebElementUtility.locateElement(WebElementUtility.java:327) at com.mastercard.gpse.processing.pages.CommonPage.getTabTitleText(CommonPage.java:200) at com.mastercard.gpse.processing.stepDefinitions.web.CommonSteps.validateTabTitle(CommonSteps.java:34) at ?.validate "View Data" tab title(file:///C:/Users/e141640/IdeaProjects/Service_Workbench_Automation/workbench_auto/src/test/resources/features/web/issuing/customerservice/workbench/clients/ClientMainScreenChangeLog.feature:39) * Not displayable characters are replaced by '?'. </pre>		
	<b>AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</b> Validate client main Screen Change Log Screen &emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.780 s
			

## Client Main Screen Classifiers

PASSED		DURATION - 1 m 4.345 s		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:52:26.008 PM // 12:53:30.353 PM /							

## Client Main Screen - Classifiers



<b>PASSED</b>	<b>DURATION - 1 m 4.345 s</b>		<b>Steps</b> Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:52:26.008 PM // 12:53:30.353 PM /				
Client Main Screen Classifiers				
@Author: @ClientMainScreenClassifiers @AartiPatel @RiskPayNowEdit @R-PNEL.005.06.01				

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Now Edit (PCI-Less)"	PASSED	34.378 s
2	And user navigates to clients	PASSED	8.695 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>		
3	And user search client by client number	PASSED	4.514 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>		
4	And user navigates to	PASSED	13.503 s
	<div>Details</div> <div>Classifiers</div> <div>All</div>		
5	Then validate "Classifiers" tab title	PASSED	2.204 s
	&emsp; &#x21DD; &emsp; Soft Assert passed		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Classifiers tab title</font>		
6	And user is able to see the record on "Classifiers" page	PASSED	0.124 s
	&emsp; &#x21DD; &emsp; Soft Assert [Record Found Successfully] passed		
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.913 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>		

## Client Main Screen Debts Feature



<b>PASSED</b>	<b>DURATION - 50.838 s</b>	<b>Scenarios</b> Total - 1 Pass - 1 Fail - 0 Skip - 0		<b>Steps</b> Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:53:30.463 PM // 12:54:21.301 PM /					

## Validate client main screen Debts Screen

<div>PASSED</div>	<div>DURATION - 50.838 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>30.549</td></tr><tr><td>2</td><td>4.840</td></tr><tr><td>3</td><td>4.501</td></tr><tr><td>4</td><td>7.656</td></tr><tr><td>5</td><td>2.289</td></tr><tr><td>6</td><td>0.125</td></tr></tbody></table></div>	Step	Duration (s)	1	30.549	2	4.840	3	4.501	4	7.656	5	2.289	6	0.125	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>6</div></div>
Step	Duration (s)																	
1	30.549																	
2	4.840																	
3	4.501																	
4	7.656																	
5	2.289																	
6	0.125																	
<div>/ 12:53:30.463 PM // 12:54:21.301 PM /</div>																		
<div>Client Main Screen Debts Feature</div>																		
<div>@Author: @AartiPatel @RiskPayNowEdit @R-PNEL. 005.04.01</div>																		

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Now Edit (PCI-Less)"	PASSED	30.549 s
2	And user navigates to clients &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	4.840 s
3	Then user search client by client number &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>	PASSED	4.501 s
4	And user navigates to Details Debts	PASSED	7.656 s
5	Then validate "Debts" tab title &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Debts tab title</font>	PASSED	2.289 s
6	And user is able to see the record on "Debts" page &emsp; &#x21DD; &emsp; Soft Assert [Record Found Successfully] passed	PASSED	0.125 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.848 s

## Client Main Screen Memos Feature

<div>PASSED</div>	<div>DURATION - 5 m 15.215 s</div>	<div>Scenarios</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 34</div> <div>Pass - 34</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:54:21.419 PM // 12:59:36.634 PM /</div>					

## Validate create Memos from Client Main Screen

<div>PASSED</div>	<div>DURATION - 1 m 12.365 s</div>	<div><table><thead><tr><th>Step</th><th>Duration (s)</th></tr></thead><tbody><tr><td>1</td><td>22.907</td></tr><tr><td>2</td><td>7.921</td></tr><tr><td>3</td><td>4.910</td></tr><tr><td>4</td><td>8.434</td></tr><tr><td>5</td><td>26.703</td></tr><tr><td>6</td><td>0.202</td></tr></tbody></table></div>	Step	Duration (s)	1	22.907	2	7.921	3	4.910	4	8.434	5	26.703	6	0.202	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div><div>6</div></div>
Step	Duration (s)																	
1	22.907																	
2	7.921																	
3	4.910																	
4	8.434																	
5	26.703																	
6	0.202																	
<div>/ 12:54:21.420 PM // 12:55:33.785 PM /</div>																		
<div>Client Main Screen Memos Feature</div>																		
<div>@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 005.07.02</div>																		

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	22.907 s
2	And user navigates to clients &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	7.921 s
3	And user search client by client number &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>	PASSED	4.910 s
4	And user navigates to Details Memos	PASSED	8.434 s
5	And user create new Memos &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Memos</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Standard Memo' in field 'Memo Type'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>	PASSED	26.703 s
6	Then user Validate the Memos &emsp; &#x21DD; &emsp; Soft Assert [Original Message is displayed as expected] passed	PASSED	0.202 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	1.266 s

## Validate Edit Memos from Client Main Screen

<b>PASSED</b>	<b>DURATION - 56.960 s</b>		<b>Steps</b> Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:55:33.903 PM // 12:56:30.863 PM /				
Client Main Screen Memos Feature				
@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 005.07.03				



#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	19.191 s
2	And user navigates to clients	PASSED	5.119 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>		
3	And user search client by client number	PASSED	4.420 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>		
4	And user navigates to	PASSED	7.763 s
	<div>Details</div> <div>Memos</div>		
5	And User Edit the created Memo	PASSED	19.332 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Edit Memos</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>		
6	Then user Validate the Memos	PASSED	0.122 s
	&emsp; &#x21DD; &emsp; Soft Assert [Original Message is displayed as expected] passed		
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.981 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>		

## Validate Delete Memos from Client Main Screen

<b>PASSED</b>	<b>DURATION - 54.584 s</b>		<b>Steps</b> Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:56:30.946 PM // 12:57:25.530 PM /				
Client Main Screen Memos Feature				
@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 005.07.04				

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	14.640 s
2	And user navigates to clients	PASSED	8.050 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>		
3	And user search client by client number	PASSED	4.565 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>		
4	And user navigates to	PASSED	7.776 s
	Details		
	Memos		
5	And user Delete the newly created Memo	PASSED	17.547 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Delete Memos</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On OK Button</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>		
6	Then user Validate the Deleted Memos Status	PASSED	1.133 s
	&emsp; &#x21DD; &emsp; Soft Assert [Record is found] passed		
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.851 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>		

**Validate change log Memos from Client Main Screen**

<div>PASSED</div> <div>DURATION - 1 m 9.811 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:57:25.620 PM // 12:58:35.431 PM /</div>			
<div>Client Main Screen Memos Feature</div>			
<div>@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 005.07.05</div>			



#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	15.439 s
2	And user navigates to clients &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	5.159 s
3	And user search client by client number &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>	PASSED	4.448 s
4	And user navigates to Details Memos	PASSED	7.683 s
5	And user create new Memos &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Memos</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Standard Memo' in field 'Memo Type'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>	PASSED	26.590 s
6	And user navigates to the link "Change Log" at the bottom of the tab "Memos" &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Navigated to Change Log link on Memos page </font>	PASSED	0.971 s
7	Then user is able to see the record on "Change Log" page &emsp; &#x21DD; &emsp; Soft Assert [Record Found Successfully] passed	PASSED	6.445 s
8	Then validate "Change Log" tab title &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Change Log tab title</font>	PASSED	2.162 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.890 s

## Validate Details Memos from Client Main Screen



<b>PASSED</b>	<b>DURATION - 1 m 1.105 s</b>		<b>Steps</b> Total - 8 Pass - 8 Fail - 0 Skip - 0	
/ 12:58:35.529 PM // 12:59:36.634 PM /				
Client Main Screen Memos Feature				
@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 005.07.06				

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	12.219 s
2	And user navigates to clients &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	5.487 s
3	And user search client by client number &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched client by clientNumber: 2073245263</font>	PASSED	4.575 s
4	And user navigates to Details Memos	PASSED	7.940 s
5	And user create new Memos &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Memos</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Standard Memo' in field 'Memo Type'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>	PASSED	26.761 s
6	And user navigates to the link "Details" at the bottom of the tab "Memos" &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Navigated to Details link on Memos page </font>	PASSED	0.965 s
7	Then validate "Details" tab title &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Details tab title</font>	PASSED	2.169 s
8	Then user Validate the Memos &emsp; &#x21DD; &emsp; Soft Assert [Original Message is displayed as expected] passed	PASSED	0.104 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.861 s

## Contract Main Screen Feature

<b>PASSED</b>	<b>DURATION - 5 m 46.393 s</b>	Scenarios Total - 6 Pass - 6 Fail - 0 Skip - 0		Steps Total - 40 Pass - 40 Fail - 0 Skip - 0	
/ 12:59:36.744 PM // 1:05:23.137 PM /					

### Validate Contract main Screen Memos



PASSED		DURATION - 43.387 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 12:59:36.744 PM // 1:00:20.131 PM /						
Contract Main Screen Feature						
@Author: @R-PI.004.10.01 @RiskPayLaterInstall @AartiPatel @RiskPayNowEditPCI-Less						

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	23.640 s
2	And user navigates to contracts &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">navigated to contracts</font>	PASSED	6.007 s
3	And user search contract by contract ID &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked on By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Enter Contract ID: 1661519450</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched contract by contractID: 1661519450</font>	PASSED	3.045 s
4	And user navigates to Contract Tree Memos	PASSED	7.555 s
5	And validate "Memos" tab title &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Memos tab title</font>	PASSED	2.171 s
6	And user validate the Memos Screen &emsp; &#x21DD; &emsp; Soft Assert [Memos Type Title is present] passed	PASSED	0.142 s





#	Step / Hook Details	Status	Duration
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.805 s
	&nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Click on User Icon</font>		

### Validate create Memos from Contract Main Screen

PASSED		DURATION - 1 m 4.877 s			Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:00:20.236 PM // 1:01:25.113 PM /						
Contract Main Screen Feature						
@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 004.10.02						

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	18.828 s
2	And user navigates to contracts &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">navigated to contracts</font>	PASSED	5.001 s
3	And user search contract by contract ID &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On By Contract ID</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked on By Contract ID</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Enter Contract ID: 1661519450</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On Find</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">searched contract by contractID: 1661519450</font>	PASSED	2.943 s
4	And user navigates to Contract Tree Memos	PASSED	7.177 s
5	And user create new Memos &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On Memos</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Selected value 'Standard Memo' in field 'Memo Type'</font> &nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Clicked On Save Button</font>	PASSED	29.739 s
6	Then user Validate the Memos &nbsp; &#x21DD; &nbsp; Soft Assert [Original Message is displayed as expected] passed	PASSED	0.107 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	1.061 s
	&nbsp; <font color=black>#9432;</font></b> &nbsp; <font style="font-family:Courier New;">Click on User Icon</font>		

## Validate Edit Memos from Contract Main Screen

<div>PASSED</div>	<div>DURATION - 59.546 s</div>	<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 6</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:01:25.273 PM // 1:02:24.819 PM /</div>				
<div>Contract Main Screen Feature</div>				
<div>@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 004.10.03</div>				



#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	18.027 s
2	And user navigates to contracts &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">navigated to contracts</font>	PASSED	9.741 s
3	And user search contract by contract ID &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked on By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Enter Contract ID: 1661519450</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched contract by contractID: 1661519450</font>	PASSED	3.291 s
4	And user navigates to Contract Tree Memos	PASSED	7.377 s
5	And User Edit the created Memo &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Edit Memos</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>	PASSED	20.165 s
6	Then user Validate the Memos &emsp; &#x21DD; &emsp; Soft Assert [Original Message is displayed as expected] passed	PASSED	0.093 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.822 s

## Validate Delete Memos from Contract Main Screen

<b>PASSED</b>	<b>DURATION - 48.237 s</b>		<b>Steps</b> Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 1:02:24.914 PM // 1:03:13.151 PM /				
Contract Main Screen Feature				
@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 004.10.04				



#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	12.372 s
2	And user navigates to contracts	PASSED	6.141 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">navigated to contracts</font>		
3	And user search contract by contract ID	PASSED	3.174 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On By Contract ID</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked on By Contract ID</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Enter Contract ID: 1661519450</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched contract by contractID: 1661519450</font>		
4	And user navigates to	PASSED	7.311 s
	Contract Tree		
	Memos		
5	And user Delete the newly created Memo	PASSED	17.166 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Delete Memos</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On OK Button</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font>		
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>		
6	Then user Validate the Deleted Memos Status	PASSED	1.140 s
	&emsp; &#x21DD; &emsp; Soft Assert [Record is found] passed		
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.910 s
	&emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>		

**Validate create,Edit,Delete Memos from Contract Main Screen**

<div>PASSED</div>	<div>DURATION - 1 m 21.411 s</div>	<div></div>	<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 1:03:13.261 PM // 1:04:34.672 PM /</div>				
<div>Contract Main Screen Feature</div>				
<div>@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 004.10.05</div>				

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	41.924 s
2	And user navigates to contracts &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">navigated to contracts</font>	PASSED	4.482 s
3	And user search contract by contract ID &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked on By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Enter Contract ID: 1661519450</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched contract by contractID: 1661519450</font>	PASSED	1.162 s
4	And user navigates to Contract Tree Memos	PASSED	6.264 s
5	And user create new Memos &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Memos</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Standard Memo' in field 'Memo Type'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>	PASSED	19.460 s
6	And user navigates to the link "Change Log" at the bottom of the tab "Memos" &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Navigated to Change Log link on Memos page </font>	PASSED	0.225 s
7	Then user is able to see the record on "Change Log" page &emsp; &#x21DD; &emsp; Soft Assert [Record Found Successfully] passed	PASSED	5.418 s
8	Then validate "Change Log" tab title &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Change Log tab title</font>	PASSED	2.055 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>	PASSED	0.403 s



## Validate create,Edit,Delete Memos from Contract Main Screen

PASSED		DURATION - 48.432 s			<div>Steps</div> <div>Total - 8</div> <div>Pass - 8</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 1:04:34.705 PM // 1:05:23.137 PM /						
Contract Main Screen Feature						
@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 004.10.06						



#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	12.518 s
2	And user navigates to contracts &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">navigated to contracts</font>	PASSED	5.208 s
3	And user search contract by contract ID &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked on By Contract ID</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Enter Contract ID: 1661519450</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">searched contract by contractID: 1661519450</font>	PASSED	1.558 s
4	And user navigates to Contract Tree Memos	PASSED	6.298 s
5	And user create new Memos &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Memos</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Bank decision' in field 'Reason'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Selected value 'Standard Memo' in field 'Memo Type'</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Save Button</font>	PASSED	20.109 s
6	And user navigates to the link "Details" at the bottom of the tab "Memos" &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Navigated to Details link on Memos page </font>	PASSED	0.255 s
7	And validate "Details" tab title &emsp; &#x21DD; &emsp; Soft Assert passed &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Validated Details tab title</font>	PASSED	2.059 s
8	And user Validate the Memos &emsp; &#x21DD; &emsp; Soft Assert [Original Message is displayed as expected] passed	PASSED	0.031 s

#	Step / Hook Details	Status	Duration
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.390 s
	&emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>		

## Free Search



PASSED	DURATION - 22.564 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 1:05:23.175 PM // 1:05:45.739 PM /					

## Free Search Account Validation



PASSED	DURATION - 22.564 s		Steps Total - 2 Pass - 2 Fail - 0 Skip - 0	
/ 1:05:23.175 PM // 1:05:45.739 PM /				
Free Search				
@Author: @AartiPatel @FreeSearchFeature @RiskPayLaterInstalments @R-PI.002.03.03				

#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	12.087 s
2	Then validate search in Free Search by Account ID	PASSED	10.043 s
	&emsp; &#x21DD; &emsp; Soft Assert [Expected record is present] passed		
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.426 s
	&emsp; <font color=black>&#9432;</font></b> &emsp; <font style="font-family:Courier New;">Click on User Icon</font>		

## Search by Client

<b>FAILED</b>	<b>DURATION - 36.963 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 1:05:45.790 PM // 1:06:22.753 PM /					


### Search Client By Client Number from different customer

<b>FAILED</b>	<b>DURATION - 36.963 s</b>		Steps Total - 4 Pass - 3 Fail - 1 Skip - 0	
/ 1:05:45.790 PM // 1:06:22.753 PM /				
Search by Client				
@Author: @R-PI.002.05.01 @AartiPatel @RiskPayLaterInstalments				



#	Step / Hook Details	Status	Duration
1	When user login workbench application for role "Risk - Pay Later Instalments"	PASSED	12.782 s
2	And user navigates to clients &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User Navigated to Clients Page</font>	PASSED	5.677 s
3	And user navigates to By Number	PASSED	3.105 s
4	Then user search client by client number from different customer &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">Clicked On Find</font> &emsp; <font color=black>#9432;</font></b> &emsp; <font style="font-family:Courier New;">User search client by Invalid clientNumber</font> &emsp; &#x21DD; &emsp; Soft Assert [Record not Found] passed  org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button class="form-save-bar-button search-btn valid-btn" tabindex="0" ng-click="findNow()" ng-enter="findNow()" ng-class="{disabled:getForm().\$invalid}" ng-disabled="getForm().\$invalid">...</button> is not clickable at point (491, 203). Other element would receive the click: <div class="alertify">...</div> (Session info: chrome=113.0.5672.93) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GH-HCRHZH3', ip: '192.168.0.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\le141640\AppData\Lo..}, goog:chromeOptions: {debuggerAddress: localhost:57903}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,	FAILED	13.897 s

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 08d9225d7cf4fb32f3cb8aa3c6a938e5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)  at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84)  atjdk.internal.reflect.GeneratedMethodAccessor221.invoke(Unknown Source)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:566)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51)  at com.sun.proxy.\$Proxy45.click(Unknown Source)  at com.mastercard.gpse.processing.utils.WebElementUtility.clickOnElement(WebElementUtility.java:176)  at com.mastercard.gpse.processing.pages.ClientPage.clickOnFind(ClientPage.java:129)  at com.mastercard.gpse.processing.stepDefinitions.web.ClientSearchSteps.  userSearchClientByClientNumberFromDifferentCustomer(ClientSearchSteps.java:78)  at ?.user search client by client number from different customer(file:///C:/Users/e141640/IdeaProjects/Service_Workbench_Automation/  workbench_auto/src/test/resources/features/web/issuing/customerservice/workbench/search/SearchClients.feature:57)  * Not displayable characters are replaced by '?'. </p>		
	<p><b>AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)</b></p> <p>Search Client By Client Number from different customer</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;icon class="user-icon ng-isolate-scope" el="sys-user"&gt;...&lt;/icon&gt; is not clickable at point (1365, 20). Other element would receive the click: &lt;div class="alertify"&gt;...&lt;/div&gt; (Session info: chrome=113.0.5672.93) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GH-HCRHZH3', ip: '192.168.0.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\le141640\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57903}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 08d9225d7cf4fb32f3cb8aa3c6a938e5</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) </p>	FAILED	1.493 s





#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:285) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:84) atjdk.internal.reflect.GeneratedMethodAccessor221.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at com.sun.proxy.\$Proxy45.click(Unknown Source) at com.mastercard.gpse.processing.pages.HomePage.clickUserIcon(HomePage.java:96) at com.mastercard.gpse.processing.pages.HomePage.signOut(HomePage.java:103) at com.mastercard.gpse.processing.workflowsui.LoginWorkFlow.logout(LoginWorkFlow.java:393) at com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(Hooks.java:47) </pre>		
			

## Search Contract Features

<b>FAILED</b>	<b>DURATION - 3 m 14.436 s</b>	Scenarios		Steps	
/ 1:06:22.796 PM // 1:09:37.232 PM /		Total - 1		Total - 6	
		Pass - 0		Pass - 0	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

## Search by Contract By Bank Account Number

<div>FAILED</div> <div>DURATION - 3 m 14.436 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 5</div>	<div></div>
<div>/ 1:06:22.796 PM // 1:09:37.232 PM /</div>				
<div>Search Contract Features</div>				
<div>@Author: @RiskPayLaterInstall @AartiPatel @R-PI. 002.02.02</div>				

#	Step / Hook Details	Status	Duration
1	<p>When user login workbench application for role "Risk - Pay Later Instalments"</p> <pre>org.openqa.selenium.TimeoutException: timeout: Timed out receiving message from renderer: 59.723 (Session info: chrome=113.0.5672.93) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GH-HCRHZH3', ip: '192.168.0.104', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\le141640\AppData\Lo..., goog:chromeOptions: {debuggerAddress: localhost:57903}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 08d9225d7cf4fb32f3cb8aa3c6a938e5     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122)     at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)     at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:277)     at com.mastercard.gpse.processing.pages.LoginPage.open(LoginPage.java:102)     at com.mastercard.gpse.processing.pages.LoginPage.login(LoginPage.java:120)     at com.mastercard.gpse.processing.workflowsui.LoginWorkFlow.login(LoginWorkFlow.java:347)     at com.mastercard.gpse.processing.workflowsui.LoginWorkFlow.loginToCSWForRiskPayLaterInstalmentsNonPCIRole(LoginWorkFlow. java:209)     at com.mastercard.gpse.processing.stepDefinitions.web.LoginSteps.userEntersTheCredentialsForUserRole(LoginSteps.java:85)     at ?.user login workbench application for role "Risk - Pay Later Instalments"(file:///C:/Users/e141640/IdeaProjects/ Service_Workbench_Automation/workbench_auto/src/test/resources/features/web/issuing/customerserviceworkbench/search/SearchContracts. feature:33) * Not displayable characters are replaced by '?'. </pre>	FAILED	2 m 0.015 s

#	Step / Hook Details	Status	Duration
2	And user navigates to contracts	SKIPPED	0.001 s
3	And user search contract by contract ID	SKIPPED	0.001 s
4	And user navigates to Contract Tree	SKIPPED	0.000 s
5	And get the Bank Code to search in Contract Search Page	SKIPPED	0.000 s
6	Then user validate contract by Bank Account Number	SKIPPED	0.000 s
	AFTER - com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	1 m 14.410 s
	Search by Contract By Bank Account Number  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.cssSelector: icon.user-icon.ng-isolate-scope' (tried for 60 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:95) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:272) at com.mastercard.gpse.processing.utils.WebElementUtility.waitForElementToBeClickableAfterPageLoading(WebElementUtility.java:80) at com.mastercard.gpse.processing.pages.HomePage.clickUserIcon(HomePage.java:95) at com.mastercard.gpse.processing.pages.HomePage.signOut(HomePage.java:103) at com.mastercard.gpse.processing.workflowsui.LoginWorkFlow.logout(LoginWorkFlow.java:393) at com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(Hooks.java:47) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"icon.user-icon.ng-isolate-scope"} (Session info: chrome=113.0.5672.93) For documentation on this error, please visit: https://www.seleniumhq.org/exceptions/no_such_element.html Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:17:03' System info: host: 'GH-HCRHZH3', ip: '192.168.0.104', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '11.0.15.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: true, browserName: chrome, browserVersion: 113.0.5672.93, chrome: {chromedriverVersion: 113.0.5672.63 (0e1a4471d5ae..., userDataDir: C:\Users\le141640\AppData\Lo...}, goog:chromeOptions: {debuggerAddress: localhost:57903}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 08d9225d7cf4fb32f3cb8aa3c6a938e5 *** Element info: {Using=css selector, value=icon.user-icon.ng-isolate-scope} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:323)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElementByCssSelector(RemoteWebDriver.java:420) at org.openqa.selenium.By\$ByCssSelector.findElement(By.java:431) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:315) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:69) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at com.sun.proxy.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:314) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:43) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:300) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:297) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:670) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:666) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:249) at com.mastercard.gpse.processing.utils.WebElementUtility.waitForElementToBeClickableAfterPageLoading(WebElementUtility.java:80) at com.mastercard.gpse.processing.pages.HomePage.clickUserIcon(HomePage.java:95) at com.mastercard.gpse.processing.pages.HomePage.signOut(HomePage.java:103) at com.mastercard.gpse.processing.workflowsui.LoginWorkFlow.logout(LoginWorkFlow.java:393) at com.mastercard.gpse.processing.stepDefinitions.Hooks.tearDown(Hooks.java:47) atjdk.internal.reflect.GeneratedMethodAccessor241.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:59) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.TestCase.run(TestCase.java:110) at io.cucumber.core.runner.Runner.runPickle(Runner.java:73) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:117) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:114) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) atjdk.internal.reflect.GeneratedMethodAccessor237.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:566) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1541) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:109)</pre>		