Status	Finished
Started	Saturday, 10 October 2026, 7:27 AM
Completed	Saturday, 10 October 2026, 7:44 AM
Duration	16 mins 59 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

In Python, Dictionaries are immutable

Select one:

- True
- False ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Dictionary is a _____ data type.

- a. Sequence
- b. Ordered
- c. Mapping ✓
- d. None of the mentioned

Question **3**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using _____.

- a. loop ✓
- b. jump statement
- c. if statement
- d. None of the mentioned

Question **4**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called _____.

a. paired value
b. pair item
c. value
d. item ✓

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

a. 4 ✓
b. 5
c. A
d. Invalid Synatx,Error

Question **6**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. It will merge all the elements of dictionary ‘D1’ in dictionary ‘D2’.
b. None of the mentioned
c. It will merge all the elements of dictionary ‘D2’ in dictionary ‘D1’. ✓
d. It will create a new dictionary.

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

a. dict ✓
b. dictionary
c. convert
d. create

Question **8**

Correct

Mark 1.00 out of 1.00

Which of the following is not method of dictionary?

a. pop
b. del ✓
c. update
d. len

Question **9**

Correct

Mark 1.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 9 ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Both keys and values are unique in dictionary.

a. False ✓
b. True

Question **11**

Correct

Mark 1.00 out of 1.00

_____ function returns the value corresponding to the key passed as the argument.

a. get ✓
b. values
c. update
d. del

Question **12**

Correct

Mark 1.00 out of 1.00

1,2,3 are the _____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. None of the mentioned
b. Items
c. Values
d. Keys ✓

Question **13**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.values)
b. print(A.Items) ✓
c. print(A.keys)
d. print(A.get)

Question **14**

Correct

Mark 1.00 out of 1.00

Which function helps to merge dictionary 'D1' and 'D2'?

a. update ✓
b. get
c. merge
d. append

Question **15**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of dictionary?

a. C = ( )
b. None of the mentioned
c. D = { } ✓
d. L = [ ]