Status	Finished
Started	Monday, 27 July 2026, 1:54 PM
Completed	Monday, 27 July 2026, 1:58 PM
Duration	4 mins 9 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Type the code to get float input from the keyboard. (No need to assign to a variable)

Answer: float(input())

The correct answer is: float(input())

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following declarations is incorrect in python language?

a. xyzp = 5,000,000

b. x y z p = 5000 6000 7000 8000 ✓

c. x_y_z_p = 5,000,000

d. x,y,z,p = 5000, 6000, 7000, 8000

Your answer is correct.

The correct answer is:
x y z p = 5000 6000 7000 8000

Question **3**

Correct

Mark 1.00 out of 1.00

What will be the output of type("hello")?

- a. <class 'str'> ✓
- b. <class 'bool'>
- c. <class 'int'>
- d. <class 'float'>

Your answer is correct.

The correct answer is: <class 'str'>

Question **4**

Correct

Mark 1.00 out of 1.00

Who developed the Python language?

- a. Von Neumann
- b. Bill Gates
- c. Guido Van Rossum ✓
- d. Dennis Ritchie

Your answer is correct.

The correct answer is:
Guido Van Rossum

Question **5**

Correct

Mark 1.00 out of 1.00

Which function is used to print a message in Python?

- a. print() ✓
- b. display()
- c. echo()
- d. show()

Your answer is correct.

The correct answer is: print()

Question **6**

Correct

Mark 1.00 out of 1.00

What is the correct syntax to create a variable in Python?

a. var name : “value”

b. var name = “value”

c. name := “value”

d. name = “value” ✓

Your answer is correct.

The correct answer is: name = “value”

Question **7**

Correct

Mark 1.00 out of 1.00

What symbol is used for string formatting in Python using the old method?

a. $

b. &

c. @

d. % ✓

Your answer is correct.

The correct answer is: %

Question **8**

Correct

Mark 1.00 out of 1.00

Which function would you use to get a Boolean value?

a. int()

b. float()

c. bool() ✓

d. str()

Your answer is correct.

The correct answer is: bool()

Question **9**

Correct

Mark 1.00 out of 1.00

What is the default separator between arguments in the print() function?

- a. Space ✓
- b. Dash
- c. Period
- d. Comma

Your answer is correct.

The correct answer is: Space

Question **10**

Correct

Mark 1.00 out of 1.00

What do we use to define a block of code in Python language?

- a. Indentation ✓
- b. Parenthesis
- c. Key
- d. Curly brace

Your answer is correct.

The correct answer is:
Indentation

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code snippet?

```
a = 3
b = 1
print(a, b)
a, b = b, a
 print(a, b)
```

a. 3 1
   3 1

b. No output

c. 3 1 ✓
   1 3

d. 1 3
   3 1

Your answer is correct.

The correct answer is:
3 1
1 3

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is NOT a valid identifier in Python?

a. _

b. a1

c. 1a ✓

d. a_

Your answer is correct.

The correct answer is: 1a

Question **13**

Correct

Mark 1.00 out of 1.00

Which one of the following is the correct extension of the Python file?

a. .p

b. .python

c. .py ✓

d. .cpp

Your answer is correct.

The correct answer is:
.py

Question **14**

Correct

Mark 1.00 out of 1.00

Which keyword is used to write comments in Python?

a. /*

b. # ✓

c. <!--

d. //

Your answer is correct.

The correct answer is: #

Question **15**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code snippet?

```
print(type(5 / 2))
```

a. float ✓

b. obj

c. str

d. int

Your answer is correct.

The correct answer is:
float