

Project Design Phase-II Data Flow Diagram & User Stories

Date	03 October 2026
Team ID	SWTID-2026-6763
Project Name	Implement Client Script & UI Policy (Incident)
Maximum Marks	4 Marks



Data Flow Diagrams:

A **Data Flow Diagram (DFD)** is a visual representation of how data moves through a system. It shows where data comes from, how it is processed, where it is stored, and where the resulting information is sent. For the **Client Script & UI Policy (Incident)** project, the DFD represents the flow of an incident record from the moment the form is opened to the point it is saved. When an agent opens or edits an incident, the **UI Policies** and **Client Scripts** control which fields are mandatory, visible or read-only and validate the entries before the incident is stored in the Incident table. The DFD explains the interaction between the **Agent, ServiceNow, UI Policy, Client Script, Incident Table and Support Team**.

Example: [\(Simplified\)](#)

Example: (Simplified)

Level 0 DFD



Flow Description:

1. Agent opens or updates an incident in ServiceNow.
2. The form loads and the onLoad Client Script runs.
3. UI Policies evaluate conditions and set fields mandatory, visible or read-only.
4. Client Scripts validate entries when fields change and on submit.
5. The validated incident is stored in the Incident table and passed to the support team.

User Stories

Use the below template to list all the user stories for the product.

User Type	Functional Requirement (Epic)	User Story Number	User Story / Task	Acceptance criteria	Priority	Release
Service Desk Agent	Incident Creation	USN-1	As a service desk agent, I can create a new incident by entering the caller and issue details so that the problem can be processed.	I can submit the incident with the required information and receive an incident number.	High	Sprint-1
Service Desk Agent	Incident Creation	USN-2	As a service desk agent, I want helpful messages when the incident form opens so that I know which details to provide.	An information message is shown when the incident form loads.	Medium	Sprint-1
Administrator	Incident Form Configuration	USN-3	As an administrator, I can identify the incident fields and conditions that need client-side control.	The fields (State, Priority, Close code, Close notes) and their conditions are listed.	High	Sprint-1
Administrator	UI Policy Configuration	USN-4	As an administrator, I can create a UI Policy that makes Close code and Close notes mandatory when the incident is resolved.	The fields become mandatory when State is Resolved or Closed and optional otherwise.	High	Sprint-1
Administrator	UI Policy Configuration	USN-5	As an administrator, I can configure UI Policy Actions that make fields read-only once an incident is closed.	Fields cannot be edited on a closed incident.	High	Sprint-1
Administrator	Field Visibility & Read-only Control	USN-6	As an administrator, I can show or hide fields based on conditions so that the form stays simple.	Fields appear only when their condition is true and hide again when it is not.	Medium	Sprint-1

Administrator	Client Script Configuration	USN-7	As an administrator, I can create an onLoad client script that displays guidance when the form opens.	The message appears each time the incident form is loaded.	Medium	Sprint-2
Administrator	Client Script Configuration	USN-8	As an administrator, I can create an onChange client script that reacts when Priority changes.	A message is shown when Priority is set to 1 - Critical.	High	Sprint-2
Administrator	Client Script Configuration	USN-9	As an administrator, I can create an onSubmit client script that validates the form before saving.	Submission is blocked when Short description is empty.	High	Sprint-2
Service Desk Agent	Mandatory Field Enforcement	USN-10	As a service desk agent, I want a clear error message when required details are missing so that I can correct them before saving.	The error message names the missing field and the incident is not saved until it is filled.	High	Sprint-2
Administrator	Exception Handling	USN-11	As an administrator, I can make sure the UI Policy and Client Script do not conflict with each other.	The form stays usable and behaves the same when no condition matches.	Medium	Sprint-2
Tester	Testing & Validation	USN-12	As a tester, I can test the UI Policies and Client Scripts with different incident states and priorities.	Every policy and script behaves as expected for the defined test cases.	High	Sprint-2
Service Desk Agent	Field Visibility & Read-only Control	USN-13	As a service desk agent, I can see only the fields that are relevant to the current state of the incident.	Irrelevant fields are hidden and closed incidents are read-only.	Medium	Sprint-2
Administrator	Documentation	USN-14	As an administrator, I can document the UI Policies, Client Scripts and test results.	The documentation contains the implementation steps and test results.	Medium	Sprint-2