AWS Solution Architect Training with
AWS Cloud Practitioner Global Certification Training

Trainer: Aravindraj.G- Nminds Academy

Configure IIS Windows Web Server in AWS

SRINATH.K

B.E -BSc Information Technology

Vet Institute of Arts and Science College

Erode

Objective

An EC2 Windows instance is a virtual machine running the Microsoft Windows operating system on Amazon Web Services (AWS) EC2 (Elastic Compute Cloud). This allows you to run Windows-based applications, manage Windows Server configurations, and use various Microsoft software (like SQL Server, IIS, etc.) in the cloud without having to manage physical hardware.

IIS (Internet Information Services) is a web server software created by Microsoft for hosting websites and web applications on Windows Server operating systems. It provides a platform for building, deploying, and managing web-based applications. IIS supports multiple protocols, including HTTP, HTTPS, FTP, and more, and is tightly integrated with the Windows OS.

Common Use Cases of IIS:

1. Hosting Websites: IIS is often used by businesses and developers to host websites and web applications, particularly those built with ASP.NET.
2. Web Applications: For applications that require robust back-end support, IIS provides features like application pooling and security for web services (e.g., SOAP or RESTful APIs).
3. Secure File Sharing: IIS can be configured as an FTP server to securely share files between different locations.
4. Application Hosting in Enterprises: Many enterprise applications built on Microsoft technologies rely on IIS for deployment, such as SharePoint, Exchange Server, or Dynamics CRM.
5. API Hosting: IIS is commonly used to host APIs (e.g., RESTful services) built with .NET or other technologies.

Topology

How to Configure the IIS web server in Windows Server with AWS EC2



Execution Tasks:

STEPS 1: LOGIN THE AWS CONSOL AND CLICK THE EC2 THEN LANCH THE INSTANCE

STEP 2: CREATE THE INSTANCE THEN GIVE THE INSTANCE NAME AFTER CREATE THE NEW KEY PAIR

STEP 3 : CHOOSE THE SREVER (OS) EXAMPLE : WINDOWS, LINUX

STEP 4 : LANCH THE INSTANCE AFTER THAT INSTAN CHECK TO THE RUNNING STATE

STEP 5 : REMOTE DESKTOP GIVE THE IP EX(12.36.548.0)THEN give the password login it

STEP 6 : GO THE SERVER WINDOWS CLICK THE SERVER MANAGER THE GIVE THE 2 OPETION FINSH THE DOWNLOD CLOSE IT

STEP 7 : ADD FEATURE FOR REQIRED THE WEB SERVER (IIS)

Execution Task Path – Screenshots