```
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master)
$ git status
On branch master
nothing to commit, working tree clean
```

```
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master)

$ git log
commit 67cf2972a40254d095f8ec477da11f27b5abb7b8 (HEAD -> master)
Author: Srinidhi <srinidhigajarala@gmail.com>
Date: Tue Aug 5 11:14:55 2025 +0530

committed successfully
```

```
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master)
$ git status --short
```

```
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master) $ git add --all
```

```
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master)

$ git diff --staged
diff --git a/b0.txt b/b0.txt
new file mode 100644
index 0000000..7916fb2
--- /dev/null
+++ b/b0.txt
@@ -0,0 +1 @@
+szadfghjklewqerfgthyjukilozxascdvbnm,
\ No newline at end of file
```

```
RECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master)

§ git reset 5B0.txt
```

```
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~
$ git --version
git version 2.50.1.windows.1
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~
$ mkdir CSE
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~
$ cd CSE
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE
$ git config --global user.name "Srinidhi"
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master)
$ git config --global user.name
Srinidhi
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE
$ git config --global user.email "srinidhigajarala@gmail.com"
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master)
$ git config --global user.email
srinidhigajarala@gmail.com
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE
$ git init
Initialized empty Git repository in C:/Users/BRECWLABVI-3/CSE/.git/
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master)
 git add 5B0.txt
RECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSF (master)
BRECWLABVI-3@DESKTOP-P4A7G76 MINGW64 ~/CSE (master)
$ git commit -m "committed successfully"
[master (root-commit) 67cf297] committed successfully
1 file changed, 5 insertions(+)
create mode 100644 5B0.txt
```